

Informacja o danych osobowych wykorzystywanych w systemie Płacowym firmy Mikrobit

Głównym systemem jest system SF, a w nim baza PERS.SF

PERS.SF w systemie SF

W bazie PERS.SF systemu SF znajdują się następujące pola wykorzystywane w systemie Płace i Kadry:

| | | |
|-------------|-----------------|-------------|
| NREW | NAZWISKO | IMIE |
|-------------|-----------------|-------------|

NREW -> numer ewidencyjny osoby , który jest nie zmienny do czasu istnienia systemu Mikrobit

NAZWISKO -> nazwisko osoby , podane tylko w tej bazie (w innych system rozpoznaje osobę po polu **NREW**)

IMIE -> imię osoby

Każda inna informacja w tej bazie jest informacją słownikową definiowaną wg. ustaleń użytkownika indywidualnie.

W systemie Płacowym główną bazą jest baza PER.PL

PER.PL w systemie PL

Baza liczy około 300 rekordów, dane osobowe są przekazywane w następujących polach:

NREW - > numer ewidencyjny osoby , który jest nie zmienny do czasu istnienia systemu Mikrobit

PESEL -> numer PESEL

NRID -> numer NIP

DATAUR -> data urodzenia

MSCWUR ->miejsce urodzenia

IMIE2 - > imię drugie

NAZWROD -> nazwisko rodowe

IMIEOJ - > imię ojca

IMIEMAT - > imię matki

DOWTOZ -> numer dowodu tożsamości

DOWMSCW - > wydany przez

DOWDATA - > wydany dnia

DOWDATA2 -> data ważności

ZAMUL - > zamieszkały ulica

ZAMNRD- > zamieszkały numer domu

ZAMNRM- > zamieszkały numer mieszkania

ZAMMSKOD - > zamieszkały kod pocztowy wg. GUS (opcjonalnie)

ZAMMSCW- > zamieszkały miejscowość

ZAMKOD- > zamieszkały kod pocztowy

ZAMPOCZ- > zamieszkały poczta

PLEC- > płeć osoby

XPESEL- > poprzednie dane osobowe PESEL

XNRID - > poprzednie dane osobowe NIP

XDOWTOZ- > poprzednie dane osobowe dowód tożsamości

XNAZW- > poprzednie dane osobowe NAZWISKO

XIMIE- > poprzednie dane osobowe IMIE

XDATAUR- > poprzednie dane osobowe Data urodzenia

W innych bazach system rozpoznaje osoby/pracowników po polu NREW.

Relacja między bazami zachodzi przy pomocy pola NREW.

Folder: E:\mikrobit test\EPBAZY

Nazwa pliku: DRUKWIN.EP

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|--------|--------|
| 1 | IDSYS | character | 2 | 0 | %-2s | 1 |

| | | | | | | |
|----|-----------|-----------|-----|---|--------|-----|
| 2 | OPER | character | 3 | 0 | %-3s | 3 |
| 3 | KLASA | character | 32 | 0 | %-32s | 6 |
| 4 | PRZEGL | character | 16 | 0 | %-16s | 38 |
| 5 | DRUKID | character | 64 | 0 | %-64s | 54 |
| 6 | ZAKRES | character | 6 | 0 | %-6s | 118 |
| 7 | FORMAT | character | 6 | 0 | %-6s | 124 |
| 8 | WINPRT | character | 220 | 0 | %-220s | 130 |
| 9 | PAPNAME | character | 24 | 0 | %-24s | 350 |
| 10 | ORIENTW | character | 7 | 0 | %-7s | 374 |
| 11 | LMARG | character | 7 | 0 | %-7s | 381 |
| 12 | PMARG | character | 7 | 0 | %-7s | 388 |
| 13 | GMARG | character | 7 | 0 | %-7s | 395 |
| 14 | DMARG | character | 7 | 0 | %-7s | 402 |
| 15 | FONTNAME | character | 48 | 0 | %-48s | 409 |
| 16 | FONTPROP | character | 6 | 0 | %-6s | 457 |
| 17 | FONTSIZE | character | 7 | 0 | %-7s | 463 |
| 18 | FONTDENS | character | 7 | 0 | %-7s | 470 |
| 19 | DOSPRT | character | 64 | 0 | %-64s | 477 |
| 20 | STERDOS | character | 8 | 0 | %-8s | 541 |
| 21 | ORIENTD | character | 7 | 0 | %-7s | 549 |
| 22 | ZNNACAL | character | 6 | 0 | %-6s | 556 |
| 23 | WRNASTR | character | 6 | 0 | %-6s | 562 |
| 24 | SZERPAP | character | 6 | 0 | %-6s | 568 |
| 25 | WYSPAP | character | 6 | 0 | %-6s | 574 |
| 26 | LMARGZN | character | 6 | 0 | %-6s | 580 |
| 27 | GMARGWR | character | 6 | 0 | %-6s | 586 |
| 28 | FORMFEED | character | 6 | 0 | %-6s | 592 |
| 29 | LKOPII | character | 6 | 0 | %-6s | 598 |
| 30 | POWPKS | character | 6 | 0 | %-6s | 604 |
| 31 | STRROZ | character | 6 | 0 | %-6s | 610 |
| 32 | DRODOST | character | 6 | 0 | %-6s | 616 |
| 33 | NADRFORM | character | 6 | 0 | %-6s | 622 |
| 34 | STOPSTR | character | 6 | 0 | %-6s | 628 |
| 35 | DRBEZP | character | 6 | 0 | %-6s | 634 |
| 36 | TYTUL | character | 120 | 0 | %-120s | 640 |
| 37 | POD TYTUL | character | 120 | 0 | %-120s | 760 |
| 38 | WM_TYPE | character | 7 | 0 | %-7s | 880 |
| 39 | WM_TEXT | character | 250 | 0 | %-250s | 887 |

| | | | | | | |
|----|---------|-----------|-----|---|--------|------|
| 40 | WM_PAR | character | 250 | 0 | %-250s | 1137 |
| 41 | DUPLEXW | character | 1 | 0 | %-1s | 1387 |

Folder: E:\mikrobot test\EPBAZY

Nazwa pliku: EVENTS.EP

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | FLAGA | character | 1 | 0 | %-1s | 1 |
| 2 | FROMSYM | character | 2 | 0 | %-2s | 2 |
| 3 | FROMIDX | character | 10 | 0 | %-10s | 4 |
| 4 | TOSYM | character | 2 | 0 | %-2s | 14 |
| 5 | TOIDX | character | 10 | 0 | %-10s | 16 |
| 6 | WYR | character | 10 | 0 | %-10s | 26 |
| 7 | OPIS | character | 40 | 0 | %-40s | 36 |
| 8 | TYPOKR | character | 1 | 0 | %-1s | 76 |
| 9 | OKRES | character | 8 | 0 | %-8s | 77 |
| 10 | DATA | date | 8 | 0 | %8s | 85 |
| 11 | CZAS | character | 10 | 0 | %-10s | 93 |
| 12 | OPER | character | 3 | 0 | %-3s | 103 |
| 13 | OPERNAME | character | 40 | 0 | %-40s | 106 |
| 14 | WINUSERN | character | 40 | 0 | %-40s | 146 |
| 15 | WINCOMP | character | 40 | 0 | %-40s | 186 |

Folder: E:\mikrobot test\EPBAZY

Nazwa pliku: LSTZWIN.EP

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | BROWSER | character | 20 | 0 | %-20s | 1 |
| 2 | GRUPA | character | 10 | 0 | %-10s | 21 |
| 3 | NUMER | character | 4 | 0 | %-4s | 31 |
| 4 | NAZWAG | character | 40 | 0 | %-40s | 35 |
| 5 | TYTUL | character | 60 | 0 | %-60s | 75 |
| 6 | MENU | character | 10 | 0 | %-10s | 135 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|-----|
| 7 | TYPDRUKU | character | 15 | 0 | %-15s | 145 |
| 8 | PLIK | character | 256 | 0 | %-256s | 160 |
| 9 | NAZWAW | character | 60 | 0 | %-60s | 416 |
| 10 | WARUNEK | character | 250 | 0 | %-250s | 476 |

Folder: E:\mikrobot test\EPBAZY

Nazwa pliku: PARAMETR.EP

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PAR_ZMN | character | 10 | 0 | %-10s | 1 |
| 2 | PAR_TYP | character | 1 | 0 | %-1s | 11 |
| 3 | PAR_LEN | number | 4 | 0 | %4s | 12 |
| 4 | PAR_EXT | boolean | 1 | 0 | % 1s | 16 |
| 5 | PAR_VAL | character | 480 | 0 | %-480s | 17 |
| 6 | PAR_STAT | character | 1 | 0 | %-1s | 497 |
| 7 | PAR_GRP | character | 1 | 0 | %-1s | 498 |
| 8 | PAR_GRN | character | 30 | 0 | %-30s | 499 |
| 9 | PAR_ORD | character | 3 | 0 | %-3s | 529 |
| 10 | PAR_OPIS | character | 50 | 0 | %-50s | 532 |
| 11 | PAR_OBR | character | 60 | 0 | %-60s | 582 |
| 12 | M__SOP | character | 10 | 0 | %-10s | 642 |

Folder: E:\mikrobot test\EPBAZY

Nazwa pliku: PAREXT.EP

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|---------|--------|
| 1 | PAR_ZMN | character | 10 | 0 | %-10s | 1 |
| 2 | PAR_VAL | character | 4000 | 0 | %-4000s | 11 |

Folder: E:\mikrobot test\EPBAZY

Nazwa pliku: PARTXT.EP

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|---------|--------|
| 1 | PAR_ZMN | character | 10 | 0 | %-10s | 1 |
| 2 | KOMENT_R | character | 2000 | 0 | %-2000s | 11 |

Folder: E:\mikrobot test\EPBAZY

Nazwa pliku: PITY_11B.EP

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 2 | 0 | %-2s | 1 |
| 2 | NUMER | character | 10 | 0 | %-10s | 3 |
| 3 | PIT_XSD | character | 20 | 0 | %-20s | 13 |
| 4 | PIT_XML | character | 64 | 0 | %-64s | 33 |
| 5 | PACZKA | character | 75 | 0 | %-75s | 97 |
| 6 | KOREKTA | character | 2 | 0 | %-2s | 172 |
| 7 | NAZWA | character | 50 | 0 | %-50s | 174 |
| 8 | KODDZIAL | character | 6 | 0 | %-6s | 224 |
| 9 | KODSTAN | character | 6 | 0 | %-6s | 230 |
| 10 | KODMW | character | 3 | 0 | %-3s | 236 |
| 11 | KODWYR | character | 3 | 0 | %-3s | 239 |
| 12 | KODGR | character | 6 | 0 | %-6s | 242 |
| 13 | NIP | character | 14 | 0 | %-14s | 248 |
| 14 | REGON | character | 10 | 0 | %-10s | 262 |
| 15 | STATZAK | character | 1 | 0 | %-1s | 272 |
| 16 | STATWER | character | 1 | 0 | %-1s | 273 |
| 17 | STATPOD | character | 1 | 0 | %-1s | 274 |
| 18 | STATWYS | character | 1 | 0 | %-1s | 275 |
| 19 | STATPOT | character | 1 | 0 | %-1s | 276 |
| 20 | DATA_WYS | date | 8 | 0 | %8s | 277 |
| 21 | CZAS_WYS | character | 10 | 0 | %-10s | 285 |
| 22 | DATA_POT | date | 8 | 0 | %8s | 295 |
| 23 | CZAS_POT | character | 10 | 0 | %-10s | 303 |
| 24 | REFID | character | 32 | 0 | %-32s | 313 |
| 25 | NR_KOM | character | 3 | 0 | %-3s | 345 |
| 26 | US | character | 4 | 0 | %-4s | 348 |
| 27 | M__SOP | character | 10 | 0 | %-10s | 352 |

Folder: E:\mikrobit test\EPBAZY

Nazwa pliku: PITY_11T.EP

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 2 | 0 | %-2s | 1 |
| 2 | NUMER | character | 10 | 0 | %-10s | 3 |
| 3 | PIT_XSD | character | 20 | 0 | %-20s | 13 |
| 4 | PIT_XML | character | 64 | 0 | %-64s | 33 |
| 5 | PACZKA | character | 75 | 0 | %-75s | 97 |
| 6 | KOREKTA | character | 2 | 0 | %-2s | 172 |
| 7 | NAZWA | character | 50 | 0 | %-50s | 174 |
| 8 | KODDZIAL | character | 6 | 0 | %-6s | 224 |
| 9 | KODSTAN | character | 6 | 0 | %-6s | 230 |
| 10 | KODMW | character | 3 | 0 | %-3s | 236 |
| 11 | KODWYR | character | 3 | 0 | %-3s | 239 |
| 12 | KODGR | character | 6 | 0 | %-6s | 242 |
| 13 | NIP | character | 14 | 0 | %-14s | 248 |
| 14 | REGON | character | 10 | 0 | %-10s | 262 |
| 15 | STATZAK | character | 1 | 0 | %-1s | 272 |
| 16 | STATWER | character | 1 | 0 | %-1s | 273 |
| 17 | STATPOD | character | 1 | 0 | %-1s | 274 |
| 18 | STATWYS | character | 1 | 0 | %-1s | 275 |
| 19 | STATPOT | character | 1 | 0 | %-1s | 276 |
| 20 | DATA_WYS | date | 8 | 0 | %8s | 277 |
| 21 | CZAS_WYS | character | 10 | 0 | %-10s | 285 |
| 22 | DATA_POT | date | 8 | 0 | %8s | 295 |
| 23 | CZAS_POT | character | 10 | 0 | %-10s | 303 |
| 24 | REFID | character | 32 | 0 | %-32s | 313 |
| 25 | NR_KOM | character | 3 | 0 | %-3s | 345 |
| 26 | US | character | 4 | 0 | %-4s | 348 |
| 27 | M__SOP | character | 10 | 0 | %-10s | 352 |

Folder: E:\mikrobit test\EPBAZY

Nazwa pliku: PITY_13B.EP

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 2 | 0 | %-2s | 1 |
| 2 | NUMER | character | 10 | 0 | %-10s | 3 |
| 3 | PIT_XSD | character | 20 | 0 | %-20s | 13 |
| 4 | PIT_XML | character | 64 | 0 | %-64s | 33 |
| 5 | PACZKA | character | 75 | 0 | %-75s | 97 |
| 6 | KOREKTA | character | 2 | 0 | %-2s | 172 |
| 7 | NAZWA | character | 50 | 0 | %-50s | 174 |
| 8 | KODDZIAL | character | 6 | 0 | %-6s | 224 |
| 9 | KODSTAN | character | 6 | 0 | %-6s | 230 |
| 10 | KODMW | character | 3 | 0 | %-3s | 236 |
| 11 | KODWYR | character | 3 | 0 | %-3s | 239 |
| 12 | KODGR | character | 6 | 0 | %-6s | 242 |
| 13 | NIP | character | 14 | 0 | %-14s | 248 |
| 14 | REGON | character | 10 | 0 | %-10s | 262 |
| 15 | STATZAK | character | 1 | 0 | %-1s | 272 |
| 16 | STATWER | character | 1 | 0 | %-1s | 273 |
| 17 | STATPOD | character | 1 | 0 | %-1s | 274 |
| 18 | STATWYS | character | 1 | 0 | %-1s | 275 |
| 19 | STATPOT | character | 1 | 0 | %-1s | 276 |
| 20 | DATA_WYS | date | 8 | 0 | %8s | 277 |
| 21 | CZAS_WYS | character | 10 | 0 | %-10s | 285 |
| 22 | DATA_POT | date | 8 | 0 | %8s | 295 |
| 23 | CZAS_POT | character | 10 | 0 | %-10s | 303 |
| 24 | REFID | character | 32 | 0 | %-32s | 313 |
| 25 | NR_KOM | character | 3 | 0 | %-3s | 345 |
| 26 | US | character | 4 | 0 | %-4s | 348 |
| 27 | M__SOP | character | 10 | 0 | %-10s | 352 |

Folder: E:\mikrobot test\EPBAZY

Nazwa pliku: PITY_14B.EP

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 2 | 0 | %-2s | 1 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 2 | NUMER | character | 10 | 0 | %-10s | 3 |
| 3 | PIT_XSD | character | 20 | 0 | %-20s | 13 |
| 4 | PIT_XML | character | 64 | 0 | %-64s | 33 |
| 5 | PACZKA | character | 75 | 0 | %-75s | 97 |
| 6 | KOREKTA | character | 2 | 0 | %-2s | 172 |
| 7 | NAZWA | character | 50 | 0 | %-50s | 174 |
| 8 | KODDZIAL | character | 6 | 0 | %-6s | 224 |
| 9 | KODSTAN | character | 6 | 0 | %-6s | 230 |
| 10 | KODMW | character | 3 | 0 | %-3s | 236 |
| 11 | KODWYR | character | 3 | 0 | %-3s | 239 |
| 12 | KODGR | character | 6 | 0 | %-6s | 242 |
| 13 | NIP | character | 14 | 0 | %-14s | 248 |
| 14 | REGON | character | 10 | 0 | %-10s | 262 |
| 15 | STATZAK | character | 1 | 0 | %-1s | 272 |
| 16 | STATWER | character | 1 | 0 | %-1s | 273 |
| 17 | STATPOD | character | 1 | 0 | %-1s | 274 |
| 18 | STATWYS | character | 1 | 0 | %-1s | 275 |
| 19 | STATPOT | character | 1 | 0 | %-1s | 276 |
| 20 | DATA_WYS | date | 8 | 0 | %8s | 277 |
| 21 | CZAS_WYS | character | 10 | 0 | %-10s | 285 |
| 22 | DATA_POT | date | 8 | 0 | %8s | 295 |
| 23 | CZAS_POT | character | 10 | 0 | %-10s | 303 |
| 24 | REFID | character | 32 | 0 | %-32s | 313 |
| 25 | NR_KOM | character | 3 | 0 | %-3s | 345 |
| 26 | US | character | 4 | 0 | %-4s | 348 |
| 27 | M__SOP | character | 10 | 0 | %-10s | 352 |

Folder: E:\mikrobot test\EPBAZY

Nazwa pliku: PITY_15B.EP

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 2 | 0 | %-2s | 1 |
| 2 | NUMER | character | 10 | 0 | %-10s | 3 |
| 3 | PIT_XSD | character | 20 | 0 | %-20s | 13 |
| 4 | PIT_XML | character | 64 | 0 | %-64s | 33 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 5 | PACZKA | character | 75 | 0 | %-75s | 97 |
| 6 | KOREKTA | character | 2 | 0 | %-2s | 172 |
| 7 | NAZWA | character | 50 | 0 | %-50s | 174 |
| 8 | KODDZIAL | character | 6 | 0 | %-6s | 224 |
| 9 | KODSTAN | character | 6 | 0 | %-6s | 230 |
| 10 | KODMW | character | 3 | 0 | %-3s | 236 |
| 11 | KODWYR | character | 3 | 0 | %-3s | 239 |
| 12 | KODGR | character | 6 | 0 | %-6s | 242 |
| 13 | NIP | character | 14 | 0 | %-14s | 248 |
| 14 | REGON | character | 10 | 0 | %-10s | 262 |
| 15 | STATZAK | character | 1 | 0 | %-1s | 272 |
| 16 | STATWER | character | 1 | 0 | %-1s | 273 |
| 17 | STATPOD | character | 1 | 0 | %-1s | 274 |
| 18 | STATWYS | character | 1 | 0 | %-1s | 275 |
| 19 | STATPOT | character | 1 | 0 | %-1s | 276 |
| 20 | DATA_WYS | date | 8 | 0 | %8s | 277 |
| 21 | CZAS_WYS | character | 10 | 0 | %-10s | 285 |
| 22 | DATA_POT | date | 8 | 0 | %8s | 295 |
| 23 | CZAS_POT | character | 10 | 0 | %-10s | 303 |
| 24 | REFID | character | 32 | 0 | %-32s | 313 |
| 25 | NR_KOM | character | 3 | 0 | %-3s | 345 |
| 26 | US | character | 4 | 0 | %-4s | 348 |
| 27 | M__SOP | character | 10 | 0 | %-10s | 352 |

Folder: E:\mikrobot test\EPBAZY

Nazwa pliku: PITY_B.EP

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 2 | 0 | %-2s | 1 |
| 2 | NUMER | character | 10 | 0 | %-10s | 3 |
| 3 | PIT_XSD | character | 20 | 0 | %-20s | 13 |
| 4 | PIT_XML | character | 64 | 0 | %-64s | 33 |
| 5 | PACZKA | character | 75 | 0 | %-75s | 97 |
| 6 | KOREKTA | character | 2 | 0 | %-2s | 172 |
| 7 | NAZWA | character | 50 | 0 | %-50s | 174 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 8 | KODDZIAL | character | 6 | 0 | %-6s | 224 |
| 9 | KODSTAN | character | 6 | 0 | %-6s | 230 |
| 10 | KODMW | character | 3 | 0 | %-3s | 236 |
| 11 | KODWYR | character | 3 | 0 | %-3s | 239 |
| 12 | KODGR | character | 6 | 0 | %-6s | 242 |
| 13 | NIP | character | 14 | 0 | %-14s | 248 |
| 14 | REGON | character | 10 | 0 | %-10s | 262 |
| 15 | STATZAK | character | 1 | 0 | %-1s | 272 |
| 16 | STATWER | character | 1 | 0 | %-1s | 273 |
| 17 | STATPOD | character | 1 | 0 | %-1s | 274 |
| 18 | STATWYS | character | 1 | 0 | %-1s | 275 |
| 19 | STATPOT | character | 1 | 0 | %-1s | 276 |
| 20 | DATA_WYS | date | 8 | 0 | %8s | 277 |
| 21 | CZAS_WYS | character | 10 | 0 | %-10s | 285 |
| 22 | DATA_POT | date | 8 | 0 | %8s | 295 |
| 23 | CZAS_POT | character | 10 | 0 | %-10s | 303 |
| 24 | REFID | character | 32 | 0 | %-32s | 313 |
| 25 | NR_KOM | character | 3 | 0 | %-3s | 345 |
| 26 | US | character | 4 | 0 | %-4s | 348 |
| 27 | M__SOP | character | 10 | 0 | %-10s | 352 |

Folder: E:\mikrobit test\EPBAZY

Nazwa pliku: SCHEMATY.EP

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | PIT_XSD | character | 20 | 0 | %-20s | 1 |
| 2 | SCH_SUMA | character | 255 | 0 | %-255s | 21 |
| 3 | RODZ_PIT | character | 1 | 0 | %-1s | 276 |
| 4 | AKTYWNY | boolean | 1 | 0 | %1s | 277 |

Folder: E:\mikrobit test\GUS

Nazwa pliku: INDEX.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 2 | 0 | %-2s | 1 |
| 2 | IDX | character | 12 | 0 | %-12s | 3 |
| 3 | OPIS | character | 40 | 0 | %-40s | 15 |
| 4 | OPIS2 | character | 40 | 0 | %-40s | 55 |
| 5 | OPISSKR | character | 20 | 0 | %-20s | 95 |
| 6 | DEFIDX | character | 24 | 0 | %-24s | 115 |
| 7 | POMOC | character | 120 | 0 | %-120s | 139 |
| 8 | KNT_S | character | 6 | 0 | %-6s | 259 |
| 9 | M__SOP | character | 10 | 0 | %-10s | 265 |

Folder: E:\mikrobit test\GUS

Nazwa pliku: SYMBOL.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 2 | 0 | %-2s | 1 |
| 2 | TYP | character | 1 | 0 | %-1s | 3 |
| 3 | OBRAZ | character | 46 | 0 | %-46s | 4 |
| 4 | OPIS | character | 20 | 0 | %-20s | 50 |
| 5 | DL | number | 2 | 0 | %2s | 70 |
| 6 | IF_IDX | character | 1 | 0 | %-1s | 72 |
| 7 | NOTEDIT | boolean | 1 | 0 | %1s | 73 |
| 8 | IF_KONTO | boolean | 1 | 0 | %1s | 74 |
| 9 | FN_ID | character | 8 | 0 | %-8s | 75 |
| 10 | DEF | character | 20 | 0 | %-20s | 83 |
| 11 | M__SOP | character | 10 | 0 | %-10s | 103 |

Folder: E:\mikrobit test\PBBAZY

Nazwa pliku: ARKUSZE.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | NR_ARK | character | 5 | 0 | %-5s | 1 |
| 2 | NAZ_ARK | character | 60 | 0 | %-60s | 6 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|-----|
| 3 | LICZZNAK | number | 3 | 0 | %3s | 66 |
| 4 | LICZKOL | number | 2 | 0 | %2s | 69 |
| 5 | LICZKDR | number | 2 | 0 | %2s | 71 |
| 6 | ATTR_ARK | character | 128 | 0 | %-128s | 73 |
| 7 | PAR_ARK | character | 512 | 0 | %-512s | 201 |
| 8 | DOMATRW | character | 32 | 0 | %-32s | 713 |
| 9 | DOMATRK | character | 32 | 0 | %-32s | 745 |
| 10 | KOMENT | memo | 10 | 0 | %s | 777 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: DATYR.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | ID_PRZEL | character | 6 | 0 | %-6s | 1 |
| 2 | DATA_R | date | 8 | 0 | %8s | 7 |
| 3 | OPERATOR | character | 3 | 0 | %-3s | 15 |
| 4 | TYPDOK | character | 1 | 0 | %-1s | 18 |
| 5 | NAZWA_DO | character | 20 | 0 | %-20s | 19 |
| 6 | CZAS_R | character | 8 | 0 | %-8s | 39 |
| 7 | DROK | character | 4 | 0 | %-4s | 47 |
| 8 | PRZEL_ID | character | 25 | 0 | %-25s | 51 |
| 9 | OPIS_OPE | memo | 10 | 0 | %s | 76 |
| 10 | STANOWIS | character | 2 | 0 | %-2s | 86 |
| 11 | DATE_OPE | date | 8 | 0 | %8s | 88 |
| 12 | TIME_OPE | character | 8 | 0 | %-8s | 96 |
| 13 | TYPE_OPE | character | 5 | 0 | %-5s | 104 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: DRUKWIN.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|--------|--------|
| 1 | IDSYS | character | 2 | 0 | %-2s | 1 |
| 2 | OPER | character | 3 | 0 | %-3s | 3 |

| | | | | | | |
|----|-----------|-----------|-----|---|--------|------|
| 3 | KLASA | character | 32 | 0 | %-32s | 6 |
| 4 | PRZEGL | character | 16 | 0 | %-16s | 38 |
| 5 | DRUKID | character | 64 | 0 | %-64s | 54 |
| 6 | ZAKRES | character | 6 | 0 | %-6s | 118 |
| 7 | FORMAT | character | 6 | 0 | %-6s | 124 |
| 8 | WINPRT | character | 220 | 0 | %-220s | 130 |
| 9 | PAPNAME | character | 24 | 0 | %-24s | 350 |
| 10 | ORIENTW | character | 7 | 0 | %-7s | 374 |
| 11 | LMARG | character | 7 | 0 | %-7s | 381 |
| 12 | PMARG | character | 7 | 0 | %-7s | 388 |
| 13 | GMARG | character | 7 | 0 | %-7s | 395 |
| 14 | DMARG | character | 7 | 0 | %-7s | 402 |
| 15 | FONTNAME | character | 48 | 0 | %-48s | 409 |
| 16 | FONTPROP | character | 6 | 0 | %-6s | 457 |
| 17 | FONTSIZE | character | 7 | 0 | %-7s | 463 |
| 18 | FONTDENS | character | 7 | 0 | %-7s | 470 |
| 19 | DOSPRT | character | 64 | 0 | %-64s | 477 |
| 20 | STERDOS | character | 8 | 0 | %-8s | 541 |
| 21 | ORIENTD | character | 7 | 0 | %-7s | 549 |
| 22 | ZNNACAL | character | 6 | 0 | %-6s | 556 |
| 23 | WRNASTR | character | 6 | 0 | %-6s | 562 |
| 24 | SZERPAP | character | 6 | 0 | %-6s | 568 |
| 25 | WYSPAP | character | 6 | 0 | %-6s | 574 |
| 26 | LMARGZN | character | 6 | 0 | %-6s | 580 |
| 27 | GMARGWR | character | 6 | 0 | %-6s | 586 |
| 28 | FORMFEED | character | 6 | 0 | %-6s | 592 |
| 29 | LKOPII | character | 6 | 0 | %-6s | 598 |
| 30 | POWPKS | character | 6 | 0 | %-6s | 604 |
| 31 | STRROZ | character | 6 | 0 | %-6s | 610 |
| 32 | DRODOST | character | 6 | 0 | %-6s | 616 |
| 33 | NADRFORM | character | 6 | 0 | %-6s | 622 |
| 34 | STOPSTR | character | 6 | 0 | %-6s | 628 |
| 35 | DRBEZP | character | 6 | 0 | %-6s | 634 |
| 36 | TYTUL | character | 120 | 0 | %-120s | 640 |
| 37 | POD TYTUL | character | 120 | 0 | %-120s | 760 |
| 38 | WM_TYPE | character | 7 | 0 | %-7s | 880 |
| 39 | WM_TEXT | character | 250 | 0 | %-250s | 887 |
| 40 | WM_PAR | character | 250 | 0 | %-250s | 1137 |

| | | | | | | |
|----|---------|-----------|---|---|------|------|
| 41 | DUPLEXW | character | 1 | 0 | %-1s | 1387 |
|----|---------|-----------|---|---|------|------|

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: EVENTS.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | FLAGA | character | 1 | 0 | %-1s | 1 |
| 2 | FROMSYM | character | 2 | 0 | %-2s | 2 |
| 3 | FROMIDX | character | 10 | 0 | %-10s | 4 |
| 4 | TOSYM | character | 2 | 0 | %-2s | 14 |
| 5 | TOIDX | character | 10 | 0 | %-10s | 16 |
| 6 | WYR | character | 10 | 0 | %-10s | 26 |
| 7 | OPIS | character | 40 | 0 | %-40s | 36 |
| 8 | TYPOKR | character | 1 | 0 | %-1s | 76 |
| 9 | OKRES | character | 8 | 0 | %-8s | 77 |
| 10 | DATA | date | 8 | 0 | %8s | 85 |
| 11 | CZAS | character | 10 | 0 | %-10s | 93 |
| 12 | OPER | character | 3 | 0 | %-3s | 103 |
| 13 | OPERNAME | character | 40 | 0 | %-40s | 106 |
| 14 | WINUSERN | character | 40 | 0 | %-40s | 146 |
| 15 | WINCOMPN | character | 40 | 0 | %-40s | 186 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: FORMATY.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|---------|--------|
| 1 | FORMAT | character | 8 | 0 | %-8s | 1 |
| 2 | OPIS | character | 60 | 0 | %-60s | 9 |
| 3 | SKROT | character | 3 | 0 | %-3s | 69 |
| 4 | EXPPP | character | 7000 | 0 | %-7000s | 72 |
| 5 | M__SOP | character | 10 | 0 | %-10s | 7072 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: HIS.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | ID_PRZEL | character | 6 | 0 | %-6s | 1 |
| 2 | KWOTA | number | 14 | 2 | %14s | 7 |
| 3 | BANK | character | 5 | 0 | %-5s | 21 |
| 4 | TYPKONTR | character | 2 | 0 | %-2s | 26 |
| 5 | KONTR | character | 10 | 0 | %-10s | 28 |
| 6 | DATA_E | date | 8 | 0 | %8s | 38 |
| 7 | ROK | character | 4 | 0 | %-4s | 46 |
| 8 | NAZWA_S | character | 40 | 0 | %-40s | 50 |
| 9 | PRZEL_ID | character | 25 | 0 | %-25s | 90 |
| 10 | STANOWIS | character | 2 | 0 | %-2s | 115 |
| 11 | OPERATOR | character | 3 | 0 | %-3s | 117 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: IMPNR_DS.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | IMPNRREC | number | 14 | 0 | %14s | 1 |
| 2 | SRCNRREC | number | 14 | 0 | %14s | 15 |
| 3 | POZ_OK | character | 1 | 0 | %-1s | 29 |
| 4 | LP | character | 3 | 0 | %-3s | 30 |
| 5 | DOK | character | 3 | 0 | %-3s | 33 |
| 6 | SYMOPER | character | 3 | 0 | %-3s | 36 |
| 7 | INFO | character | 150 | 0 | %-150s | 39 |
| 8 | KWOTA | number | 16 | 2 | %16s | 189 |
| 9 | TYTULPP | character | 200 | 0 | %-200s | 205 |
| 10 | DSROK | character | 4 | 0 | %-4s | 405 |
| 11 | DSREJ | character | 3 | 0 | %-3s | 409 |
| 12 | DSLPP | character | 5 | 0 | %-5s | 412 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: IMPNR_FK.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | IMPNRREC | number | 14 | 0 | %14s | 1 |
| 2 | SRCNRREC | number | 14 | 0 | %14s | 15 |
| 3 | POZ_OK | character | 1 | 0 | %-1s | 29 |
| 4 | LP | character | 3 | 0 | %-3s | 30 |
| 5 | DOK | character | 3 | 0 | %-3s | 33 |
| 6 | SYMOPER | character | 3 | 0 | %-3s | 36 |
| 7 | INFO | character | 150 | 0 | %-150s | 39 |
| 8 | KWOTA | number | 16 | 2 | %16s | 189 |
| 9 | TYTULPP | character | 200 | 0 | %-200s | 205 |
| 10 | DSROK | character | 4 | 0 | %-4s | 405 |
| 11 | DSREJ | character | 3 | 0 | %-3s | 409 |
| 12 | DSLPP | character | 5 | 0 | %-5s | 412 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: IMPNR_SK.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | IMPNRREC | number | 14 | 0 | %14s | 1 |
| 2 | SRCNRREC | number | 14 | 0 | %14s | 15 |
| 3 | POZ_OK | character | 1 | 0 | %-1s | 29 |
| 4 | LP | character | 3 | 0 | %-3s | 30 |
| 5 | DOK | character | 3 | 0 | %-3s | 33 |
| 6 | SYMOPER | character | 3 | 0 | %-3s | 36 |
| 7 | INFO | character | 150 | 0 | %-150s | 39 |
| 8 | KWOTA | number | 16 | 2 | %16s | 189 |
| 9 | TYTULPP | character | 200 | 0 | %-200s | 205 |
| 10 | DSROK | character | 4 | 0 | %-4s | 405 |
| 11 | DSREJ | character | 3 | 0 | %-3s | 409 |
| 12 | DSLPP | character | 5 | 0 | %-5s | 412 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: IMPNR_SP.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | IMPNRREC | number | 14 | 0 | %14s | 1 |
| 2 | SRCNRREC | number | 14 | 0 | %14s | 15 |
| 3 | POZ_OK | character | 1 | 0 | %-1s | 29 |
| 4 | LP | character | 3 | 0 | %-3s | 30 |
| 5 | DOK | character | 3 | 0 | %-3s | 33 |
| 6 | SYMOPER | character | 3 | 0 | %-3s | 36 |
| 7 | INFO | character | 150 | 0 | %-150s | 39 |
| 8 | KWOTA | number | 16 | 2 | %16s | 189 |
| 9 | TYTULPP | character | 200 | 0 | %-200s | 205 |
| 10 | DSROK | character | 4 | 0 | %-4s | 405 |
| 11 | DSREJ | character | 3 | 0 | %-3s | 409 |
| 12 | DSLPP | character | 5 | 0 | %-5s | 412 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: IMPPP_DS.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PP_IDX | character | 40 | 0 | %-40s | 1 |
| 2 | SZ_IDX | character | 4 | 0 | %-4s | 41 |
| 3 | SYM_B | character | 2 | 0 | %-2s | 45 |
| 4 | NRKNTRH | character | 10 | 0 | %-10s | 47 |
| 5 | NAZWA | character | 40 | 0 | %-40s | 57 |
| 6 | NAZWA_W1 | character | 40 | 0 | %-40s | 97 |
| 7 | NAZWA_W2 | character | 40 | 0 | %-40s | 137 |
| 8 | NAZWA_W3 | character | 40 | 0 | %-40s | 177 |
| 9 | UL | character | 32 | 0 | %-32s | 217 |
| 10 | KOD | character | 5 | 0 | %-5s | 249 |
| 11 | MSCW | character | 40 | 0 | %-40s | 254 |
| 12 | BANK_N | character | 40 | 0 | %-40s | 294 |
| 13 | BANK_KNT | character | 40 | 0 | %-40s | 334 |
| 14 | KWOTA | number | 15 | 2 | %15s | 374 |
| 15 | DATA | date | 8 | 0 | %8s | 389 |
| 16 | TRESC | character | 200 | 0 | %-200s | 397 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|------|
| 17 | PBREF | character | 12 | 0 | %-12s | 597 |
| 18 | IMPNRREC | number | 14 | 0 | %14s | 609 |
| 19 | SKIPIT | boolean | 1 | 0 | %1s | 623 |
| 20 | PRZEL_OK | boolean | 1 | 0 | %1s | 624 |
| 21 | PPP_IDX | character | 40 | 0 | %-40s | 625 |
| 22 | NRRECPB | number | 16 | 0 | %16s | 665 |
| 23 | FLAG | character | 1 | 0 | %-1s | 681 |
| 24 | PLATNIK | character | 10 | 0 | %-10s | 682 |
| 25 | PLATNIKN | character | 40 | 0 | %-40s | 692 |
| 26 | PLATNIKK | character | 80 | 0 | %-80s | 732 |
| 27 | PLATNIKB | character | 6 | 0 | %-6s | 812 |
| 28 | OPISPPP | character | 60 | 0 | %-60s | 818 |
| 29 | DOK | character | 3 | 0 | %-3s | 878 |
| 30 | SYMOPER | character | 3 | 0 | %-3s | 881 |
| 31 | DINFO | character | 40 | 0 | %-40s | 884 |
| 32 | NRPP | number | 6 | 0 | %6s | 924 |
| 33 | ILDOK | number | 14 | 0 | %14s | 930 |
| 34 | INPP | boolean | 1 | 0 | %1s | 944 |
| 35 | INPPP | boolean | 1 | 0 | %1s | 945 |
| 36 | SZ_NR | number | 3 | 0 | %3s | 946 |
| 37 | ERRTXT | character | 200 | 0 | %-200s | 949 |
| 38 | M__SOP | character | 10 | 0 | %-10s | 1149 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: IMPPP_FK.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | PP_IDX | character | 40 | 0 | %-40s | 1 |
| 2 | SZ_IDX | character | 4 | 0 | %-4s | 41 |
| 3 | SYM_B | character | 2 | 0 | %-2s | 45 |
| 4 | NRKNTRH | character | 10 | 0 | %-10s | 47 |
| 5 | NAZWA | character | 40 | 0 | %-40s | 57 |
| 6 | NAZWA_W1 | character | 40 | 0 | %-40s | 97 |
| 7 | NAZWA_W2 | character | 40 | 0 | %-40s | 137 |
| 8 | NAZWA_W3 | character | 40 | 0 | %-40s | 177 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|------|
| 9 | UL | character | 32 | 0 | %-32s | 217 |
| 10 | KOD | character | 5 | 0 | %-5s | 249 |
| 11 | MSCW | character | 40 | 0 | %-40s | 254 |
| 12 | BANK_N | character | 40 | 0 | %-40s | 294 |
| 13 | BANK_KNT | character | 40 | 0 | %-40s | 334 |
| 14 | KWOTA | number | 15 | 2 | %15s | 374 |
| 15 | DATA | date | 8 | 0 | %8s | 389 |
| 16 | TRESC | character | 200 | 0 | %-200s | 397 |
| 17 | PBREF | character | 12 | 0 | %-12s | 597 |
| 18 | IMPNRREC | number | 14 | 0 | %14s | 609 |
| 19 | SKIPIT | boolean | 1 | 0 | %1s | 623 |
| 20 | PRZEL_OK | boolean | 1 | 0 | %1s | 624 |
| 21 | PPP_IDX | character | 40 | 0 | %-40s | 625 |
| 22 | NRRECPB | number | 16 | 0 | %16s | 665 |
| 23 | FLAG | character | 1 | 0 | %-1s | 681 |
| 24 | PLATNIK | character | 10 | 0 | %-10s | 682 |
| 25 | PLATNIKN | character | 40 | 0 | %-40s | 692 |
| 26 | PLATNIKK | character | 80 | 0 | %-80s | 732 |
| 27 | PLATNIKB | character | 6 | 0 | %-6s | 812 |
| 28 | OPISPPP | character | 60 | 0 | %-60s | 818 |
| 29 | DOK | character | 3 | 0 | %-3s | 878 |
| 30 | SYMOPER | character | 3 | 0 | %-3s | 881 |
| 31 | DINFO | character | 40 | 0 | %-40s | 884 |
| 32 | NRPP | number | 6 | 0 | %6s | 924 |
| 33 | ILDOK | number | 14 | 0 | %14s | 930 |
| 34 | INPP | boolean | 1 | 0 | %1s | 944 |
| 35 | INPPP | boolean | 1 | 0 | %1s | 945 |
| 36 | SZ_NR | number | 3 | 0 | %3s | 946 |
| 37 | ERRTXT | character | 200 | 0 | %-200s | 949 |
| 38 | M__SOP | character | 10 | 0 | %-10s | 1149 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: IMPPP_SK.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|------|------|--------|-----------|--------|--------|
|---|------|------|--------|-----------|--------|--------|

| | | | | | | |
|----|----------|-----------|-----|---|--------|------|
| 1 | PP_IDX | character | 40 | 0 | %-40s | 1 |
| 2 | SZ_IDX | character | 4 | 0 | %-4s | 41 |
| 3 | SYM_B | character | 2 | 0 | %-2s | 45 |
| 4 | NRKNTRH | character | 10 | 0 | %-10s | 47 |
| 5 | NAZWA | character | 40 | 0 | %-40s | 57 |
| 6 | NAZWA_W1 | character | 40 | 0 | %-40s | 97 |
| 7 | NAZWA_W2 | character | 40 | 0 | %-40s | 137 |
| 8 | NAZWA_W3 | character | 40 | 0 | %-40s | 177 |
| 9 | UL | character | 32 | 0 | %-32s | 217 |
| 10 | KOD | character | 5 | 0 | %-5s | 249 |
| 11 | MSCW | character | 40 | 0 | %-40s | 254 |
| 12 | BANK_N | character | 40 | 0 | %-40s | 294 |
| 13 | BANK_KNT | character | 40 | 0 | %-40s | 334 |
| 14 | KWOTA | number | 15 | 2 | %15s | 374 |
| 15 | DATA | date | 8 | 0 | %8s | 389 |
| 16 | TRESC | character | 200 | 0 | %-200s | 397 |
| 17 | PBREF | character | 12 | 0 | %-12s | 597 |
| 18 | IMPNRREC | number | 14 | 0 | %14s | 609 |
| 19 | SKIPIT | boolean | 1 | 0 | %1s | 623 |
| 20 | PRZEL_OK | boolean | 1 | 0 | %1s | 624 |
| 21 | PPP_IDX | character | 40 | 0 | %-40s | 625 |
| 22 | NRRECPB | number | 16 | 0 | %16s | 665 |
| 23 | FLAG | character | 1 | 0 | %-1s | 681 |
| 24 | PLATNIK | character | 10 | 0 | %-10s | 682 |
| 25 | PLATNIKN | character | 40 | 0 | %-40s | 692 |
| 26 | PLATNIKK | character | 80 | 0 | %-80s | 732 |
| 27 | PLATNIKB | character | 6 | 0 | %-6s | 812 |
| 28 | OPISPPP | character | 60 | 0 | %-60s | 818 |
| 29 | DOK | character | 3 | 0 | %-3s | 878 |
| 30 | SYMOPER | character | 3 | 0 | %-3s | 881 |
| 31 | DINFO | character | 40 | 0 | %-40s | 884 |
| 32 | NRPP | number | 6 | 0 | %6s | 924 |
| 33 | ILDOK | number | 14 | 0 | %14s | 930 |
| 34 | INPP | boolean | 1 | 0 | %1s | 944 |
| 35 | INPPP | boolean | 1 | 0 | %1s | 945 |
| 36 | SZ_NR | number | 3 | 0 | %3s | 946 |
| 37 | ERRTXT | character | 200 | 0 | %-200s | 949 |
| 38 | M_SOP | character | 10 | 0 | %-10s | 1149 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: IMPPP_SP.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PP_IDX | character | 40 | 0 | %-40s | 1 |
| 2 | SZ_IDX | character | 4 | 0 | %-4s | 41 |
| 3 | SYM_B | character | 2 | 0 | %-2s | 45 |
| 4 | NRKNTRH | character | 10 | 0 | %-10s | 47 |
| 5 | NAZWA | character | 40 | 0 | %-40s | 57 |
| 6 | NAZWA_W1 | character | 40 | 0 | %-40s | 97 |
| 7 | NAZWA_W2 | character | 40 | 0 | %-40s | 137 |
| 8 | NAZWA_W3 | character | 40 | 0 | %-40s | 177 |
| 9 | UL | character | 32 | 0 | %-32s | 217 |
| 10 | KOD | character | 5 | 0 | %-5s | 249 |
| 11 | MSCW | character | 40 | 0 | %-40s | 254 |
| 12 | BANK_N | character | 40 | 0 | %-40s | 294 |
| 13 | BANK_KNT | character | 40 | 0 | %-40s | 334 |
| 14 | KWOTA | number | 15 | 2 | %15s | 374 |
| 15 | DATA | date | 8 | 0 | %8s | 389 |
| 16 | TRESC | character | 200 | 0 | %-200s | 397 |
| 17 | PBREF | character | 12 | 0 | %-12s | 597 |
| 18 | IMPNRREC | number | 14 | 0 | %14s | 609 |
| 19 | SKIPIT | boolean | 1 | 0 | %1s | 623 |
| 20 | PRZEL_OK | boolean | 1 | 0 | %1s | 624 |
| 21 | PPP_IDX | character | 40 | 0 | %-40s | 625 |
| 22 | NRRECPB | number | 16 | 0 | %16s | 665 |
| 23 | FLAG | character | 1 | 0 | %-1s | 681 |
| 24 | PLATNIK | character | 10 | 0 | %-10s | 682 |
| 25 | PLATNIKN | character | 40 | 0 | %-40s | 692 |
| 26 | PLATNIKK | character | 80 | 0 | %-80s | 732 |
| 27 | PLATNIKB | character | 6 | 0 | %-6s | 812 |
| 28 | OPISPPP | character | 60 | 0 | %-60s | 818 |
| 29 | DOK | character | 3 | 0 | %-3s | 878 |
| 30 | SYMOPER | character | 3 | 0 | %-3s | 881 |
| 31 | DINFO | character | 40 | 0 | %-40s | 884 |

| | | | | | | |
|----|--------|-----------|-----|---|--------|------|
| 32 | NRPP | number | 6 | 0 | %6s | 924 |
| 33 | ILDOK | number | 14 | 0 | %14s | 930 |
| 34 | INPP | boolean | 1 | 0 | %1s | 944 |
| 35 | INPPP | boolean | 1 | 0 | %1s | 945 |
| 36 | SZ_NR | number | 3 | 0 | %3s | 946 |
| 37 | ERRTXT | character | 200 | 0 | %-200s | 949 |
| 38 | M__SOP | character | 10 | 0 | %-10s | 1149 |

Folder: E:\mikrobit test\PBBAZY

Nazwa pliku: KNTBNKU.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | ID_RACH | character | 5 | 0 | %-5s | 1 |
| 2 | OPIS | character | 40 | 0 | %-40s | 6 |
| 3 | USRNK | character | 40 | 0 | %-40s | 46 |
| 4 | USRNP1 | character | 40 | 0 | %-40s | 86 |
| 5 | USRNP2 | character | 40 | 0 | %-40s | 126 |
| 6 | USRNP3 | character | 40 | 0 | %-40s | 166 |
| 7 | USRUL | character | 30 | 0 | %-30s | 206 |
| 8 | USRKOD | character | 6 | 0 | %-6s | 236 |
| 9 | USRPOCZ | character | 30 | 0 | %-30s | 242 |
| 10 | BANKNAZ | character | 40 | 0 | %-40s | 272 |
| 11 | BANKKNT | character | 40 | 0 | %-40s | 312 |
| 12 | KNT_IBAN | character | 28 | 0 | %-28s | 352 |
| 13 | KONTO2EX | character | 40 | 0 | %-40s | 380 |
| 14 | EID_RACH | character | 5 | 0 | %-5s | 420 |
| 15 | WALUTA | character | 3 | 0 | %-3s | 425 |
| 16 | WYRKNTRH | character | 10 | 0 | %-10s | 428 |
| 17 | NIP | character | 10 | 0 | %-10s | 438 |
| 18 | TYPIDU | character | 1 | 0 | %-1s | 448 |
| 19 | NRIDU | character | 14 | 0 | %-14s | 449 |
| 20 | INFO | character | 20 | 0 | %-20s | 463 |
| 21 | BANKREF | character | 40 | 0 | %-40s | 483 |
| 22 | BANKDATA | character | 40 | 0 | %-40s | 523 |
| 23 | ZPOL | character | 3 | 0 | %-3s | 563 |

| | | | | | | |
|----|----------|-----------|------|---|---------|------|
| 24 | NAPOL | character | 3 | 0 | %-3s | 566 |
| 25 | MAXLP | number | 3 | 0 | %3s | 569 |
| 26 | MAXLPTOL | number | 2 | 0 | %2s | 572 |
| 27 | PLIKPATH | character | 80 | 0 | %-80s | 574 |
| 28 | PLIKNAME | character | 60 | 0 | %-60s | 654 |
| 29 | PLIKEXT | character | 3 | 0 | %-3s | 714 |
| 30 | MZPP | character | 3 | 0 | %-3s | 717 |
| 31 | BACKPATH | character | 80 | 0 | %-80s | 720 |
| 32 | SORTEXP | character | 100 | 0 | %-100s | 800 |
| 33 | DRUKPS | character | 1 | 0 | %-1s | 900 |
| 34 | FORMAT | character | 3 | 0 | %-3s | 901 |
| 35 | SRCEXPPP | character | 5100 | 0 | %-5100s | 904 |
| 36 | SRCEDINF | character | 1500 | 0 | %-1500s | 6004 |
| 37 | BRENRODD | character | 2 | 0 | %-2s | 7504 |
| 38 | BRENKLI | character | 6 | 0 | %-6s | 7506 |
| 39 | BENRRAC | character | 9 | 0 | %-9s | 7512 |
| 40 | BREREF | character | 30 | 0 | %-30s | 7521 |
| 41 | BRETKURS | character | 1 | 0 | %-1s | 7551 |
| 42 | BREKBBRE | character | 1 | 0 | %-1s | 7552 |
| 43 | BREKBZAG | character | 1 | 0 | %-1s | 7553 |
| 44 | BRED2BRE | character | 30 | 0 | %-30s | 7554 |
| 45 | BHAKOSZT | character | 3 | 0 | %-3s | 7584 |
| 46 | BHAKODTR | character | 2 | 0 | %-2s | 7587 |
| 47 | BHANWU | character | 10 | 0 | %-10s | 7589 |
| 48 | BHAI2BNK | character | 20 | 0 | %-20s | 7599 |
| 49 | BHANRRAC | character | 2 | 0 | %-2s | 7619 |
| 50 | CITYPTR | character | 2 | 0 | %-2s | 7621 |
| 51 | CITKNTDB | character | 10 | 0 | %-10s | 7623 |
| 52 | CITOPSKD | character | 10 | 0 | %-10s | 7633 |
| 53 | CITADDZN | character | 10 | 0 | %-10s | 7643 |
| 54 | BPHNRSYS | character | 2 | 0 | %-2s | 7653 |
| 55 | BPHNRODD | character | 8 | 0 | %-8s | 7655 |
| 56 | BPHNRKLI | character | 8 | 0 | %-8s | 7663 |
| 57 | BPHNRKNT | character | 5 | 0 | %-5s | 7671 |
| 58 | BPHNRSUB | character | 9 | 0 | %-9s | 7676 |
| 59 | BPHTLEX | character | 1 | 0 | %-1s | 7685 |
| 60 | BPHSZNRR | boolean | 1 | 0 | %1s | 7686 |
| 61 | BOSTYPTR | character | 28 | 0 | %-28s | 7687 |

| | | | | | | |
|----|----------|-----------|----|---|-------|------|
| 62 | BPLTYPPR | character | 3 | 0 | %-3s | 7715 |
| 63 | BPLSYSRZ | character | 3 | 0 | %-3s | 7718 |
| 64 | BDKTYPTR | character | 6 | 0 | %-6s | 7721 |
| 65 | BDKKOMEN | character | 30 | 0 | %-30s | 7727 |
| 66 | VIDREFDO | character | 30 | 0 | %-30s | 7757 |
| 67 | VIDADD2N | character | 30 | 0 | %-30s | 7787 |
| 68 | VIDINSIN | character | 1 | 0 | %-1s | 7817 |
| 69 | PBIKFKWT | character | 1 | 0 | %-1s | 7818 |
| 70 | PBILPWP | character | 1 | 0 | %-1s | 7819 |
| 71 | BPLSYSRO | character | 3 | 0 | %-3s | 7820 |
| 72 | BPLTYPTR | character | 3 | 0 | %-3s | 7823 |
| 73 | M__SOP | character | 10 | 0 | %-10s | 7826 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: LOCKKNT.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | BANK_KNT | character | 32 | 0 | %-32s | 1 |
| 2 | OPIS | character | 60 | 0 | %-60s | 33 |
| 3 | ODBIORCA | character | 12 | 0 | %-12s | 93 |
| 4 | M__SOP | character | 10 | 0 | %-10s | 105 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: LOCKKNTT.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | BANK_KNT | character | 32 | 0 | %-32s | 1 |
| 2 | TRESC | character | 50 | 0 | %-50s | 33 |
| 3 | LUBNAZWA | boolean | 1 | 0 | %1s | 83 |
| 4 | ODBIORCA | character | 12 | 0 | %-12s | 84 |
| 5 | M__SOP | character | 10 | 0 | %-10s | 96 |

Folder: E:\mikrobit test\PBBAZY

Nazwa pliku: LOCKKSG.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | ODBIORCA | character | 12 | 0 | %-12s | 1 |
| 2 | SLOWNIK | character | 2 | 0 | %-2s | 13 |
| 3 | IDX | character | 15 | 0 | %-15s | 15 |
| 4 | TRESC | character | 40 | 0 | %-40s | 30 |
| 5 | TKD_DOK | character | 3 | 0 | %-3s | 70 |
| 6 | TKD_OPER | character | 3 | 0 | %-3s | 73 |
| 7 | TKD_INFO | character | 40 | 0 | %-40s | 76 |
| 8 | TKD_SYST | character | 2 | 0 | %-2s | 116 |
| 9 | M__SOP | character | 10 | 0 | %-10s | 118 |

Folder: E:\mikrobit test\PBBAZY

Nazwa pliku: LSTZWIN.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | BROWSER | character | 20 | 0 | %-20s | 1 |
| 2 | GRUPA | character | 10 | 0 | %-10s | 21 |
| 3 | NUMER | character | 4 | 0 | %-4s | 31 |
| 4 | NAZWAG | character | 40 | 0 | %-40s | 35 |
| 5 | TYTUL | character | 60 | 0 | %-60s | 75 |
| 6 | MENU | character | 10 | 0 | %-10s | 135 |
| 7 | TYPDRUKU | character | 15 | 0 | %-15s | 145 |
| 8 | PLIK | character | 256 | 0 | %-256s | 160 |
| 9 | NAZWAW | character | 60 | 0 | %-60s | 416 |
| 10 | WARUNEK | character | 250 | 0 | %-250s | 476 |

Folder: E:\mikrobit test\PBBAZY

Nazwa pliku: NRPP.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|------|------|--------|-----------|--------|--------|
|---|------|------|--------|-----------|--------|--------|

| | | | | | | |
|---|-------|-----------|---|---|------|---|
| 1 | KLUCZ | character | 4 | 0 | %-4s | 1 |
| 2 | NUMER | number | 6 | 0 | %6s | 5 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PACZK_07.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | OPIS | character | 40 | 0 | %-40s | 26 |
| 3 | STATUS | character | 1 | 0 | %-1s | 66 |
| 4 | BANK_ID | character | 5 | 0 | %-5s | 67 |
| 5 | ID_SYS | character | 2 | 0 | %-2s | 72 |
| 6 | KWOTAP | number | 15 | 2 | %15s | 74 |
| 7 | LPRZELEW | number | 5 | 0 | %5s | 89 |
| 8 | DATA_U | date | 8 | 0 | %8s | 94 |
| 9 | DATA_R | date | 8 | 0 | %8s | 102 |
| 10 | DATA_Z | date | 8 | 0 | %8s | 110 |
| 11 | NR_WB | character | 5 | 0 | %-5s | 118 |
| 12 | INFO_P | character | 25 | 0 | %-25s | 123 |
| 13 | M__SOP | character | 10 | 0 | %-10s | 148 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PACZK_08.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | OPIS | character | 40 | 0 | %-40s | 26 |
| 3 | STATUS | character | 1 | 0 | %-1s | 66 |
| 4 | BANK_ID | character | 5 | 0 | %-5s | 67 |
| 5 | ID_SYS | character | 2 | 0 | %-2s | 72 |
| 6 | KWOTAP | number | 15 | 2 | %15s | 74 |
| 7 | LPRZELEW | number | 5 | 0 | %5s | 89 |
| 8 | DATA_U | date | 8 | 0 | %8s | 94 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 9 | DATA_R | date | 8 | 0 | %8s | 102 |
| 10 | DATA_Z | date | 8 | 0 | %8s | 110 |
| 11 | NR_WB | character | 5 | 0 | %-5s | 118 |
| 12 | INFO_P | character | 25 | 0 | %-25s | 123 |
| 13 | M__SOP | character | 10 | 0 | %-10s | 148 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PACZK_09.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | OPIS | character | 40 | 0 | %-40s | 26 |
| 3 | STATUS | character | 1 | 0 | %-1s | 66 |
| 4 | BANK_ID | character | 5 | 0 | %-5s | 67 |
| 5 | ID_SYS | character | 2 | 0 | %-2s | 72 |
| 6 | KWOTAP | number | 15 | 2 | %15s | 74 |
| 7 | LPRZELEW | number | 5 | 0 | %5s | 89 |
| 8 | DATA_U | date | 8 | 0 | %8s | 94 |
| 9 | DATA_R | date | 8 | 0 | %8s | 102 |
| 10 | DATA_Z | date | 8 | 0 | %8s | 110 |
| 11 | NR_WB | character | 5 | 0 | %-5s | 118 |
| 12 | INFO_P | character | 25 | 0 | %-25s | 123 |
| 13 | M__SOP | character | 10 | 0 | %-10s | 148 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PACZK_10.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | OPIS | character | 40 | 0 | %-40s | 26 |
| 3 | STATUS | character | 1 | 0 | %-1s | 66 |
| 4 | BANK_ID | character | 5 | 0 | %-5s | 67 |
| 5 | ID_SYS | character | 2 | 0 | %-2s | 72 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 6 | KWOTAP | number | 15 | 2 | %15s | 74 |
| 7 | LPRZELEW | number | 5 | 0 | %5s | 89 |
| 8 | DATA_U | date | 8 | 0 | %8s | 94 |
| 9 | DATA_R | date | 8 | 0 | %8s | 102 |
| 10 | DATA_Z | date | 8 | 0 | %8s | 110 |
| 11 | NR_WB | character | 5 | 0 | %-5s | 118 |
| 12 | INFO_P | character | 25 | 0 | %-25s | 123 |
| 13 | M__SOP | character | 10 | 0 | %-10s | 148 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PACZK_11.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | OPIS | character | 40 | 0 | %-40s | 26 |
| 3 | STATUS | character | 1 | 0 | %-1s | 66 |
| 4 | BANK_ID | character | 5 | 0 | %-5s | 67 |
| 5 | ID_SYS | character | 2 | 0 | %-2s | 72 |
| 6 | KWOTAP | number | 15 | 2 | %15s | 74 |
| 7 | LPRZELEW | number | 5 | 0 | %5s | 89 |
| 8 | DATA_U | date | 8 | 0 | %8s | 94 |
| 9 | DATA_R | date | 8 | 0 | %8s | 102 |
| 10 | DATA_Z | date | 8 | 0 | %8s | 110 |
| 11 | NR_WB | character | 5 | 0 | %-5s | 118 |
| 12 | INFO_P | character | 25 | 0 | %-25s | 123 |
| 13 | M__SOP | character | 10 | 0 | %-10s | 148 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PACZK_12.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | OPIS | character | 40 | 0 | %-40s | 26 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 3 | STATUS | character | 1 | 0 | %-1s | 66 |
| 4 | BANK_ID | character | 5 | 0 | %-5s | 67 |
| 5 | ID_SYS | character | 2 | 0 | %-2s | 72 |
| 6 | KWOTAP | number | 15 | 2 | %15s | 74 |
| 7 | LPRZELEW | number | 5 | 0 | %5s | 89 |
| 8 | DATA_U | date | 8 | 0 | %8s | 94 |
| 9 | DATA_R | date | 8 | 0 | %8s | 102 |
| 10 | DATA_Z | date | 8 | 0 | %8s | 110 |
| 11 | NR_WB | character | 5 | 0 | %-5s | 118 |
| 12 | INFO_P | character | 25 | 0 | %-25s | 123 |
| 13 | M__SOP | character | 10 | 0 | %-10s | 148 |

Folder: E:\mikrobit test\PBBAZY

Nazwa pliku: PACZK_13.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | OPIS | character | 40 | 0 | %-40s | 26 |
| 3 | STATUS | character | 1 | 0 | %-1s | 66 |
| 4 | BANK_ID | character | 5 | 0 | %-5s | 67 |
| 5 | ID_SYS | character | 2 | 0 | %-2s | 72 |
| 6 | KWOTAP | number | 15 | 2 | %15s | 74 |
| 7 | LPRZELEW | number | 5 | 0 | %5s | 89 |
| 8 | DATA_U | date | 8 | 0 | %8s | 94 |
| 9 | DATA_R | date | 8 | 0 | %8s | 102 |
| 10 | DATA_Z | date | 8 | 0 | %8s | 110 |
| 11 | NR_WB | character | 5 | 0 | %-5s | 118 |
| 12 | INFO_P | character | 25 | 0 | %-25s | 123 |
| 13 | M__SOP | character | 10 | 0 | %-10s | 148 |

Folder: E:\mikrobit test\PBBAZY

Nazwa pliku: PACZK_14.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | OPIS | character | 40 | 0 | %-40s | 26 |
| 3 | STATUS | character | 1 | 0 | %-1s | 66 |
| 4 | BANK_ID | character | 5 | 0 | %-5s | 67 |
| 5 | ID_SYS | character | 2 | 0 | %-2s | 72 |
| 6 | KWOTAP | number | 15 | 2 | %15s | 74 |
| 7 | LPRZELEW | number | 5 | 0 | %5s | 89 |
| 8 | DATA_U | date | 8 | 0 | %8s | 94 |
| 9 | DATA_R | date | 8 | 0 | %8s | 102 |
| 10 | DATA_Z | date | 8 | 0 | %8s | 110 |
| 11 | NR_WB | character | 5 | 0 | %-5s | 118 |
| 12 | INFO_P | character | 25 | 0 | %-25s | 123 |
| 13 | M__SOP | character | 10 | 0 | %-10s | 148 |

Folder: E:\mikrobit test\PBBAZY

Nazwa pliku: PACZK_15.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | OPIS | character | 40 | 0 | %-40s | 26 |
| 3 | STATUS | character | 1 | 0 | %-1s | 66 |
| 4 | BANK_ID | character | 5 | 0 | %-5s | 67 |
| 5 | ID_SYS | character | 2 | 0 | %-2s | 72 |
| 6 | KWOTAP | number | 15 | 2 | %15s | 74 |
| 7 | LPRZELEW | number | 5 | 0 | %5s | 89 |
| 8 | DATA_U | date | 8 | 0 | %8s | 94 |
| 9 | DATA_R | date | 8 | 0 | %8s | 102 |
| 10 | DATA_Z | date | 8 | 0 | %8s | 110 |
| 11 | NR_WB | character | 5 | 0 | %-5s | 118 |
| 12 | INFO_P | character | 25 | 0 | %-25s | 123 |
| 13 | M__SOP | character | 10 | 0 | %-10s | 148 |

Folder: E:\mikrobit test\PBBAZY

Nazwa pliku: PACZK_16.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | OPIS | character | 40 | 0 | %-40s | 26 |
| 3 | STATUS | character | 1 | 0 | %-1s | 66 |
| 4 | BANK_ID | character | 5 | 0 | %-5s | 67 |
| 5 | ID_SYS | character | 2 | 0 | %-2s | 72 |
| 6 | KWOTAP | number | 15 | 2 | %15s | 74 |
| 7 | LPRZELEW | number | 5 | 0 | %5s | 89 |
| 8 | DATA_U | date | 8 | 0 | %8s | 94 |
| 9 | DATA_R | date | 8 | 0 | %8s | 102 |
| 10 | DATA_Z | date | 8 | 0 | %8s | 110 |
| 11 | NR_WB | character | 5 | 0 | %-5s | 118 |
| 12 | INFO_P | character | 25 | 0 | %-25s | 123 |
| 13 | M__SOP | character | 10 | 0 | %-10s | 148 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PACZK_17.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | OPIS | character | 40 | 0 | %-40s | 26 |
| 3 | STATUS | character | 1 | 0 | %-1s | 66 |
| 4 | BANK_ID | character | 5 | 0 | %-5s | 67 |
| 5 | ID_SYS | character | 2 | 0 | %-2s | 72 |
| 6 | KWOTAP | number | 15 | 2 | %15s | 74 |
| 7 | LPRZELEW | number | 5 | 0 | %5s | 89 |
| 8 | DATA_U | date | 8 | 0 | %8s | 94 |
| 9 | DATA_R | date | 8 | 0 | %8s | 102 |
| 10 | DATA_Z | date | 8 | 0 | %8s | 110 |
| 11 | NR_WB | character | 5 | 0 | %-5s | 118 |
| 12 | INFO_P | character | 25 | 0 | %-25s | 123 |
| 13 | M__SOP | character | 10 | 0 | %-10s | 148 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PACZK_ST.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | OPIS | character | 40 | 0 | %-40s | 26 |
| 3 | STATUS | character | 1 | 0 | %-1s | 66 |
| 4 | BANK_ID | character | 5 | 0 | %-5s | 67 |
| 5 | ID_SYS | character | 2 | 0 | %-2s | 72 |
| 6 | KWOTAP | number | 15 | 2 | %15s | 74 |
| 7 | LPRZELEW | number | 5 | 0 | %5s | 89 |
| 8 | DATA_U | date | 8 | 0 | %8s | 94 |
| 9 | DATA_R | date | 8 | 0 | %8s | 102 |
| 10 | DATA_Z | date | 8 | 0 | %8s | 110 |
| 11 | NR_WB | character | 5 | 0 | %-5s | 118 |
| 12 | INFO_P | character | 25 | 0 | %-25s | 123 |
| 13 | M__SOP | character | 10 | 0 | %-10s | 148 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PACZP_07.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | PRZEL_ID | character | 25 | 0 | %-25s | 26 |
| 3 | WEZ_PRZE | character | 1 | 0 | %-1s | 51 |
| 4 | M__SOP | character | 10 | 0 | %-10s | 52 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PACZP_08.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | PRZEL_ID | character | 25 | 0 | %-25s | 26 |

| | | | | | | |
|---|----------|-----------|----|---|-------|----|
| 3 | WEZ_PRZE | character | 1 | 0 | %-1s | 51 |
| 4 | M__SOP | character | 10 | 0 | %-10s | 52 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PACZP_09.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | PRZEL_ID | character | 25 | 0 | %-25s | 26 |
| 3 | WEZ_PRZE | character | 1 | 0 | %-1s | 51 |
| 4 | M__SOP | character | 10 | 0 | %-10s | 52 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PACZP_10.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | PRZEL_ID | character | 25 | 0 | %-25s | 26 |
| 3 | WEZ_PRZE | character | 1 | 0 | %-1s | 51 |
| 4 | M__SOP | character | 10 | 0 | %-10s | 52 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PACZP_11.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | PRZEL_ID | character | 25 | 0 | %-25s | 26 |
| 3 | WEZ_PRZE | character | 1 | 0 | %-1s | 51 |
| 4 | M__SOP | character | 10 | 0 | %-10s | 52 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PACZP_12.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | PRZEL_ID | character | 25 | 0 | %-25s | 26 |
| 3 | WEZ_PRZE | character | 1 | 0 | %-1s | 51 |
| 4 | M__SOP | character | 10 | 0 | %-10s | 52 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PACZP_13.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | PRZEL_ID | character | 25 | 0 | %-25s | 26 |
| 3 | WEZ_PRZE | character | 1 | 0 | %-1s | 51 |
| 4 | M__SOP | character | 10 | 0 | %-10s | 52 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PACZP_14.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | PRZEL_ID | character | 25 | 0 | %-25s | 26 |
| 3 | WEZ_PRZE | character | 1 | 0 | %-1s | 51 |
| 4 | M__SOP | character | 10 | 0 | %-10s | 52 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PACZP_15.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|------|------|--------|-----------|--------|--------|
|---|------|------|--------|-----------|--------|--------|

| | | | | | | |
|---|----------|-----------|----|---|-------|----|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | PRZEL_ID | character | 25 | 0 | %-25s | 26 |
| 3 | WEZ_PRZE | character | 1 | 0 | %-1s | 51 |
| 4 | M__SOP | character | 10 | 0 | %-10s | 52 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PACZP_16.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | PRZEL_ID | character | 25 | 0 | %-25s | 26 |
| 3 | WEZ_PRZE | character | 1 | 0 | %-1s | 51 |
| 4 | M__SOP | character | 10 | 0 | %-10s | 52 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PACZP_17.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | PRZEL_ID | character | 25 | 0 | %-25s | 26 |
| 3 | WEZ_PRZE | character | 1 | 0 | %-1s | 51 |
| 4 | M__SOP | character | 10 | 0 | %-10s | 52 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PACZP_ST.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | PRZEL_ID | character | 25 | 0 | %-25s | 26 |
| 3 | WEZ_PRZE | character | 1 | 0 | %-1s | 51 |
| 4 | M__SOP | character | 10 | 0 | %-10s | 52 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PARAMETR.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PAR_ZMN | character | 10 | 0 | %-10s | 1 |
| 2 | PAR_TYP | character | 1 | 0 | %-1s | 11 |
| 3 | PAR_LEN | number | 4 | 0 | %4s | 12 |
| 4 | PAR_EXT | boolean | 1 | 0 | %1s | 16 |
| 5 | PAR_VAL | character | 480 | 0 | %-480s | 17 |
| 6 | PAR_STAT | character | 1 | 0 | %-1s | 497 |
| 7 | PAR_GRP | character | 1 | 0 | %-1s | 498 |
| 8 | PAR_GRN | character | 30 | 0 | %-30s | 499 |
| 9 | PAR_ORD | character | 3 | 0 | %-3s | 529 |
| 10 | PAR_OPIS | character | 50 | 0 | %-50s | 532 |
| 11 | PAR_OBR | character | 60 | 0 | %-60s | 582 |
| 12 | M__SOP | character | 10 | 0 | %-10s | 642 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PAREXT.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|---------|--------|
| 1 | PAR_ZMN | character | 10 | 0 | %-10s | 1 |
| 2 | PAR_VAL | character | 4000 | 0 | %-4000s | 11 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PARTXT.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|---------|--------|
| 1 | PAR_ZMN | character | 10 | 0 | %-10s | 1 |
| 2 | KOMENT_R | character | 2000 | 0 | %-2000s | 11 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PPOPER.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYSTEM | character | 2 | 0 | %-2s | 1 |
| 2 | OPERATOR | character | 3 | 0 | %-3s | 3 |
| 3 | ROK | character | 4 | 0 | %-4s | 6 |
| 4 | RACH_ID | character | 6 | 0 | %-6s | 10 |
| 5 | STATUS | character | 1 | 0 | %-1s | 16 |
| 6 | PACZKA | character | 25 | 0 | %-25s | 17 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PPPOZ_08.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PRZEL_ID | character | 25 | 0 | %-25s | 1 |
| 2 | POZ_OK | character | 1 | 0 | %-1s | 26 |
| 3 | LP | character | 3 | 0 | %-3s | 27 |
| 4 | DOK | character | 3 | 0 | %-3s | 30 |
| 5 | SYMOPER | character | 3 | 0 | %-3s | 33 |
| 6 | INFO | character | 150 | 0 | %-150s | 36 |
| 7 | KWOTA | number | 16 | 2 | %16s | 186 |
| 8 | DSROK | character | 4 | 0 | %-4s | 202 |
| 9 | DSREJ | character | 3 | 0 | %-3s | 206 |
| 10 | DSLPL | character | 5 | 0 | %-5s | 209 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PPPOZ_09.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|------|------|--------|-----------|--------|--------|
|---|------|------|--------|-----------|--------|--------|

| | | | | | | |
|----|----------|-----------|-----|---|--------|-----|
| 1 | PRZEL_ID | character | 25 | 0 | %-25s | 1 |
| 2 | POZ_OK | character | 1 | 0 | %-1s | 26 |
| 3 | LP | character | 3 | 0 | %-3s | 27 |
| 4 | DOK | character | 3 | 0 | %-3s | 30 |
| 5 | SYMOPER | character | 3 | 0 | %-3s | 33 |
| 6 | INFO | character | 150 | 0 | %-150s | 36 |
| 7 | KWOTA | number | 16 | 2 | %16s | 186 |
| 8 | DSROK | character | 4 | 0 | %-4s | 202 |
| 9 | DSREJ | character | 3 | 0 | %-3s | 206 |
| 10 | DSLPL | character | 5 | 0 | %-5s | 209 |

Folder: E:\mikrobit test\PBBAZY

Nazwa pliku: PPPOZ_10.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PRZEL_ID | character | 25 | 0 | %-25s | 1 |
| 2 | POZ_OK | character | 1 | 0 | %-1s | 26 |
| 3 | LP | character | 3 | 0 | %-3s | 27 |
| 4 | DOK | character | 3 | 0 | %-3s | 30 |
| 5 | SYMOPER | character | 3 | 0 | %-3s | 33 |
| 6 | INFO | character | 150 | 0 | %-150s | 36 |
| 7 | KWOTA | number | 16 | 2 | %16s | 186 |
| 8 | DSROK | character | 4 | 0 | %-4s | 202 |
| 9 | DSREJ | character | 3 | 0 | %-3s | 206 |
| 10 | DSLPL | character | 5 | 0 | %-5s | 209 |

Folder: E:\mikrobit test\PBBAZY

Nazwa pliku: PPPOZ_11.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | PRZEL_ID | character | 25 | 0 | %-25s | 1 |
| 2 | POZ_OK | character | 1 | 0 | %-1s | 26 |
| 3 | LP | character | 3 | 0 | %-3s | 27 |

| | | | | | | |
|----|---------|-----------|-----|---|--------|-----|
| 4 | DOK | character | 3 | 0 | %-3s | 30 |
| 5 | SYMOPER | character | 3 | 0 | %-3s | 33 |
| 6 | INFO | character | 150 | 0 | %-150s | 36 |
| 7 | KWOTA | number | 16 | 2 | %16s | 186 |
| 8 | DSROK | character | 4 | 0 | %-4s | 202 |
| 9 | DSREJ | character | 3 | 0 | %-3s | 206 |
| 10 | DSLPL | character | 5 | 0 | %-5s | 209 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PPPOZ_12.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PRZEL_ID | character | 25 | 0 | %-25s | 1 |
| 2 | POZ_OK | character | 1 | 0 | %-1s | 26 |
| 3 | LP | character | 3 | 0 | %-3s | 27 |
| 4 | DOK | character | 3 | 0 | %-3s | 30 |
| 5 | SYMOPER | character | 3 | 0 | %-3s | 33 |
| 6 | INFO | character | 150 | 0 | %-150s | 36 |
| 7 | KWOTA | number | 16 | 2 | %16s | 186 |
| 8 | DSROK | character | 4 | 0 | %-4s | 202 |
| 9 | DSREJ | character | 3 | 0 | %-3s | 206 |
| 10 | DSLPL | character | 5 | 0 | %-5s | 209 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PPPOZ_13.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | PRZEL_ID | character | 25 | 0 | %-25s | 1 |
| 2 | POZ_OK | character | 1 | 0 | %-1s | 26 |
| 3 | LP | character | 3 | 0 | %-3s | 27 |
| 4 | DOK | character | 3 | 0 | %-3s | 30 |
| 5 | SYMOPER | character | 3 | 0 | %-3s | 33 |
| 6 | INFO | character | 150 | 0 | %-150s | 36 |

| | | | | | | |
|----|-------|-----------|----|---|------|-----|
| 7 | KWOTA | number | 16 | 2 | %16s | 186 |
| 8 | DSROK | character | 4 | 0 | %-4s | 202 |
| 9 | DSREJ | character | 3 | 0 | %-3s | 206 |
| 10 | DSLPL | character | 5 | 0 | %-5s | 209 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PPPOZ_14.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PRZEL_ID | character | 25 | 0 | %-25s | 1 |
| 2 | POZ_OK | character | 1 | 0 | %-1s | 26 |
| 3 | LP | character | 3 | 0 | %-3s | 27 |
| 4 | DOK | character | 3 | 0 | %-3s | 30 |
| 5 | SYMOPER | character | 3 | 0 | %-3s | 33 |
| 6 | INFO | character | 150 | 0 | %-150s | 36 |
| 7 | KWOTA | number | 16 | 2 | %16s | 186 |
| 8 | DSROK | character | 4 | 0 | %-4s | 202 |
| 9 | DSREJ | character | 3 | 0 | %-3s | 206 |
| 10 | DSLPL | character | 5 | 0 | %-5s | 209 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PPPOZ_15.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | PRZEL_ID | character | 25 | 0 | %-25s | 1 |
| 2 | POZ_OK | character | 1 | 0 | %-1s | 26 |
| 3 | LP | character | 3 | 0 | %-3s | 27 |
| 4 | DOK | character | 3 | 0 | %-3s | 30 |
| 5 | SYMOPER | character | 3 | 0 | %-3s | 33 |
| 6 | INFO | character | 150 | 0 | %-150s | 36 |
| 7 | KWOTA | number | 16 | 2 | %16s | 186 |
| 8 | DSROK | character | 4 | 0 | %-4s | 202 |
| 9 | DSREJ | character | 3 | 0 | %-3s | 206 |

| | | | | | | |
|----|------|-----------|---|---|------|-----|
| 10 | DSLP | character | 5 | 0 | %-5s | 209 |
|----|------|-----------|---|---|------|-----|

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PPPOZ_16.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PRZEL_ID | character | 25 | 0 | %-25s | 1 |
| 2 | POZ_OK | character | 1 | 0 | %-1s | 26 |
| 3 | LP | character | 3 | 0 | %-3s | 27 |
| 4 | DOK | character | 3 | 0 | %-3s | 30 |
| 5 | SYMOPER | character | 3 | 0 | %-3s | 33 |
| 6 | INFO | character | 150 | 0 | %-150s | 36 |
| 7 | KWOTA | number | 16 | 2 | %16s | 186 |
| 8 | DSROK | character | 4 | 0 | %-4s | 202 |
| 9 | DSREJ | character | 3 | 0 | %-3s | 206 |
| 10 | DSLP | character | 5 | 0 | %-5s | 209 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PPPOZ_17.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PRZEL_ID | character | 25 | 0 | %-25s | 1 |
| 2 | POZ_OK | character | 1 | 0 | %-1s | 26 |
| 3 | LP | character | 3 | 0 | %-3s | 27 |
| 4 | DOK | character | 3 | 0 | %-3s | 30 |
| 5 | SYMOPER | character | 3 | 0 | %-3s | 33 |
| 6 | INFO | character | 150 | 0 | %-150s | 36 |
| 7 | KWOTA | number | 16 | 2 | %16s | 186 |
| 8 | DSROK | character | 4 | 0 | %-4s | 202 |
| 9 | DSREJ | character | 3 | 0 | %-3s | 206 |
| 10 | DSLP | character | 5 | 0 | %-5s | 209 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PPPOZ_ST.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PRZEL_ID | character | 25 | 0 | %-25s | 1 |
| 2 | POZ_OK | character | 1 | 0 | %-1s | 26 |
| 3 | LP | character | 3 | 0 | %-3s | 27 |
| 4 | DOK | character | 3 | 0 | %-3s | 30 |
| 5 | SYMOPER | character | 3 | 0 | %-3s | 33 |
| 6 | INFO | character | 150 | 0 | %-150s | 36 |
| 7 | KWOTA | number | 16 | 2 | %16s | 186 |
| 8 | DSROK | character | 4 | 0 | %-4s | 202 |
| 9 | DSREJ | character | 3 | 0 | %-3s | 206 |
| 10 | DSLPL | character | 5 | 0 | %-5s | 209 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PRZEL_07.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | PRZEL_ID | character | 25 | 0 | %-25s | 26 |
| 3 | TYPDOK | character | 1 | 0 | %-1s | 51 |
| 4 | DATAM | date | 8 | 0 | %8s | 52 |
| 5 | ID_SYS | character | 2 | 0 | %-2s | 60 |
| 6 | OPER | character | 3 | 0 | %-3s | 62 |
| 7 | BANK | character | 5 | 0 | %-5s | 65 |
| 8 | KWOTA | number | 14 | 2 | %14s | 70 |
| 9 | TYTUL1 | character | 60 | 0 | %-60s | 84 |
| 10 | TYTUL2 | character | 60 | 0 | %-60s | 144 |
| 11 | TYTUL3 | character | 60 | 0 | %-60s | 204 |
| 12 | TYTUL4 | character | 60 | 0 | %-60s | 264 |
| 13 | TYTUL5 | character | 60 | 0 | %-60s | 324 |
| 14 | TYTUL6 | character | 60 | 0 | %-60s | 384 |
| 15 | TYTUL7 | character | 60 | 0 | %-60s | 444 |
| 16 | KONTO_MA | character | 40 | 0 | %-40s | 504 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|------|
| 17 | TYTUL8 | character | 60 | 0 | %-60s | 544 |
| 18 | TYTUL9 | character | 60 | 0 | %-60s | 604 |
| 19 | BANKW | character | 40 | 0 | %-40s | 664 |
| 20 | BANK_BIC | character | 11 | 0 | %-11s | 704 |
| 21 | KONTO_W1 | character | 80 | 0 | %-80s | 715 |
| 22 | NAZWA | character | 50 | 0 | %-50s | 795 |
| 23 | NAZWA_W1 | character | 40 | 0 | %-40s | 845 |
| 24 | NAZWA_W2 | character | 40 | 0 | %-40s | 885 |
| 25 | NAZWA_W3 | character | 40 | 0 | %-40s | 925 |
| 26 | KONTR | character | 10 | 0 | %-10s | 965 |
| 27 | TYPKONTR | character | 2 | 0 | %-2s | 975 |
| 28 | DATA_WY | date | 8 | 0 | %8s | 977 |
| 29 | DATA_R | date | 8 | 0 | %8s | 985 |
| 30 | OPER_R | character | 3 | 0 | %-3s | 993 |
| 31 | ULICA_W | character | 40 | 0 | %-40s | 996 |
| 32 | MIASTO_W | character | 32 | 0 | %-32s | 1036 |
| 33 | KOD_W | character | 6 | 0 | %-6s | 1068 |
| 34 | PRZYCZ_1 | character | 60 | 0 | %-60s | 1074 |
| 35 | PRZYCZ_2 | character | 60 | 0 | %-60s | 1134 |
| 36 | PRZYCZ_3 | character | 60 | 0 | %-60s | 1194 |
| 37 | PRZYCZ_4 | character | 60 | 0 | %-60s | 1254 |
| 38 | ROK | character | 4 | 0 | %-4s | 1314 |
| 39 | TRESC | character | 200 | 0 | %-200s | 1318 |
| 40 | DOK | character | 3 | 0 | %-3s | 1518 |
| 41 | SYMOPER | character | 3 | 0 | %-3s | 1521 |
| 42 | DINFO | character | 40 | 0 | %-40s | 1524 |
| 43 | NRPP | number | 6 | 0 | %6s | 1564 |
| 44 | SPECINFO | character | 100 | 0 | %-100s | 1570 |
| 45 | DATA_Z | date | 8 | 0 | %8s | 1670 |
| 46 | NR_WB | character | 5 | 0 | %-5s | 1678 |
| 47 | KSG | character | 1 | 0 | %-1s | 1683 |
| 48 | INFO_P | character | 25 | 0 | %-25s | 1684 |
| 49 | BANK_MA | character | 1 | 0 | %-1s | 1709 |
| 50 | KONTO_M2 | character | 1 | 0 | %-1s | 1710 |
| 51 | KONTO_W2 | character | 1 | 0 | %-1s | 1711 |
| 52 | DATAZATW | date | 8 | 0 | %8s | 1712 |
| 53 | WYCIAG | character | 1 | 0 | %-1s | 1720 |
| 54 | M_SOP | character | 10 | 0 | %-10s | 1721 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PRZEL_08.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | PRZEL_ID | character | 25 | 0 | %-25s | 26 |
| 3 | TYPDOK | character | 1 | 0 | %-1s | 51 |
| 4 | DATAM | date | 8 | 0 | %8s | 52 |
| 5 | ID_SYS | character | 2 | 0 | %-2s | 60 |
| 6 | OPER | character | 3 | 0 | %-3s | 62 |
| 7 | BANK | character | 5 | 0 | %-5s | 65 |
| 8 | KWOTA | number | 14 | 2 | %14s | 70 |
| 9 | TYTUL1 | character | 60 | 0 | %-60s | 84 |
| 10 | TYTUL2 | character | 60 | 0 | %-60s | 144 |
| 11 | TYTUL3 | character | 60 | 0 | %-60s | 204 |
| 12 | TYTUL4 | character | 60 | 0 | %-60s | 264 |
| 13 | TYTUL5 | character | 60 | 0 | %-60s | 324 |
| 14 | TYTUL6 | character | 60 | 0 | %-60s | 384 |
| 15 | TYTUL7 | character | 60 | 0 | %-60s | 444 |
| 16 | KONTO_MA | character | 40 | 0 | %-40s | 504 |
| 17 | TYTUL8 | character | 60 | 0 | %-60s | 544 |
| 18 | TYTUL9 | character | 60 | 0 | %-60s | 604 |
| 19 | BANKW | character | 40 | 0 | %-40s | 664 |
| 20 | BANK_BIC | character | 11 | 0 | %-11s | 704 |
| 21 | KONTO_W1 | character | 80 | 0 | %-80s | 715 |
| 22 | NAZWA | character | 50 | 0 | %-50s | 795 |
| 23 | NAZWA_W1 | character | 40 | 0 | %-40s | 845 |
| 24 | NAZWA_W2 | character | 40 | 0 | %-40s | 885 |
| 25 | NAZWA_W3 | character | 40 | 0 | %-40s | 925 |
| 26 | KONTR | character | 10 | 0 | %-10s | 965 |
| 27 | TYPKONTR | character | 2 | 0 | %-2s | 975 |
| 28 | DATA_WY | date | 8 | 0 | %8s | 977 |
| 29 | DATA_R | date | 8 | 0 | %8s | 985 |
| 30 | OPER_R | character | 3 | 0 | %-3s | 993 |
| 31 | ULICA_W | character | 40 | 0 | %-40s | 996 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|------|
| 32 | MIASTO_W | character | 32 | 0 | %-32s | 1036 |
| 33 | KOD_W | character | 6 | 0 | %-6s | 1068 |
| 34 | PRZYCZ_1 | character | 60 | 0 | %-60s | 1074 |
| 35 | PRZYCZ_2 | character | 60 | 0 | %-60s | 1134 |
| 36 | PRZYCZ_3 | character | 60 | 0 | %-60s | 1194 |
| 37 | PRZYCZ_4 | character | 60 | 0 | %-60s | 1254 |
| 38 | ROK | character | 4 | 0 | %-4s | 1314 |
| 39 | TRESC | character | 200 | 0 | %-200s | 1318 |
| 40 | DOK | character | 3 | 0 | %-3s | 1518 |
| 41 | SYMOPER | character | 3 | 0 | %-3s | 1521 |
| 42 | DINFO | character | 40 | 0 | %-40s | 1524 |
| 43 | NRPP | number | 6 | 0 | %6s | 1564 |
| 44 | SPECINFO | character | 100 | 0 | %-100s | 1570 |
| 45 | DATA_Z | date | 8 | 0 | %8s | 1670 |
| 46 | NR_WB | character | 5 | 0 | %-5s | 1678 |
| 47 | KSG | character | 1 | 0 | %-1s | 1683 |
| 48 | INFO_P | character | 25 | 0 | %-25s | 1684 |
| 49 | BANK_MA | character | 1 | 0 | %-1s | 1709 |
| 50 | KONTO_M2 | character | 1 | 0 | %-1s | 1710 |
| 51 | KONTO_W2 | character | 1 | 0 | %-1s | 1711 |
| 52 | DATAZATW | date | 8 | 0 | %8s | 1712 |
| 53 | WYCIAG | character | 1 | 0 | %-1s | 1720 |
| 54 | M__SOP | character | 10 | 0 | %-10s | 1721 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PRZEL_09.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | PRZEL_ID | character | 25 | 0 | %-25s | 26 |
| 3 | TYPDOK | character | 1 | 0 | %-1s | 51 |
| 4 | DATAM | date | 8 | 0 | %8s | 52 |
| 5 | ID_SYS | character | 2 | 0 | %-2s | 60 |
| 6 | OPER | character | 3 | 0 | %-3s | 62 |
| 7 | BANK | character | 5 | 0 | %-5s | 65 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|------|
| 8 | KWOTA | number | 14 | 2 | %14s | 70 |
| 9 | TYTUL1 | character | 60 | 0 | %-60s | 84 |
| 10 | TYTUL2 | character | 60 | 0 | %-60s | 144 |
| 11 | TYTUL3 | character | 60 | 0 | %-60s | 204 |
| 12 | TYTUL4 | character | 60 | 0 | %-60s | 264 |
| 13 | TYTUL5 | character | 60 | 0 | %-60s | 324 |
| 14 | TYTUL6 | character | 60 | 0 | %-60s | 384 |
| 15 | TYTUL7 | character | 60 | 0 | %-60s | 444 |
| 16 | KONTO_MA | character | 40 | 0 | %-40s | 504 |
| 17 | TYTUL8 | character | 60 | 0 | %-60s | 544 |
| 18 | TYTUL9 | character | 60 | 0 | %-60s | 604 |
| 19 | BANKW | character | 40 | 0 | %-40s | 664 |
| 20 | BANK_BIC | character | 11 | 0 | %-11s | 704 |
| 21 | KONTO_W1 | character | 80 | 0 | %-80s | 715 |
| 22 | NAZWA | character | 50 | 0 | %-50s | 795 |
| 23 | NAZWA_W1 | character | 40 | 0 | %-40s | 845 |
| 24 | NAZWA_W2 | character | 40 | 0 | %-40s | 885 |
| 25 | NAZWA_W3 | character | 40 | 0 | %-40s | 925 |
| 26 | KONTR | character | 10 | 0 | %-10s | 965 |
| 27 | TYPKONTR | character | 2 | 0 | %-2s | 975 |
| 28 | DATA_WY | date | 8 | 0 | %8s | 977 |
| 29 | DATA_R | date | 8 | 0 | %8s | 985 |
| 30 | OPER_R | character | 3 | 0 | %-3s | 993 |
| 31 | ULICA_W | character | 40 | 0 | %-40s | 996 |
| 32 | MIASTO_W | character | 32 | 0 | %-32s | 1036 |
| 33 | KOD_W | character | 6 | 0 | %-6s | 1068 |
| 34 | PRZYCZ_1 | character | 60 | 0 | %-60s | 1074 |
| 35 | PRZYCZ_2 | character | 60 | 0 | %-60s | 1134 |
| 36 | PRZYCZ_3 | character | 60 | 0 | %-60s | 1194 |
| 37 | PRZYCZ_4 | character | 60 | 0 | %-60s | 1254 |
| 38 | ROK | character | 4 | 0 | %-4s | 1314 |
| 39 | TRESC | character | 200 | 0 | %-200s | 1318 |
| 40 | DOK | character | 3 | 0 | %-3s | 1518 |
| 41 | SYMOPER | character | 3 | 0 | %-3s | 1521 |
| 42 | DINFO | character | 40 | 0 | %-40s | 1524 |
| 43 | NRPP | number | 6 | 0 | %6s | 1564 |
| 44 | SPECINFO | character | 100 | 0 | %-100s | 1570 |
| 45 | DATA_Z | date | 8 | 0 | %8s | 1670 |

| | | | | | | |
|----|----------|-----------|----|---|-------|------|
| 46 | NR_WB | character | 5 | 0 | %-5s | 1678 |
| 47 | KSG | character | 1 | 0 | %-1s | 1683 |
| 48 | INFO_P | character | 25 | 0 | %-25s | 1684 |
| 49 | BANK_MA | character | 1 | 0 | %-1s | 1709 |
| 50 | KONTO_M2 | character | 1 | 0 | %-1s | 1710 |
| 51 | KONTO_W2 | character | 1 | 0 | %-1s | 1711 |
| 52 | DATAZATW | date | 8 | 0 | %8s | 1712 |
| 53 | WYCIAG | character | 1 | 0 | %-1s | 1720 |
| 54 | M__SOP | character | 10 | 0 | %-10s | 1721 |

Folder: E:\mikrobit test\PBBAZY

Nazwa pliku: PRZEL_10.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | PRZEL_ID | character | 25 | 0 | %-25s | 26 |
| 3 | TYPDOK | character | 1 | 0 | %-1s | 51 |
| 4 | DATAM | date | 8 | 0 | %8s | 52 |
| 5 | ID_SYS | character | 2 | 0 | %-2s | 60 |
| 6 | OPER | character | 3 | 0 | %-3s | 62 |
| 7 | BANK | character | 5 | 0 | %-5s | 65 |
| 8 | KWOTA | number | 14 | 2 | %14s | 70 |
| 9 | TYTUL1 | character | 60 | 0 | %-60s | 84 |
| 10 | TYTUL2 | character | 60 | 0 | %-60s | 144 |
| 11 | TYTUL3 | character | 60 | 0 | %-60s | 204 |
| 12 | TYTUL4 | character | 60 | 0 | %-60s | 264 |
| 13 | TYTUL5 | character | 60 | 0 | %-60s | 324 |
| 14 | TYTUL6 | character | 60 | 0 | %-60s | 384 |
| 15 | TYTUL7 | character | 60 | 0 | %-60s | 444 |
| 16 | KONTO_MA | character | 40 | 0 | %-40s | 504 |
| 17 | TYTUL8 | character | 60 | 0 | %-60s | 544 |
| 18 | TYTUL9 | character | 60 | 0 | %-60s | 604 |
| 19 | BANKW | character | 40 | 0 | %-40s | 664 |
| 20 | BANK_BIC | character | 11 | 0 | %-11s | 704 |
| 21 | KONTO_W1 | character | 80 | 0 | %-80s | 715 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|------|
| 22 | NAZWA | character | 50 | 0 | %-50s | 795 |
| 23 | NAZWA_W1 | character | 40 | 0 | %-40s | 845 |
| 24 | NAZWA_W2 | character | 40 | 0 | %-40s | 885 |
| 25 | NAZWA_W3 | character | 40 | 0 | %-40s | 925 |
| 26 | KONTR | character | 10 | 0 | %-10s | 965 |
| 27 | TYPKONTR | character | 2 | 0 | %-2s | 975 |
| 28 | DATA_WY | date | 8 | 0 | %8s | 977 |
| 29 | DATA_R | date | 8 | 0 | %8s | 985 |
| 30 | OPER_R | character | 3 | 0 | %-3s | 993 |
| 31 | ULICA_W | character | 40 | 0 | %-40s | 996 |
| 32 | MIASTO_W | character | 32 | 0 | %-32s | 1036 |
| 33 | KOD_W | character | 6 | 0 | %-6s | 1068 |
| 34 | PRZYCZ_1 | character | 60 | 0 | %-60s | 1074 |
| 35 | PRZYCZ_2 | character | 60 | 0 | %-60s | 1134 |
| 36 | PRZYCZ_3 | character | 60 | 0 | %-60s | 1194 |
| 37 | PRZYCZ_4 | character | 60 | 0 | %-60s | 1254 |
| 38 | ROK | character | 4 | 0 | %-4s | 1314 |
| 39 | TRESC | character | 200 | 0 | %-200s | 1318 |
| 40 | DOK | character | 3 | 0 | %-3s | 1518 |
| 41 | SYMOPER | character | 3 | 0 | %-3s | 1521 |
| 42 | DINFO | character | 40 | 0 | %-40s | 1524 |
| 43 | NRPP | number | 6 | 0 | %6s | 1564 |
| 44 | SPECINFO | character | 100 | 0 | %-100s | 1570 |
| 45 | DATA_Z | date | 8 | 0 | %8s | 1670 |
| 46 | NR_WB | character | 5 | 0 | %-5s | 1678 |
| 47 | KSG | character | 1 | 0 | %-1s | 1683 |
| 48 | INFO_P | character | 25 | 0 | %-25s | 1684 |
| 49 | BANK_MA | character | 1 | 0 | %-1s | 1709 |
| 50 | KONTO_M2 | character | 1 | 0 | %-1s | 1710 |
| 51 | KONTO_W2 | character | 1 | 0 | %-1s | 1711 |
| 52 | DATAZATW | date | 8 | 0 | %8s | 1712 |
| 53 | WYCIAG | character | 1 | 0 | %-1s | 1720 |
| 54 | M__SOP | character | 10 | 0 | %-10s | 1721 |

Nazwa pliku: PRZEL_11.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | PRZEL_ID | character | 25 | 0 | %-25s | 26 |
| 3 | TYPDOK | character | 1 | 0 | %-1s | 51 |
| 4 | DATAM | date | 8 | 0 | %8s | 52 |
| 5 | ID_SYS | character | 2 | 0 | %-2s | 60 |
| 6 | OPER | character | 3 | 0 | %-3s | 62 |
| 7 | BANK | character | 5 | 0 | %-5s | 65 |
| 8 | KWOTA | number | 14 | 2 | %14s | 70 |
| 9 | TYTUL1 | character | 60 | 0 | %-60s | 84 |
| 10 | TYTUL2 | character | 60 | 0 | %-60s | 144 |
| 11 | TYTUL3 | character | 60 | 0 | %-60s | 204 |
| 12 | TYTUL4 | character | 60 | 0 | %-60s | 264 |
| 13 | TYTUL5 | character | 60 | 0 | %-60s | 324 |
| 14 | TYTUL6 | character | 60 | 0 | %-60s | 384 |
| 15 | TYTUL7 | character | 60 | 0 | %-60s | 444 |
| 16 | KONTO_MA | character | 40 | 0 | %-40s | 504 |
| 17 | TYTUL8 | character | 60 | 0 | %-60s | 544 |
| 18 | TYTUL9 | character | 60 | 0 | %-60s | 604 |
| 19 | BANKW | character | 40 | 0 | %-40s | 664 |
| 20 | BANK_BIC | character | 11 | 0 | %-11s | 704 |
| 21 | KONTO_W1 | character | 80 | 0 | %-80s | 715 |
| 22 | NAZWA | character | 50 | 0 | %-50s | 795 |
| 23 | NAZWA_W1 | character | 40 | 0 | %-40s | 845 |
| 24 | NAZWA_W2 | character | 40 | 0 | %-40s | 885 |
| 25 | NAZWA_W3 | character | 40 | 0 | %-40s | 925 |
| 26 | KONTR | character | 10 | 0 | %-10s | 965 |
| 27 | TYPKONTR | character | 2 | 0 | %-2s | 975 |
| 28 | DATA_WY | date | 8 | 0 | %8s | 977 |
| 29 | DATA_R | date | 8 | 0 | %8s | 985 |
| 30 | OPER_R | character | 3 | 0 | %-3s | 993 |
| 31 | ULICA_W | character | 40 | 0 | %-40s | 996 |
| 32 | MIASTO_W | character | 32 | 0 | %-32s | 1036 |
| 33 | KOD_W | character | 6 | 0 | %-6s | 1068 |
| 34 | PRZYCZ_1 | character | 60 | 0 | %-60s | 1074 |
| 35 | PRZYCZ_2 | character | 60 | 0 | %-60s | 1134 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|------|
| 36 | PRZYCZ_3 | character | 60 | 0 | %-60s | 1194 |
| 37 | PRZYCZ_4 | character | 60 | 0 | %-60s | 1254 |
| 38 | ROK | character | 4 | 0 | %-4s | 1314 |
| 39 | TRESC | character | 200 | 0 | %-200s | 1318 |
| 40 | DOK | character | 3 | 0 | %-3s | 1518 |
| 41 | SYMOPER | character | 3 | 0 | %-3s | 1521 |
| 42 | DINFO | character | 40 | 0 | %-40s | 1524 |
| 43 | NRPP | number | 6 | 0 | %6s | 1564 |
| 44 | SPECINFO | character | 100 | 0 | %-100s | 1570 |
| 45 | DATA_Z | date | 8 | 0 | %8s | 1670 |
| 46 | NR_WB | character | 5 | 0 | %-5s | 1678 |
| 47 | KSG | character | 1 | 0 | %-1s | 1683 |
| 48 | INFO_P | character | 25 | 0 | %-25s | 1684 |
| 49 | BANK_MA | character | 1 | 0 | %-1s | 1709 |
| 50 | KONTO_M2 | character | 1 | 0 | %-1s | 1710 |
| 51 | KONTO_W2 | character | 1 | 0 | %-1s | 1711 |
| 52 | DATAZATW | date | 8 | 0 | %8s | 1712 |
| 53 | WYCIAG | character | 1 | 0 | %-1s | 1720 |
| 54 | M__SOP | character | 10 | 0 | %-10s | 1721 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PRZEL_12.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | PRZEL_ID | character | 25 | 0 | %-25s | 26 |
| 3 | TYPDOK | character | 1 | 0 | %-1s | 51 |
| 4 | DATAM | date | 8 | 0 | %8s | 52 |
| 5 | ID_SYS | character | 2 | 0 | %-2s | 60 |
| 6 | OPER | character | 3 | 0 | %-3s | 62 |
| 7 | BANK | character | 5 | 0 | %-5s | 65 |
| 8 | KWOTA | number | 14 | 2 | %14s | 70 |
| 9 | TYTUL1 | character | 60 | 0 | %-60s | 84 |
| 10 | TYTUL2 | character | 60 | 0 | %-60s | 144 |
| 11 | TYTUL3 | character | 60 | 0 | %-60s | 204 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|------|
| 12 | TYTUL4 | character | 60 | 0 | %-60s | 264 |
| 13 | TYTUL5 | character | 60 | 0 | %-60s | 324 |
| 14 | TYTUL6 | character | 60 | 0 | %-60s | 384 |
| 15 | TYTUL7 | character | 60 | 0 | %-60s | 444 |
| 16 | KONTO_MA | character | 40 | 0 | %-40s | 504 |
| 17 | TYTUL8 | character | 60 | 0 | %-60s | 544 |
| 18 | TYTUL9 | character | 60 | 0 | %-60s | 604 |
| 19 | BANKW | character | 40 | 0 | %-40s | 664 |
| 20 | BANK_BIC | character | 11 | 0 | %-11s | 704 |
| 21 | KONTO_W1 | character | 80 | 0 | %-80s | 715 |
| 22 | NAZWA | character | 50 | 0 | %-50s | 795 |
| 23 | NAZWA_W1 | character | 40 | 0 | %-40s | 845 |
| 24 | NAZWA_W2 | character | 40 | 0 | %-40s | 885 |
| 25 | NAZWA_W3 | character | 40 | 0 | %-40s | 925 |
| 26 | KONTR | character | 10 | 0 | %-10s | 965 |
| 27 | TYPKONTR | character | 2 | 0 | %-2s | 975 |
| 28 | DATA_WY | date | 8 | 0 | %8s | 977 |
| 29 | DATA_R | date | 8 | 0 | %8s | 985 |
| 30 | OPER_R | character | 3 | 0 | %-3s | 993 |
| 31 | ULICA_W | character | 40 | 0 | %-40s | 996 |
| 32 | MIASTO_W | character | 32 | 0 | %-32s | 1036 |
| 33 | KOD_W | character | 6 | 0 | %-6s | 1068 |
| 34 | PRZYCZ_1 | character | 60 | 0 | %-60s | 1074 |
| 35 | PRZYCZ_2 | character | 60 | 0 | %-60s | 1134 |
| 36 | PRZYCZ_3 | character | 60 | 0 | %-60s | 1194 |
| 37 | PRZYCZ_4 | character | 60 | 0 | %-60s | 1254 |
| 38 | ROK | character | 4 | 0 | %-4s | 1314 |
| 39 | TRESC | character | 200 | 0 | %-200s | 1318 |
| 40 | DOK | character | 3 | 0 | %-3s | 1518 |
| 41 | SYMOPER | character | 3 | 0 | %-3s | 1521 |
| 42 | DINFO | character | 40 | 0 | %-40s | 1524 |
| 43 | NRPP | number | 6 | 0 | %6s | 1564 |
| 44 | SPECINFO | character | 100 | 0 | %-100s | 1570 |
| 45 | DATA_Z | date | 8 | 0 | %8s | 1670 |
| 46 | NR_WB | character | 5 | 0 | %-5s | 1678 |
| 47 | KSG | character | 1 | 0 | %-1s | 1683 |
| 48 | INFO_P | character | 25 | 0 | %-25s | 1684 |
| 49 | BANK_MA | character | 1 | 0 | %-1s | 1709 |

| | | | | | | |
|----|----------|-----------|----|---|-------|------|
| 50 | KONTO_M2 | character | 1 | 0 | %-1s | 1710 |
| 51 | KONTO_W2 | character | 1 | 0 | %-1s | 1711 |
| 52 | DATAZATW | date | 8 | 0 | %8s | 1712 |
| 53 | WYCIAG | character | 1 | 0 | %-1s | 1720 |
| 54 | M__SOP | character | 10 | 0 | %-10s | 1721 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PRZEL_13.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | PRZEL_ID | character | 25 | 0 | %-25s | 26 |
| 3 | TYPDOK | character | 1 | 0 | %-1s | 51 |
| 4 | DATAM | date | 8 | 0 | %8s | 52 |
| 5 | ID_SYS | character | 2 | 0 | %-2s | 60 |
| 6 | OPER | character | 3 | 0 | %-3s | 62 |
| 7 | BANK | character | 5 | 0 | %-5s | 65 |
| 8 | KWOTA | number | 14 | 2 | %14s | 70 |
| 9 | TYTUL1 | character | 60 | 0 | %-60s | 84 |
| 10 | TYTUL2 | character | 60 | 0 | %-60s | 144 |
| 11 | TYTUL3 | character | 60 | 0 | %-60s | 204 |
| 12 | TYTUL4 | character | 60 | 0 | %-60s | 264 |
| 13 | TYTUL5 | character | 60 | 0 | %-60s | 324 |
| 14 | TYTUL6 | character | 60 | 0 | %-60s | 384 |
| 15 | TYTUL7 | character | 60 | 0 | %-60s | 444 |
| 16 | KONTO_MA | character | 40 | 0 | %-40s | 504 |
| 17 | TYTUL8 | character | 60 | 0 | %-60s | 544 |
| 18 | TYTUL9 | character | 60 | 0 | %-60s | 604 |
| 19 | BANKW | character | 40 | 0 | %-40s | 664 |
| 20 | BANK_BIC | character | 11 | 0 | %-11s | 704 |
| 21 | KONTO_W1 | character | 80 | 0 | %-80s | 715 |
| 22 | NAZWA | character | 50 | 0 | %-50s | 795 |
| 23 | NAZWA_W1 | character | 40 | 0 | %-40s | 845 |
| 24 | NAZWA_W2 | character | 40 | 0 | %-40s | 885 |
| 25 | NAZWA_W3 | character | 40 | 0 | %-40s | 925 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|------|
| 26 | KONTR | character | 10 | 0 | %-10s | 965 |
| 27 | TYPKONTR | character | 2 | 0 | %-2s | 975 |
| 28 | DATA_WY | date | 8 | 0 | %8s | 977 |
| 29 | DATA_R | date | 8 | 0 | %8s | 985 |
| 30 | OPER_R | character | 3 | 0 | %-3s | 993 |
| 31 | ULICA_W | character | 40 | 0 | %-40s | 996 |
| 32 | MIASTO_W | character | 32 | 0 | %-32s | 1036 |
| 33 | KOD_W | character | 6 | 0 | %-6s | 1068 |
| 34 | PRZYCZ_1 | character | 60 | 0 | %-60s | 1074 |
| 35 | PRZYCZ_2 | character | 60 | 0 | %-60s | 1134 |
| 36 | PRZYCZ_3 | character | 60 | 0 | %-60s | 1194 |
| 37 | PRZYCZ_4 | character | 60 | 0 | %-60s | 1254 |
| 38 | ROK | character | 4 | 0 | %-4s | 1314 |
| 39 | TRESC | character | 200 | 0 | %-200s | 1318 |
| 40 | DOK | character | 3 | 0 | %-3s | 1518 |
| 41 | SYMOPER | character | 3 | 0 | %-3s | 1521 |
| 42 | DINFO | character | 40 | 0 | %-40s | 1524 |
| 43 | NRPP | number | 6 | 0 | %6s | 1564 |
| 44 | SPECINFO | character | 100 | 0 | %-100s | 1570 |
| 45 | DATA_Z | date | 8 | 0 | %8s | 1670 |
| 46 | NR_WB | character | 5 | 0 | %-5s | 1678 |
| 47 | KSG | character | 1 | 0 | %-1s | 1683 |
| 48 | INFO_P | character | 25 | 0 | %-25s | 1684 |
| 49 | BANK_MA | character | 1 | 0 | %-1s | 1709 |
| 50 | KONTO_M2 | character | 1 | 0 | %-1s | 1710 |
| 51 | KONTO_W2 | character | 1 | 0 | %-1s | 1711 |
| 52 | DATAZATW | date | 8 | 0 | %8s | 1712 |
| 53 | WYCIAG | character | 1 | 0 | %-1s | 1720 |
| 54 | M__SOP | character | 10 | 0 | %-10s | 1721 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PRZEL_14.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|------|
| 2 | PRZEL_ID | character | 25 | 0 | %-25s | 26 |
| 3 | TYPDOK | character | 1 | 0 | %-1s | 51 |
| 4 | DATAM | date | 8 | 0 | %8s | 52 |
| 5 | ID_SYS | character | 2 | 0 | %-2s | 60 |
| 6 | OPER | character | 3 | 0 | %-3s | 62 |
| 7 | BANK | character | 5 | 0 | %-5s | 65 |
| 8 | KWOTA | number | 14 | 2 | %14s | 70 |
| 9 | TYTUL1 | character | 60 | 0 | %-60s | 84 |
| 10 | TYTUL2 | character | 60 | 0 | %-60s | 144 |
| 11 | TYTUL3 | character | 60 | 0 | %-60s | 204 |
| 12 | TYTUL4 | character | 60 | 0 | %-60s | 264 |
| 13 | TYTUL5 | character | 60 | 0 | %-60s | 324 |
| 14 | TYTUL6 | character | 60 | 0 | %-60s | 384 |
| 15 | TYTUL7 | character | 60 | 0 | %-60s | 444 |
| 16 | KONTO_MA | character | 40 | 0 | %-40s | 504 |
| 17 | TYTUL8 | character | 60 | 0 | %-60s | 544 |
| 18 | TYTUL9 | character | 60 | 0 | %-60s | 604 |
| 19 | BANKW | character | 40 | 0 | %-40s | 664 |
| 20 | BANK_BIC | character | 11 | 0 | %-11s | 704 |
| 21 | KONTO_W1 | character | 80 | 0 | %-80s | 715 |
| 22 | NAZWA | character | 50 | 0 | %-50s | 795 |
| 23 | NAZWA_W1 | character | 40 | 0 | %-40s | 845 |
| 24 | NAZWA_W2 | character | 40 | 0 | %-40s | 885 |
| 25 | NAZWA_W3 | character | 40 | 0 | %-40s | 925 |
| 26 | KONTR | character | 10 | 0 | %-10s | 965 |
| 27 | TYPKONTR | character | 2 | 0 | %-2s | 975 |
| 28 | DATA_WY | date | 8 | 0 | %8s | 977 |
| 29 | DATA_R | date | 8 | 0 | %8s | 985 |
| 30 | OPER_R | character | 3 | 0 | %-3s | 993 |
| 31 | ULICA_W | character | 40 | 0 | %-40s | 996 |
| 32 | MIASTO_W | character | 32 | 0 | %-32s | 1036 |
| 33 | KOD_W | character | 6 | 0 | %-6s | 1068 |
| 34 | PRZYCZ_1 | character | 60 | 0 | %-60s | 1074 |
| 35 | PRZYCZ_2 | character | 60 | 0 | %-60s | 1134 |
| 36 | PRZYCZ_3 | character | 60 | 0 | %-60s | 1194 |
| 37 | PRZYCZ_4 | character | 60 | 0 | %-60s | 1254 |
| 38 | ROK | character | 4 | 0 | %-4s | 1314 |
| 39 | TRESC | character | 200 | 0 | %-200s | 1318 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|------|
| 40 | DOK | character | 3 | 0 | %-3s | 1518 |
| 41 | SYMOPER | character | 3 | 0 | %-3s | 1521 |
| 42 | DINFO | character | 40 | 0 | %-40s | 1524 |
| 43 | NRPP | number | 6 | 0 | %6s | 1564 |
| 44 | SPECINFO | character | 100 | 0 | %-100s | 1570 |
| 45 | DATA_Z | date | 8 | 0 | %8s | 1670 |
| 46 | NR_WB | character | 5 | 0 | %-5s | 1678 |
| 47 | KSG | character | 1 | 0 | %-1s | 1683 |
| 48 | INFO_P | character | 25 | 0 | %-25s | 1684 |
| 49 | BANK_MA | character | 1 | 0 | %-1s | 1709 |
| 50 | KONTO_M2 | character | 1 | 0 | %-1s | 1710 |
| 51 | KONTO_W2 | character | 1 | 0 | %-1s | 1711 |
| 52 | DATAZATW | date | 8 | 0 | %8s | 1712 |
| 53 | WYCIAG | character | 1 | 0 | %-1s | 1720 |
| 54 | M_SOP | character | 10 | 0 | %-10s | 1721 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PRZEL_15.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | PRZEL_ID | character | 25 | 0 | %-25s | 26 |
| 3 | TYPDOK | character | 1 | 0 | %-1s | 51 |
| 4 | DATAM | date | 8 | 0 | %8s | 52 |
| 5 | ID_SYS | character | 2 | 0 | %-2s | 60 |
| 6 | OPER | character | 3 | 0 | %-3s | 62 |
| 7 | BANK | character | 5 | 0 | %-5s | 65 |
| 8 | KWOTA | number | 14 | 2 | %14s | 70 |
| 9 | TYTUL1 | character | 60 | 0 | %-60s | 84 |
| 10 | TYTUL2 | character | 60 | 0 | %-60s | 144 |
| 11 | TYTUL3 | character | 60 | 0 | %-60s | 204 |
| 12 | TYTUL4 | character | 60 | 0 | %-60s | 264 |
| 13 | TYTUL5 | character | 60 | 0 | %-60s | 324 |
| 14 | TYTUL6 | character | 60 | 0 | %-60s | 384 |
| 15 | TYTUL7 | character | 60 | 0 | %-60s | 444 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|------|
| 16 | KONTO_MA | character | 40 | 0 | %-40s | 504 |
| 17 | TYTUL8 | character | 60 | 0 | %-60s | 544 |
| 18 | TYTUL9 | character | 60 | 0 | %-60s | 604 |
| 19 | BANKW | character | 40 | 0 | %-40s | 664 |
| 20 | BANK_BIC | character | 11 | 0 | %-11s | 704 |
| 21 | KONTO_W1 | character | 80 | 0 | %-80s | 715 |
| 22 | NAZWA | character | 50 | 0 | %-50s | 795 |
| 23 | NAZWA_W1 | character | 40 | 0 | %-40s | 845 |
| 24 | NAZWA_W2 | character | 40 | 0 | %-40s | 885 |
| 25 | NAZWA_W3 | character | 40 | 0 | %-40s | 925 |
| 26 | KONTR | character | 10 | 0 | %-10s | 965 |
| 27 | TYPKONTR | character | 2 | 0 | %-2s | 975 |
| 28 | DATA_WY | date | 8 | 0 | %8s | 977 |
| 29 | DATA_R | date | 8 | 0 | %8s | 985 |
| 30 | OPER_R | character | 3 | 0 | %-3s | 993 |
| 31 | ULICA_W | character | 40 | 0 | %-40s | 996 |
| 32 | MIASTO_W | character | 32 | 0 | %-32s | 1036 |
| 33 | KOD_W | character | 6 | 0 | %-6s | 1068 |
| 34 | PRZYCZ_1 | character | 60 | 0 | %-60s | 1074 |
| 35 | PRZYCZ_2 | character | 60 | 0 | %-60s | 1134 |
| 36 | PRZYCZ_3 | character | 60 | 0 | %-60s | 1194 |
| 37 | PRZYCZ_4 | character | 60 | 0 | %-60s | 1254 |
| 38 | ROK | character | 4 | 0 | %-4s | 1314 |
| 39 | TRESC | character | 200 | 0 | %-200s | 1318 |
| 40 | DOK | character | 3 | 0 | %-3s | 1518 |
| 41 | SYMOPER | character | 3 | 0 | %-3s | 1521 |
| 42 | DINFO | character | 40 | 0 | %-40s | 1524 |
| 43 | NRPP | number | 6 | 0 | %6s | 1564 |
| 44 | SPECINFO | character | 100 | 0 | %-100s | 1570 |
| 45 | DATA_Z | date | 8 | 0 | %8s | 1670 |
| 46 | NR_WB | character | 5 | 0 | %-5s | 1678 |
| 47 | KSG | character | 1 | 0 | %-1s | 1683 |
| 48 | INFO_P | character | 25 | 0 | %-25s | 1684 |
| 49 | BANK_MA | character | 1 | 0 | %-1s | 1709 |
| 50 | KONTO_M2 | character | 1 | 0 | %-1s | 1710 |
| 51 | KONTO_W2 | character | 1 | 0 | %-1s | 1711 |
| 52 | DATAZATW | date | 8 | 0 | %8s | 1712 |
| 53 | WYCIAG | character | 1 | 0 | %-1s | 1720 |

| | | | | | | |
|----|--------|-----------|----|---|-------|------|
| 54 | M__SOP | character | 10 | 0 | %-10s | 1721 |
|----|--------|-----------|----|---|-------|------|

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PRZEL_16.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | PRZEL_ID | character | 25 | 0 | %-25s | 26 |
| 3 | TYPDOK | character | 1 | 0 | %-1s | 51 |
| 4 | DATAM | date | 8 | 0 | %8s | 52 |
| 5 | ID_SYS | character | 2 | 0 | %-2s | 60 |
| 6 | OPER | character | 3 | 0 | %-3s | 62 |
| 7 | BANK | character | 5 | 0 | %-5s | 65 |
| 8 | KWOTA | number | 14 | 2 | %14s | 70 |
| 9 | TYTUL1 | character | 60 | 0 | %-60s | 84 |
| 10 | TYTUL2 | character | 60 | 0 | %-60s | 144 |
| 11 | TYTUL3 | character | 60 | 0 | %-60s | 204 |
| 12 | TYTUL4 | character | 60 | 0 | %-60s | 264 |
| 13 | TYTUL5 | character | 60 | 0 | %-60s | 324 |
| 14 | TYTUL6 | character | 60 | 0 | %-60s | 384 |
| 15 | TYTUL7 | character | 60 | 0 | %-60s | 444 |
| 16 | KONTO_MA | character | 40 | 0 | %-40s | 504 |
| 17 | TYTUL8 | character | 60 | 0 | %-60s | 544 |
| 18 | TYTUL9 | character | 60 | 0 | %-60s | 604 |
| 19 | BANKW | character | 40 | 0 | %-40s | 664 |
| 20 | BANK_BIC | character | 11 | 0 | %-11s | 704 |
| 21 | KONTO_W1 | character | 80 | 0 | %-80s | 715 |
| 22 | NAZWA | character | 50 | 0 | %-50s | 795 |
| 23 | NAZWA_W1 | character | 40 | 0 | %-40s | 845 |
| 24 | NAZWA_W2 | character | 40 | 0 | %-40s | 885 |
| 25 | NAZWA_W3 | character | 40 | 0 | %-40s | 925 |
| 26 | KONTR | character | 10 | 0 | %-10s | 965 |
| 27 | TYPKONTR | character | 2 | 0 | %-2s | 975 |
| 28 | DATA_WY | date | 8 | 0 | %8s | 977 |
| 29 | DATA_R | date | 8 | 0 | %8s | 985 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|------|
| 30 | OPER_R | character | 3 | 0 | %-3s | 993 |
| 31 | ULICA_W | character | 40 | 0 | %-40s | 996 |
| 32 | MIASTO_W | character | 32 | 0 | %-32s | 1036 |
| 33 | KOD_W | character | 6 | 0 | %-6s | 1068 |
| 34 | PRZYCZ_1 | character | 60 | 0 | %-60s | 1074 |
| 35 | PRZYCZ_2 | character | 60 | 0 | %-60s | 1134 |
| 36 | PRZYCZ_3 | character | 60 | 0 | %-60s | 1194 |
| 37 | PRZYCZ_4 | character | 60 | 0 | %-60s | 1254 |
| 38 | ROK | character | 4 | 0 | %-4s | 1314 |
| 39 | TRESC | character | 200 | 0 | %-200s | 1318 |
| 40 | DOK | character | 3 | 0 | %-3s | 1518 |
| 41 | SYMOPER | character | 3 | 0 | %-3s | 1521 |
| 42 | DINFO | character | 40 | 0 | %-40s | 1524 |
| 43 | NRPP | number | 6 | 0 | %6s | 1564 |
| 44 | SPECINFO | character | 100 | 0 | %-100s | 1570 |
| 45 | DATA_Z | date | 8 | 0 | %8s | 1670 |
| 46 | NR_WB | character | 5 | 0 | %-5s | 1678 |
| 47 | KSG | character | 1 | 0 | %-1s | 1683 |
| 48 | INFO_P | character | 25 | 0 | %-25s | 1684 |
| 49 | BANK_MA | character | 1 | 0 | %-1s | 1709 |
| 50 | KONTO_M2 | character | 1 | 0 | %-1s | 1710 |
| 51 | KONTO_W2 | character | 1 | 0 | %-1s | 1711 |
| 52 | DATAZATW | date | 8 | 0 | %8s | 1712 |
| 53 | WYCIAG | character | 1 | 0 | %-1s | 1720 |
| 54 | M__SOP | character | 10 | 0 | %-10s | 1721 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: PRZEL_17.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | PRZEL_ID | character | 25 | 0 | %-25s | 26 |
| 3 | TYPDOK | character | 1 | 0 | %-1s | 51 |
| 4 | DATAM | date | 8 | 0 | %8s | 52 |
| 5 | ID_SYS | character | 2 | 0 | %-2s | 60 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|------|
| 6 | OPER | character | 3 | 0 | %-3s | 62 |
| 7 | BANK | character | 5 | 0 | %-5s | 65 |
| 8 | KWOTA | number | 14 | 2 | %14s | 70 |
| 9 | TYTUL1 | character | 60 | 0 | %-60s | 84 |
| 10 | TYTUL2 | character | 60 | 0 | %-60s | 144 |
| 11 | TYTUL3 | character | 60 | 0 | %-60s | 204 |
| 12 | TYTUL4 | character | 60 | 0 | %-60s | 264 |
| 13 | TYTUL5 | character | 60 | 0 | %-60s | 324 |
| 14 | TYTUL6 | character | 60 | 0 | %-60s | 384 |
| 15 | TYTUL7 | character | 60 | 0 | %-60s | 444 |
| 16 | KONTO_MA | character | 40 | 0 | %-40s | 504 |
| 17 | TYTUL8 | character | 60 | 0 | %-60s | 544 |
| 18 | TYTUL9 | character | 60 | 0 | %-60s | 604 |
| 19 | BANKW | character | 40 | 0 | %-40s | 664 |
| 20 | BANK_BIC | character | 11 | 0 | %-11s | 704 |
| 21 | KONTO_W1 | character | 80 | 0 | %-80s | 715 |
| 22 | NAZWA | character | 50 | 0 | %-50s | 795 |
| 23 | NAZWA_W1 | character | 40 | 0 | %-40s | 845 |
| 24 | NAZWA_W2 | character | 40 | 0 | %-40s | 885 |
| 25 | NAZWA_W3 | character | 40 | 0 | %-40s | 925 |
| 26 | KONTR | character | 10 | 0 | %-10s | 965 |
| 27 | TYPKONTR | character | 2 | 0 | %-2s | 975 |
| 28 | DATA_WY | date | 8 | 0 | %8s | 977 |
| 29 | DATA_R | date | 8 | 0 | %8s | 985 |
| 30 | OPER_R | character | 3 | 0 | %-3s | 993 |
| 31 | ULICA_W | character | 40 | 0 | %-40s | 996 |
| 32 | MIASTO_W | character | 32 | 0 | %-32s | 1036 |
| 33 | KOD_W | character | 6 | 0 | %-6s | 1068 |
| 34 | PRZYCZ_1 | character | 60 | 0 | %-60s | 1074 |
| 35 | PRZYCZ_2 | character | 60 | 0 | %-60s | 1134 |
| 36 | PRZYCZ_3 | character | 60 | 0 | %-60s | 1194 |
| 37 | PRZYCZ_4 | character | 60 | 0 | %-60s | 1254 |
| 38 | ROK | character | 4 | 0 | %-4s | 1314 |
| 39 | TRESC | character | 200 | 0 | %-200s | 1318 |
| 40 | DOK | character | 3 | 0 | %-3s | 1518 |
| 41 | SYMOPER | character | 3 | 0 | %-3s | 1521 |
| 42 | DINFO | character | 40 | 0 | %-40s | 1524 |
| 43 | NRPP | number | 6 | 0 | %6s | 1564 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|------|
| 44 | SPECINFO | character | 100 | 0 | %-100s | 1570 |
| 45 | DATA_Z | date | 8 | 0 | %8s | 1670 |
| 46 | NR_WB | character | 5 | 0 | %-5s | 1678 |
| 47 | KSG | character | 1 | 0 | %-1s | 1683 |
| 48 | INFO_P | character | 25 | 0 | %-25s | 1684 |
| 49 | BANK_MA | character | 1 | 0 | %-1s | 1709 |
| 50 | KONTO_M2 | character | 1 | 0 | %-1s | 1710 |
| 51 | KONTO_W2 | character | 1 | 0 | %-1s | 1711 |
| 52 | DATAZATW | date | 8 | 0 | %8s | 1712 |
| 53 | WYCIAG | character | 1 | 0 | %-1s | 1720 |
| 54 | M__SOP | character | 10 | 0 | %-10s | 1721 |

Folder: E:\mikrobit test\PBBAZY

Nazwa pliku: PRZEL_ST.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PACZKA_I | character | 25 | 0 | %-25s | 1 |
| 2 | PRZEL_ID | character | 25 | 0 | %-25s | 26 |
| 3 | TYPDOK | character | 1 | 0 | %-1s | 51 |
| 4 | DATAM | date | 8 | 0 | %8s | 52 |
| 5 | ID_SYS | character | 2 | 0 | %-2s | 60 |
| 6 | OPER | character | 3 | 0 | %-3s | 62 |
| 7 | BANK | character | 5 | 0 | %-5s | 65 |
| 8 | KWOTA | number | 14 | 2 | %14s | 70 |
| 9 | TYTUL1 | character | 60 | 0 | %-60s | 84 |
| 10 | TYTUL2 | character | 60 | 0 | %-60s | 144 |
| 11 | TYTUL3 | character | 60 | 0 | %-60s | 204 |
| 12 | TYTUL4 | character | 60 | 0 | %-60s | 264 |
| 13 | TYTUL5 | character | 60 | 0 | %-60s | 324 |
| 14 | TYTUL6 | character | 60 | 0 | %-60s | 384 |
| 15 | TYTUL7 | character | 60 | 0 | %-60s | 444 |
| 16 | KONTO_MA | character | 40 | 0 | %-40s | 504 |
| 17 | TYTUL8 | character | 60 | 0 | %-60s | 544 |
| 18 | TYTUL9 | character | 60 | 0 | %-60s | 604 |
| 19 | BANKW | character | 40 | 0 | %-40s | 664 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|------|
| 20 | BANK_BIC | character | 11 | 0 | %-11s | 704 |
| 21 | KONTO_W1 | character | 80 | 0 | %-80s | 715 |
| 22 | NAZWA | character | 50 | 0 | %-50s | 795 |
| 23 | NAZWA_W1 | character | 40 | 0 | %-40s | 845 |
| 24 | NAZWA_W2 | character | 40 | 0 | %-40s | 885 |
| 25 | NAZWA_W3 | character | 40 | 0 | %-40s | 925 |
| 26 | KONTR | character | 10 | 0 | %-10s | 965 |
| 27 | TYPKONTR | character | 2 | 0 | %-2s | 975 |
| 28 | DATA_WY | date | 8 | 0 | %8s | 977 |
| 29 | DATA_R | date | 8 | 0 | %8s | 985 |
| 30 | OPER_R | character | 3 | 0 | %-3s | 993 |
| 31 | ULICA_W | character | 40 | 0 | %-40s | 996 |
| 32 | MIASTO_W | character | 32 | 0 | %-32s | 1036 |
| 33 | KOD_W | character | 6 | 0 | %-6s | 1068 |
| 34 | PRZYCZ_1 | character | 60 | 0 | %-60s | 1074 |
| 35 | PRZYCZ_2 | character | 60 | 0 | %-60s | 1134 |
| 36 | PRZYCZ_3 | character | 60 | 0 | %-60s | 1194 |
| 37 | PRZYCZ_4 | character | 60 | 0 | %-60s | 1254 |
| 38 | ROK | character | 4 | 0 | %-4s | 1314 |
| 39 | TRESC | character | 200 | 0 | %-200s | 1318 |
| 40 | DOK | character | 3 | 0 | %-3s | 1518 |
| 41 | SYMOPER | character | 3 | 0 | %-3s | 1521 |
| 42 | DINFO | character | 40 | 0 | %-40s | 1524 |
| 43 | NRPP | number | 6 | 0 | %6s | 1564 |
| 44 | SPECINFO | character | 100 | 0 | %-100s | 1570 |
| 45 | DATA_Z | date | 8 | 0 | %8s | 1670 |
| 46 | NR_WB | character | 5 | 0 | %-5s | 1678 |
| 47 | KSG | character | 1 | 0 | %-1s | 1683 |
| 48 | INFO_P | character | 25 | 0 | %-25s | 1684 |
| 49 | BANK_MA | character | 1 | 0 | %-1s | 1709 |
| 50 | KONTO_M2 | character | 1 | 0 | %-1s | 1710 |
| 51 | KONTO_W2 | character | 1 | 0 | %-1s | 1711 |
| 52 | DATAZATW | date | 8 | 0 | %8s | 1712 |
| 53 | WYCIAG | character | 1 | 0 | %-1s | 1720 |
| 54 | M__SOP | character | 10 | 0 | %-10s | 1721 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: RAPORTY.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | RAPID | character | 4 | 0 | %-4s | 1 |
| 2 | RAPOPIS | character | 40 | 0 | %-40s | 5 |
| 3 | RAPSL | character | 20 | 0 | %-20s | 45 |
| 4 | RAPOKPOZ | character | 200 | 0 | %-200s | 65 |
| 5 | RAPEINF | character | 200 | 0 | %-200s | 265 |
| 6 | M__SOP | character | 10 | 0 | %-10s | 465 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: RAPPROC.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | DATA | date | 8 | 0 | %8s | 1 |
| 2 | CZAS | character | 8 | 0 | %-8s | 9 |
| 3 | OPER | character | 3 | 0 | %-3s | 17 |
| 4 | NAZWA | character | 64 | 0 | %-64s | 20 |
| 5 | RAPORT | memo | 10 | 0 | %s | 84 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: SZABLONY.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYSTEM | character | 2 | 0 | %-2s | 1 |
| 2 | NAZWA_SZ | character | 40 | 0 | %-40s | 3 |
| 3 | SZ_IDX | character | 4 | 0 | %-4s | 43 |
| 4 | NOAUTOM | character | 1 | 0 | %-1s | 47 |
| 5 | EXPR_IDX | character | 200 | 0 | %-200s | 48 |
| 6 | MAXLDOKZ | number | 2 | 0 | %2s | 248 |
| 7 | TRESCML | number | 3 | 0 | %3s | 250 |
| 8 | EXPR_X | character | 200 | 0 | %-200s | 253 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|------|
| 9 | EXPR_KPP | character | 200 | 0 | %-200s | 453 |
| 10 | EXPR_TPP | character | 200 | 0 | %-200s | 653 |
| 11 | EXPR_DPP | character | 200 | 0 | %-200s | 853 |
| 12 | EXPR_PPP | character | 200 | 0 | %-200s | 1053 |
| 13 | EXPR_FLT | character | 200 | 0 | %-200s | 1253 |
| 14 | EXPR_POU | character | 200 | 0 | %-200s | 1453 |
| 15 | FLAG | character | 1 | 0 | %-1s | 1653 |
| 16 | EXPR_SRC | character | 200 | 0 | %-200s | 1654 |
| 17 | EXPR_PLA | character | 200 | 0 | %-200s | 1854 |
| 18 | EXPR_INF | character | 200 | 0 | %-200s | 2054 |
| 19 | EXPR_OPP | character | 200 | 0 | %-200s | 2254 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 2454 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: SZPP.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | SZPP_ID | character | 4 | 0 | %-4s | 1 |
| 2 | OPIS | character | 40 | 0 | %-40s | 5 |
| 3 | BANK | character | 5 | 0 | %-5s | 45 |
| 4 | SYM_B | character | 2 | 0 | %-2s | 50 |
| 5 | NUMER | character | 10 | 0 | %-10s | 52 |
| 6 | NAZWA | character | 50 | 0 | %-50s | 62 |
| 7 | NAZ_1 | character | 40 | 0 | %-40s | 112 |
| 8 | NAZ_2 | character | 40 | 0 | %-40s | 152 |
| 9 | NAZ_3 | character | 40 | 0 | %-40s | 192 |
| 10 | ULICA | character | 42 | 0 | %-42s | 232 |
| 11 | KOD | character | 6 | 0 | %-6s | 274 |
| 12 | POCZTA | character | 32 | 0 | %-32s | 280 |
| 13 | BANK_NAZ | character | 40 | 0 | %-40s | 312 |
| 14 | BANK_KNT | character | 40 | 0 | %-40s | 352 |
| 15 | BANK_BIC | character | 11 | 0 | %-11s | 392 |
| 16 | TRESC | character | 200 | 0 | %-200s | 403 |
| 17 | SPECINFO | character | 100 | 0 | %-100s | 603 |
| 18 | DOK | character | 3 | 0 | %-3s | 703 |

| | | | | | | |
|----|---------|-----------|----|---|-------|-----|
| 19 | SYMOPER | character | 3 | 0 | %-3s | 706 |
| 20 | DINFO | character | 40 | 0 | %-40s | 709 |
| 21 | KWOTA | number | 10 | 2 | %10s | 749 |
| 22 | M__SOP | character | 10 | 0 | %-10s | 759 |

Folder: E:\mikrobit test\PBBAZY

Nazwa pliku: WYCF_AA.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | F_ID | character | 6 | 0 | %-6s | 1 |
| 2 | FNAME | character | 50 | 0 | %-50s | 7 |
| 3 | FIMP_D | date | 8 | 0 | %8s | 57 |
| 4 | FIMP_T | character | 8 | 0 | %-8s | 65 |
| 5 | FTRCOUNT | number | 5 | 0 | %5s | 73 |
| 6 | FTRSUM | number | 14 | 2 | %14s | 78 |
| 7 | FMD5 | character | 32 | 0 | %-32s | 92 |

Folder: E:\mikrobit test\PBBAZY

Nazwa pliku: WYCF_XX.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | F_ID | character | 6 | 0 | %-6s | 1 |
| 2 | FNAME | character | 50 | 0 | %-50s | 7 |
| 3 | FIMP_D | date | 8 | 0 | %8s | 57 |
| 4 | FIMP_T | character | 8 | 0 | %-8s | 65 |
| 5 | FTRCOUNT | number | 5 | 0 | %5s | 73 |
| 6 | FTRSUM | number | 14 | 2 | %14s | 78 |
| 7 | FMD5 | character | 32 | 0 | %-32s | 92 |

Folder: E:\mikrobit test\PBBAZY

Nazwa pliku: WYCG_AA.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | TRUNR | character | 32 | 0 | %-32s | 1 |
| 2 | TRCOUNT | number | 3 | 0 | %3s | 33 |
| 3 | F_ID | character | 6 | 0 | %-6s | 36 |

Folder: E:\mikrobit test\PBBAZY

Nazwa pliku: WYCG_XX.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | TRUNR | character | 32 | 0 | %-32s | 1 |
| 2 | TRCOUNT | number | 3 | 0 | %3s | 33 |
| 3 | F_ID | character | 6 | 0 | %-6s | 36 |

Folder: E:\mikrobit test\PBBAZY

Nazwa pliku: WYCPSWRK.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|--------|--------|
| 1 | KONTO | character | 26 | 0 | %-26s | 1 |
| 2 | DATA | date | 8 | 0 | %8s | 27 |
| 3 | KWOTA | number | 11 | 2 | %11s | 35 |
| 4 | VIBAN | character | 26 | 0 | %-26s | 46 |

Folder: E:\mikrobit test\PBBAZY

Nazwa pliku: WYCP_06.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | BANK | character | 5 | 0 | %-5s | 1 |
| 2 | NR_WYC | character | 5 | 0 | %-5s | 6 |
| 3 | LP | character | 5 | 0 | %-5s | 11 |
| 4 | LPP | character | 2 | 0 | %-2s | 16 |
| 5 | F_ID | character | 6 | 0 | %-6s | 18 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|-----|
| 6 | DATA_WYC | date | 8 | 0 | %8s | 24 |
| 7 | DATA_ZLE | date | 8 | 0 | %8s | 32 |
| 8 | PBROK | character | 4 | 0 | %-4s | 40 |
| 9 | DOK | character | 3 | 0 | %-3s | 44 |
| 10 | SYMOPER | character | 3 | 0 | %-3s | 47 |
| 11 | INFO | character | 150 | 0 | %-150s | 50 |
| 12 | KWOTA | number | 14 | 2 | %14s | 200 |
| 13 | KOMENT | character | 143 | 0 | %-143s | 214 |
| 14 | TYPOP | character | 1 | 0 | %-1s | 357 |
| 15 | DSSYS | character | 2 | 0 | %-2s | 358 |
| 16 | DSROK | character | 4 | 0 | %-4s | 360 |
| 17 | DSREJ | character | 8 | 0 | %-8s | 364 |
| 18 | DSLPL | character | 20 | 0 | %-20s | 372 |
| 19 | DSZAPL | character | 1 | 0 | %-1s | 392 |
| 20 | TRUNR | character | 32 | 0 | %-32s | 393 |
| 21 | TYPPOZ | character | 1 | 0 | %-1s | 425 |
| 22 | ODBIORCA | character | 12 | 0 | %-12s | 426 |
| 23 | WYRINST | character | 1 | 0 | %-1s | 438 |
| 24 | ZNAKK | character | 1 | 0 | %-1s | 439 |
| 25 | BLAD | character | 1 | 0 | %-1s | 440 |
| 26 | VIBAN | character | 26 | 0 | %-26s | 441 |
| 27 | IBAN | character | 26 | 0 | %-26s | 467 |
| 28 | RZR | boolean | 1 | 0 | %1s | 493 |
| 29 | RZRNRDOK | character | 16 | 0 | %-16s | 494 |
| 30 | XD_W | date | 8 | 0 | %8s | 510 |
| 31 | PDPD | character | 3 | 0 | %-3s | 518 |
| 32 | NAZWA | character | 30 | 0 | %-30s | 521 |
| 33 | M__SOP | character | 10 | 0 | %-10s | 551 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: WYCP_AA.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | BANK | character | 5 | 0 | %-5s | 1 |
| 2 | NR_WYC | character | 5 | 0 | %-5s | 6 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|-----|
| 3 | LP | character | 5 | 0 | %-5s | 11 |
| 4 | LPP | character | 2 | 0 | %-2s | 16 |
| 5 | F_ID | character | 6 | 0 | %-6s | 18 |
| 6 | DATA_WYC | date | 8 | 0 | %8s | 24 |
| 7 | DATA_ZLE | date | 8 | 0 | %8s | 32 |
| 8 | PBROK | character | 4 | 0 | %-4s | 40 |
| 9 | DOK | character | 3 | 0 | %-3s | 44 |
| 10 | SYMOPER | character | 3 | 0 | %-3s | 47 |
| 11 | INFO | character | 150 | 0 | %-150s | 50 |
| 12 | KWOTA | number | 14 | 2 | %14s | 200 |
| 13 | KOMENT | character | 143 | 0 | %-143s | 214 |
| 14 | TYPOP | character | 1 | 0 | %-1s | 357 |
| 15 | DSSYS | character | 2 | 0 | %-2s | 358 |
| 16 | DSROK | character | 4 | 0 | %-4s | 360 |
| 17 | DSREJ | character | 8 | 0 | %-8s | 364 |
| 18 | DSLPL | character | 20 | 0 | %-20s | 372 |
| 19 | DSZAPL | character | 1 | 0 | %-1s | 392 |
| 20 | TRUNR | character | 32 | 0 | %-32s | 393 |
| 21 | TYPPOZ | character | 1 | 0 | %-1s | 425 |
| 22 | ODBIORCA | character | 12 | 0 | %-12s | 426 |
| 23 | WYRINST | character | 1 | 0 | %-1s | 438 |
| 24 | ZNAKK | character | 1 | 0 | %-1s | 439 |
| 25 | BLAD | character | 1 | 0 | %-1s | 440 |
| 26 | VIBAN | character | 26 | 0 | %-26s | 441 |
| 27 | IBAN | character | 26 | 0 | %-26s | 467 |
| 28 | RZR | boolean | 1 | 0 | %1s | 493 |
| 29 | RZRNRDOK | character | 16 | 0 | %-16s | 494 |
| 30 | XD_W | date | 8 | 0 | %8s | 510 |
| 31 | PDPD | character | 3 | 0 | %-3s | 518 |
| 32 | NAZWA | character | 30 | 0 | %-30s | 521 |
| 33 | M__SOP | character | 10 | 0 | %-10s | 551 |

Folder: E:\mikrobit test\PBBAZY

Nazwa pliku: WYC_06.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | BANK | character | 5 | 0 | %-5s | 1 |
| 2 | NR_WYC | character | 5 | 0 | %-5s | 6 |
| 3 | NRWB | character | 3 | 0 | %-3s | 11 |
| 4 | ROK | character | 4 | 0 | %-4s | 14 |
| 5 | MIES | character | 2 | 0 | %-2s | 18 |
| 6 | DATA_WYC | date | 8 | 0 | %8s | 20 |
| 7 | SALDO_P | number | 14 | 2 | %14s | 28 |
| 8 | SUMA_WP | number | 14 | 2 | %14s | 42 |
| 9 | SUMA_WY | number | 14 | 2 | %14s | 56 |
| 10 | SALDO_K | number | 14 | 2 | %14s | 70 |
| 11 | SUMA_WYP | number | 14 | 2 | %14s | 84 |
| 12 | SUMA_WPP | number | 14 | 2 | %14s | 98 |
| 13 | INFO_DOD | character | 20 | 0 | %-20s | 112 |
| 14 | KOMENT | character | 20 | 0 | %-20s | 132 |
| 15 | KSG | character | 1 | 0 | %-1s | 152 |
| 16 | M__SOP | character | 10 | 0 | %-10s | 153 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: WYC_AA.PB

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | BANK | character | 5 | 0 | %-5s | 1 |
| 2 | NR_WYC | character | 5 | 0 | %-5s | 6 |
| 3 | NRWB | character | 3 | 0 | %-3s | 11 |
| 4 | ROK | character | 4 | 0 | %-4s | 14 |
| 5 | MIES | character | 2 | 0 | %-2s | 18 |
| 6 | DATA_WYC | date | 8 | 0 | %8s | 20 |
| 7 | SALDO_P | number | 14 | 2 | %14s | 28 |
| 8 | SUMA_WP | number | 14 | 2 | %14s | 42 |
| 9 | SUMA_WY | number | 14 | 2 | %14s | 56 |
| 10 | SALDO_K | number | 14 | 2 | %14s | 70 |
| 11 | SUMA_WYP | number | 14 | 2 | %14s | 84 |
| 12 | SUMA_WPP | number | 14 | 2 | %14s | 98 |
| 13 | INFO_DOD | character | 20 | 0 | %-20s | 112 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 14 | KOMENT | character | 20 | 0 | %-20s | 132 |
| 15 | KSG | character | 1 | 0 | %-1s | 152 |
| 16 | M__SOP | character | 10 | 0 | %-10s | 153 |

Folder: E:\mikrobot test\PBBAZY

Nazwa pliku: WZ2.PB

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | KOD | character | 4 | 0 | %-4s | 1 |
| 2 | NRCZ | character | 3 | 0 | %-3s | 5 |
| 3 | WZOR | character | 200 | 0 | %-200s | 8 |
| 4 | M__SOP | character | 10 | 0 | %-10s | 208 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: BLADOK.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | POMOC | character | 64 | 0 | %-64s | 7 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: BROWEXP.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | WNDNAME | character | 30 | 0 | %-30s | 1 |
| 2 | BROWNAME | character | 20 | 0 | %-20s | 31 |
| 3 | EXPID | character | 3 | 0 | %-3s | 51 |
| 4 | TYTUL | character | 200 | 0 | %-200s | 54 |
| 5 | FILENAME | character | 200 | 0 | %-200s | 254 |
| 6 | OUTPUT_M | character | 3 | 0 | %-3s | 454 |
| 7 | TXTCOLSE | character | 1 | 0 | %-1s | 457 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|-----|
| 8 | TXTROWSE | character | 2 | 0 | %-2s | 458 |
| 9 | TXTROWHD | character | 1 | 0 | %-1s | 460 |
| 10 | TXTOUTPL | character | 3 | 0 | %-3s | 461 |
| 11 | TXTSZKOL | character | 1 | 0 | %-1s | 464 |
| 12 | EXPPAR | character | 200 | 0 | %-200s | 465 |
| 13 | EXPPREP | character | 64 | 0 | %-64s | 665 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: BROWEXPP.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | WNDNAME | character | 30 | 0 | %-30s | 1 |
| 2 | BROWNAME | character | 20 | 0 | %-20s | 31 |
| 3 | EXPID | character | 3 | 0 | %-3s | 51 |
| 4 | FLDID | character | 3 | 0 | %-3s | 54 |
| 5 | FLDOBJ | character | 1 | 0 | %-1s | 57 |
| 6 | FLDNAME | character | 20 | 0 | %-20s | 58 |
| 7 | FLDEXPR | character | 250 | 0 | %-250s | 78 |
| 8 | FLDHDR | character | 250 | 0 | %-250s | 328 |
| 9 | FLDLEN | number | 3 | 0 | %3s | 578 |
| 10 | FLDALIGN | character | 1 | 0 | %-1s | 581 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: DOSTWA.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|--------|--------|
| 1 | NAME1 | character | 12 | 0 | %-12s | 1 |
| 2 | NAME2 | character | 50 | 0 | %-50s | 13 |
| 3 | IDENT | character | 4 | 0 | %-4s | 63 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: DOSTWG.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|--------|--------|
| 1 | KLUCZ | character | 8 | 0 | %-8s | 1 |
| 2 | NAME1 | character | 12 | 0 | %-12s | 9 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: DOSTWN.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|--------|--------|
| 1 | NAME1 | character | 12 | 0 | %-12s | 1 |
| 2 | NAME2 | character | 50 | 0 | %-50s | 13 |
| 3 | IDENT | character | 4 | 0 | %-4s | 63 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: DOSTWT.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | KLUCZ | character | 10 | 0 | %-10s | 1 |
| 2 | WSK | number | 1 | 0 | %1s | 11 |
| 3 | DOSTEP | character | 2 | 0 | %-2s | 12 |
| 4 | OBIEKT | character | 30 | 0 | %-30s | 14 |
| 5 | KLASA | character | 30 | 0 | %-30s | 44 |
| 6 | LISTAKL | character | 128 | 0 | %-128s | 74 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: DRUKPAR.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | DRUK_ID | character | 8 | 0 | %-8s | 1 |
| 2 | DR_TYTUL | character | 50 | 0 | %-50s | 9 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 3 | NRSTAN | character | 2 | 0 | %-2s | 59 |
| 4 | OPER | character | 3 | 0 | %-3s | 61 |
| 5 | NUMPRT | character | 3 | 0 | %-3s | 64 |
| 6 | DRVPRT | character | 8 | 0 | %-8s | 67 |
| 7 | NGEST | number | 2 | 0 | %2s | 75 |
| 8 | NWIERSZ | number | 3 | 0 | %3s | 77 |
| 9 | LPLIK | character | 80 | 0 | %-80s | 80 |
| 10 | NMARGIN | number | 2 | 0 | %2s | 160 |
| 11 | NTOPMRG | number | 2 | 0 | %2s | 162 |
| 12 | STOPPAGE | number | 1 | 0 | %1s | 164 |
| 13 | NWYSUW | number | 1 | 0 | %1s | 165 |
| 14 | NNRPAGE | number | 3 | 0 | %3s | 166 |
| 15 | NODSTR | number | 4 | 0 | %4s | 169 |
| 16 | NDOSTR | number | 4 | 0 | %4s | 173 |
| 17 | NKOPIA | number | 3 | 0 | %3s | 177 |
| 18 | NSZPAP | number | 1 | 0 | %1s | 180 |
| 19 | NWYSPAP | number | 1 | 0 | %1s | 181 |
| 20 | NKIERUN | number | 1 | 0 | %1s | 182 |
| 21 | NORIENT | number | 1 | 0 | %1s | 183 |
| 22 | NFORMAT | character | 1 | 0 | %-1s | 184 |
| 23 | WINPRINT | character | 30 | 0 | %-30s | 185 |
| 24 | NDUPLEX | number | 1 | 0 | %1s | 215 |
| 25 | NXRSIDE | number | 1 | 0 | %1s | 216 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: DRUKWIN.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | IDSYS | character | 2 | 0 | %-2s | 1 |
| 2 | OPER | character | 3 | 0 | %-3s | 3 |
| 3 | KLASA | character | 32 | 0 | %-32s | 6 |
| 4 | PRZEGL | character | 16 | 0 | %-16s | 38 |
| 5 | DRUKID | character | 64 | 0 | %-64s | 54 |
| 6 | ZAKRES | character | 6 | 0 | %-6s | 118 |
| 7 | FORMAT | character | 6 | 0 | %-6s | 124 |

| | | | | | | |
|----|-----------|-----------|-----|---|--------|------|
| 8 | WINPRT | character | 220 | 0 | %-220s | 130 |
| 9 | PAPNAME | character | 24 | 0 | %-24s | 350 |
| 10 | ORIENTW | character | 7 | 0 | %-7s | 374 |
| 11 | LMARG | character | 7 | 0 | %-7s | 381 |
| 12 | PMARG | character | 7 | 0 | %-7s | 388 |
| 13 | GMARG | character | 7 | 0 | %-7s | 395 |
| 14 | DMARG | character | 7 | 0 | %-7s | 402 |
| 15 | FONTNAME | character | 48 | 0 | %-48s | 409 |
| 16 | FONTPROP | character | 6 | 0 | %-6s | 457 |
| 17 | FONTSIZE | character | 7 | 0 | %-7s | 463 |
| 18 | FONTDENS | character | 7 | 0 | %-7s | 470 |
| 19 | DOSPRT | character | 64 | 0 | %-64s | 477 |
| 20 | STERDOS | character | 8 | 0 | %-8s | 541 |
| 21 | ORIENTD | character | 7 | 0 | %-7s | 549 |
| 22 | ZNNACAL | character | 6 | 0 | %-6s | 556 |
| 23 | WRNASTR | character | 6 | 0 | %-6s | 562 |
| 24 | SZERPAP | character | 6 | 0 | %-6s | 568 |
| 25 | WYSPAP | character | 6 | 0 | %-6s | 574 |
| 26 | LMARGZN | character | 6 | 0 | %-6s | 580 |
| 27 | GMARGWR | character | 6 | 0 | %-6s | 586 |
| 28 | FORMFEED | character | 6 | 0 | %-6s | 592 |
| 29 | LKOPII | character | 6 | 0 | %-6s | 598 |
| 30 | POWPKS | character | 6 | 0 | %-6s | 604 |
| 31 | STRROZ | character | 6 | 0 | %-6s | 610 |
| 32 | DRODOST | character | 6 | 0 | %-6s | 616 |
| 33 | NADRFORM | character | 6 | 0 | %-6s | 622 |
| 34 | STOPSTR | character | 6 | 0 | %-6s | 628 |
| 35 | DRBEZP | character | 6 | 0 | %-6s | 634 |
| 36 | TYTUL | character | 120 | 0 | %-120s | 640 |
| 37 | POD TYTUL | character | 120 | 0 | %-120s | 760 |
| 38 | WM_TYPE | character | 7 | 0 | %-7s | 880 |
| 39 | WM_TEXT | character | 250 | 0 | %-250s | 887 |
| 40 | WM_PAR | character | 250 | 0 | %-250s | 1137 |
| 41 | DUPLEXW | character | 1 | 0 | %-1s | 1387 |

Nazwa pliku: EVENTS.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | FLAGA | character | 1 | 0 | %-1s | 1 |
| 2 | FROMSYM | character | 2 | 0 | %-2s | 2 |
| 3 | FROMIDX | character | 10 | 0 | %-10s | 4 |
| 4 | TOSYM | character | 2 | 0 | %-2s | 14 |
| 5 | TOIDX | character | 10 | 0 | %-10s | 16 |
| 6 | WYR | character | 10 | 0 | %-10s | 26 |
| 7 | OPIS | character | 40 | 0 | %-40s | 36 |
| 8 | TYPOKR | character | 1 | 0 | %-1s | 76 |
| 9 | OKRES | character | 8 | 0 | %-8s | 77 |
| 10 | DATA | date | 8 | 0 | %8s | 85 |
| 11 | CZAS | character | 10 | 0 | %-10s | 93 |
| 12 | OPER | character | 3 | 0 | %-3s | 103 |
| 13 | OPERNAME | character | 40 | 0 | %-40s | 106 |
| 14 | WINUSERN | character | 40 | 0 | %-40s | 146 |
| 15 | WINCOMPN | character | 40 | 0 | %-40s | 186 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: EXPSTR.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | NR_ZLEC | character | 3 | 0 | %-3s | 1 |
| 2 | NR_POLA | character | 3 | 0 | %-3s | 4 |
| 3 | OP_POLA | character | 40 | 0 | %-40s | 7 |
| 4 | WZ_POLA | character | 180 | 0 | %-180s | 47 |
| 5 | F_NAME | character | 10 | 0 | %-10s | 227 |
| 6 | F_TYPE | character | 1 | 0 | %-1s | 237 |
| 7 | F_LEN | number | 3 | 0 | %3s | 238 |
| 8 | F_DEC | number | 2 | 0 | %2s | 241 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: EXPZLEC.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NR_ZLEC | character | 3 | 0 | %-3s | 1 |
| 2 | OP_ZLEC | character | 40 | 0 | %-40s | 4 |
| 3 | B_DOC_A | character | 8 | 0 | %-8s | 44 |
| 4 | B_DOC_P | character | 60 | 0 | %-60s | 52 |
| 5 | B_DOC_D | character | 10 | 0 | %-10s | 112 |
| 6 | B_ZRD_A1 | character | 8 | 0 | %-8s | 122 |
| 7 | B_ZRD_P1 | character | 100 | 0 | %-100s | 130 |
| 8 | B_ZRD_K1 | number | 2 | 0 | %2s | 230 |
| 9 | B_ZRD_A2 | character | 8 | 0 | %-8s | 232 |
| 10 | B_ZRD_P2 | character | 100 | 0 | %-100s | 240 |
| 11 | B_ZRD_K2 | number | 2 | 0 | %2s | 340 |
| 12 | B_ZRD_A3 | character | 8 | 0 | %-8s | 342 |
| 13 | B_ZRD_P3 | character | 100 | 0 | %-100s | 350 |
| 14 | B_ZRD_K3 | number | 2 | 0 | %2s | 450 |
| 15 | RELDO2 | character | 40 | 0 | %-40s | 452 |
| 16 | RELDO3 | character | 40 | 0 | %-40s | 492 |
| 17 | WAR_WYR | character | 180 | 0 | %-180s | 532 |
| 18 | ZAZEXPW | character | 8 | 0 | %-8s | 712 |
| 19 | ZAZEXPK | character | 8 | 0 | %-8s | 720 |
| 20 | ZAZEXPE | character | 180 | 0 | %-180s | 728 |
| 21 | NROSTPZ | number | 3 | 0 | %3s | 908 |
| 22 | ZEST_PAR | character | 2 | 0 | %-2s | 911 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: FLTF_PL.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | WNDCLASS | character | 32 | 0 | %-32s | 1 |
| 2 | OPER | character | 5 | 0 | %-5s | 33 |
| 3 | F_ID | character | 5 | 0 | %-5s | 38 |
| 4 | F_NAME | character | 60 | 0 | %-60s | 43 |
| 5 | TABFLT | character | 1 | 0 | %-1s | 103 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: FLTP_PL.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | F_ID | character | 5 | 0 | %-5s | 1 |
| 2 | P_DESC | character | 30 | 0 | %-30s | 6 |
| 3 | P_NAME | character | 8 | 0 | %-8s | 36 |
| 4 | P_TYPE | character | 1 | 0 | %-1s | 44 |
| 5 | P_LEN | number | 3 | 0 | %3s | 45 |
| 6 | P_DEC | number | 3 | 0 | %3s | 48 |
| 7 | P_VALUE | character | 200 | 0 | %-200s | 51 |
| 8 | P_COMM | character | 600 | 0 | %-600s | 251 |
| 9 | P_NEEDED | boolean | 1 | 0 | %1s | 851 |
| 10 | P_ISNULL | boolean | 1 | 0 | %1s | 852 |
| 11 | P_LVALUE | character | 200 | 0 | %-200s | 853 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: FLTS_PL.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | F_ID | character | 5 | 0 | %-5s | 1 |
| 2 | S_NAME | character | 24 | 0 | %-24s | 6 |
| 3 | S_COND | character | 256 | 0 | %-256s | 30 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: HS2.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | WI | character | 1 | 0 | %-1s | 7 |
| 3 | SYMBOL | character | 3 | 0 | %-3s | 8 |
| 4 | CDATA | character | 6 | 0 | %-6s | 11 |
| 5 | CDATA2 | character | 8 | 0 | %-8s | 17 |

| | | | | | | |
|---|---------|--------|----|---|------|----|
| 6 | WARTOSC | number | 16 | 3 | %16s | 25 |
|---|---------|--------|----|---|------|----|

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: HSLOW.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|--------|--------|
| 1 | KOD | character | 3 | 0 | %-3s | 1 |
| 2 | ZAMMC | character | 1 | 0 | %-1s | 4 |
| 3 | CDATA | character | 6 | 0 | %-6s | 5 |
| 4 | POMOC | character | 14 | 0 | %-14s | 11 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: HSP.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | WI | character | 1 | 0 | %-1s | 7 |
| 3 | SYMBOL | character | 3 | 0 | %-3s | 8 |
| 4 | CDATA | character | 6 | 0 | %-6s | 11 |
| 5 | WARTOSC | number | 16 | 3 | %16s | 17 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: HSS.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | POZIOM | character | 1 | 0 | %-1s | 1 |
| 2 | WI | character | 1 | 0 | %-1s | 2 |
| 3 | SYMBOL | character | 3 | 0 | %-3s | 3 |
| 4 | CDATA | character | 6 | 0 | %-6s | 6 |
| 5 | WARTOSC | number | 16 | 2 | %16s | 12 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: HZZ.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | DEKL | character | 2 | 0 | %-2s | 1 |
| 2 | SYMBOL | character | 4 | 0 | %-4s | 3 |
| 3 | CDATA | character | 6 | 0 | %-6s | 7 |
| 4 | NR | character | 2 | 0 | %-2s | 13 |
| 5 | WARTOSC | number | 18 | 3 | %18s | 15 |
| 6 | CWARTOSC | character | 100 | 0 | %-100s | 33 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: LISTA.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | LISTA | character | 2 | 0 | %-2s | 1 |
| 2 | LSYS | character | 1 | 0 | %-1s | 3 |
| 3 | LBAS | character | 1 | 0 | %-1s | 4 |
| 4 | OPIS | character | 180 | 0 | %-180s | 5 |
| 5 | WARIANT | character | 1 | 0 | %-1s | 185 |
| 6 | PASEK | boolean | 1 | 0 | %1s | 186 |
| 7 | DRPR0 | boolean | 1 | 0 | %1s | 187 |
| 8 | DRKW0 | boolean | 1 | 0 | %1s | 188 |
| 9 | PLUSP | number | 2 | 0 | %2s | 189 |
| 10 | PRZKR | character | 2 | 0 | %-2s | 191 |
| 11 | SYMBOL | character | 3 | 0 | %-3s | 193 |
| 12 | SLW0 | boolean | 1 | 0 | %1s | 196 |
| 13 | BAN0 | boolean | 1 | 0 | %1s | 197 |
| 14 | SLW1 | boolean | 1 | 0 | %1s | 198 |
| 15 | BAN1 | boolean | 1 | 0 | %1s | 199 |
| 16 | PODP1 | character | 180 | 0 | %-180s | 200 |
| 17 | SLW2 | boolean | 1 | 0 | %1s | 380 |
| 18 | BAN2 | boolean | 1 | 0 | %1s | 381 |

| | | | | | | |
|----|---------|-----------|-----|---|--------|------|
| 19 | PODP2 | character | 180 | 0 | %-180s | 382 |
| 20 | SLW3 | boolean | 1 | 0 | % 1s | 562 |
| 21 | BAN3 | boolean | 1 | 0 | % 1s | 563 |
| 22 | PODP3 | character | 180 | 0 | %-180s | 564 |
| 23 | PORDER | number | 2 | 0 | %2s | 744 |
| 24 | PMINZAK | character | 30 | 0 | %-30s | 746 |
| 25 | PMAXZAK | character | 30 | 0 | %-30s | 776 |
| 26 | PFILTER | character | 180 | 0 | %-180s | 806 |
| 27 | PLSX | character | 10 | 0 | %-10s | 986 |
| 28 | PLSXK | character | 5 | 0 | %-5s | 996 |
| 29 | PLSX1P | character | 8 | 0 | %-8s | 1001 |
| 30 | PLSX2P | character | 8 | 0 | %-8s | 1009 |
| 31 | PLSX1W | character | 73 | 0 | %-73s | 1017 |
| 32 | MFILTER | character | 180 | 0 | %-180s | 1090 |
| 33 | PFLDOD | boolean | 1 | 0 | % 1s | 1270 |
| 34 | PDODAT | character | 24 | 0 | %-24s | 1271 |
| 35 | PSUM0 | boolean | 1 | 0 | % 1s | 1295 |
| 36 | PSUM1 | number | 2 | 0 | %2s | 1296 |
| 37 | PSUM2 | number | 2 | 0 | %2s | 1298 |
| 38 | PSUM3 | boolean | 1 | 0 | % 1s | 1300 |
| 39 | PSUM4 | character | 1 | 0 | %-1s | 1301 |
| 40 | NSTR1 | boolean | 1 | 0 | % 1s | 1302 |
| 41 | NSTR2 | boolean | 1 | 0 | % 1s | 1303 |
| 42 | PAS1 | boolean | 1 | 0 | % 1s | 1304 |
| 43 | PAS2 | boolean | 1 | 0 | % 1s | 1305 |
| 44 | PAS3 | boolean | 1 | 0 | % 1s | 1306 |
| 45 | MSTART | character | 50 | 0 | %-50s | 1307 |
| 46 | MEND | character | 50 | 0 | %-50s | 1357 |
| 47 | WYBLIST | boolean | 1 | 0 | % 1s | 1407 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: LISTP.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|--------|--------|
| 1 | LISTA | character | 2 | 0 | %-2s | 1 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 2 | LSYS | character | 1 | 0 | %-1s | 3 |
| 3 | LBAS | character | 1 | 0 | %-1s | 4 |
| 4 | NRLN | character | 2 | 0 | %-2s | 5 |
| 5 | KOLP | character | 3 | 0 | %-3s | 7 |
| 6 | KOLK | character | 3 | 0 | %-3s | 10 |
| 7 | NAGL | character | 24 | 0 | %-24s | 13 |
| 8 | SYMBOL | character | 3 | 0 | %-3s | 37 |
| 9 | LICZ | character | 1 | 0 | %-1s | 40 |
| 10 | ATRYBN | character | 80 | 0 | %-80s | 41 |
| 11 | ATRYBP | character | 80 | 0 | %-80s | 121 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: LSTZWIN.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | BROWSER | character | 20 | 0 | %-20s | 1 |
| 2 | GRUPA | character | 10 | 0 | %-10s | 21 |
| 3 | NUMER | character | 4 | 0 | %-4s | 31 |
| 4 | NAZWAG | character | 40 | 0 | %-40s | 35 |
| 5 | TYTUL | character | 60 | 0 | %-60s | 75 |
| 6 | MENU | character | 10 | 0 | %-10s | 135 |
| 7 | TYPDRUKU | character | 15 | 0 | %-15s | 145 |
| 8 | PLIK | character | 256 | 0 | %-256s | 160 |
| 9 | NAZWAW | character | 60 | 0 | %-60s | 416 |
| 10 | WARUNEK | character | 250 | 0 | %-250s | 476 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_0707.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_0710.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_0711.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_0712.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M_SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_0801.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_0802.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_0803.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_0804.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_0805.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_0806.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_0807.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_0808.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M_SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_0809.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_0810.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_0811.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_0812.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_0901.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |
|----|--------|-----------|----|---|-------|-----|

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_0902.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_0903.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_0904.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_0905.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_0906.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_0907.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M_SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_0908.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_0909.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_0910.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_0911.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_0912.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |
|----|--------|-----------|----|---|-------|-----|

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1001.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1002.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1003.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1004.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1005.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1006.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M_SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1007.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1008.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1009.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1010.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1011.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |
|----|--------|-----------|----|---|-------|-----|

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1012.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1101.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1102.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1103.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1104.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1105.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M_SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1106.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1107.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1108.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1109.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1110.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |
|----|--------|-----------|----|---|-------|-----|

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1111.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1112.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1201.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1202.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1203.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1204.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M_SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1205.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1206.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1207.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1208.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1209.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |
|----|--------|-----------|----|---|-------|-----|

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1210.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1211.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1212.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1301.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1302.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1303.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M_SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1304.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1305.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1306.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1307.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1308.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |
|----|--------|-----------|----|---|-------|-----|

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1309.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1310.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1311.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1312.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1401.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1402.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M_SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1403.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1404.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1405.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1406.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1407.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |
|----|--------|-----------|----|---|-------|-----|

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1408.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1409.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1410.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1411.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1412.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1501.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M_SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1502.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1503.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1504.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1505.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1506.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |
|----|--------|-----------|----|---|-------|-----|

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1507.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1508.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1509.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1510.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1511.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1512.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M_SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1601.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1602.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1603.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1604.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1605.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |
|----|--------|-----------|----|---|-------|-----|

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1606.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1607.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1608.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1609.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1610.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1611.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M_SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1612.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1701.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1702.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1703.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1704.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |
|----|--------|-----------|----|---|-------|-----|

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1705.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1706.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1707.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1708.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1709.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSB_1710.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M_SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSB_1711.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | INFO | character | 60 | 0 | %-60s | 82 |
| 5 | IDZ | character | 24 | 0 | %-24s | 142 |
| 6 | IDN | character | 60 | 0 | %-60s | 166 |
| 7 | PRZ | character | 1 | 0 | %-1s | 226 |
| 8 | PRW | number | 4 | 0 | %4s | 227 |
| 9 | ILOSC | number | 14 | 5 | %14s | 231 |
| 10 | WARTOSC | number | 14 | 5 | %14s | 245 |
| 11 | FF | character | 1 | 0 | %-1s | 259 |
| 12 | FP | character | 2 | 0 | %-2s | 260 |
| 13 | FX | character | 2 | 0 | %-2s | 262 |
| 14 | FM | number | 2 | 0 | %2s | 264 |
| 15 | FD | number | 2 | 0 | %2s | 266 |
| 16 | FI | character | 12 | 0 | %-12s | 268 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 17 | IDOPER | character | 6 | 0 | %-6s | 280 |
| 18 | NRKARTY | character | 6 | 0 | %-6s | 286 |
| 19 | NRKARTY2 | character | 2 | 0 | %-2s | 292 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 294 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSK_0707.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 8 | 0 | %-8s | 1 |
| 2 | BAZA | character | 1 | 0 | %-1s | 9 |
| 3 | SYMBOL | character | 3 | 0 | %-3s | 10 |
| 4 | ANAL | character | 42 | 0 | %-42s | 13 |
| 5 | ILOSC | number | 14 | 5 | %14s | 55 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSK_0708.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 8 | 0 | %-8s | 1 |
| 2 | BAZA | character | 1 | 0 | %-1s | 9 |
| 3 | SYMBOL | character | 3 | 0 | %-3s | 10 |
| 4 | ANAL | character | 42 | 0 | %-42s | 13 |
| 5 | ILOSC | number | 14 | 5 | %14s | 55 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSK_0709.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 8 | 0 | %-8s | 1 |
| 2 | BAZA | character | 1 | 0 | %-1s | 9 |

| | | | | | | |
|---|--------|-----------|----|---|-------|----|
| 3 | SYMBOL | character | 3 | 0 | %-3s | 10 |
| 4 | ANAL | character | 42 | 0 | %-42s | 13 |
| 5 | ILOSC | number | 14 | 5 | %14s | 55 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSK_0710.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 8 | 0 | %-8s | 1 |
| 2 | BAZA | character | 1 | 0 | %-1s | 9 |
| 3 | SYMBOL | character | 3 | 0 | %-3s | 10 |
| 4 | ANAL | character | 42 | 0 | %-42s | 13 |
| 5 | ILOSC | number | 14 | 5 | %14s | 55 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0706.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0707.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0708.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0709.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0710.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0711.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |

| | | | | | | |
|----|---------|-----------|----|---|-------|-----|
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M_SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0712.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0801.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0802.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0803.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M_SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0804.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0805.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |

| | | | | | | |
|----|---------|-----------|----|---|-------|-----|
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M_SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0806.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSP_0807.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0808.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0809.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M_SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0810.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0811.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |

| | | | | | | |
|----|---------|-----------|----|---|-------|-----|
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M_SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0812.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0901.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0902.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0903.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0904.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0905.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |

| | | | | | | |
|----|---------|-----------|----|---|-------|-----|
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M_SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0906.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0907.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0908.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0909.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0910.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0911.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |

| | | | | | | |
|----|---------|-----------|----|---|-------|-----|
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M_SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_0912.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1001.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1002.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1003.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1004.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1005.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |

| | | | | | | |
|----|---------|-----------|----|---|-------|-----|
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M_SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1006.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1007.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1008.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1009.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1010.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1011.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |

| | | | | | | |
|----|---------|-----------|----|---|-------|-----|
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M_SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1012.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1101.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1102.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1103.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1104.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1105.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |

| | | | | | | |
|----|---------|-----------|----|---|-------|-----|
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M_SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1106.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSP_1107.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1108.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1109.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1110.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1111.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |

| | | | | | | |
|----|---------|-----------|----|---|-------|-----|
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M_SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1112.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1201.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1202.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1203.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1204.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1205.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |

| | | | | | | |
|----|---------|-----------|----|---|-------|-----|
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M_SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1206.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1207.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1208.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1209.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1210.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1211.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |

| | | | | | | |
|----|---------|-----------|----|---|-------|-----|
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M_SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1212.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1301.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1302.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1303.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1304.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1305.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |

| | | | | | | |
|----|---------|-----------|----|---|-------|-----|
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M_SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1306.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSP_1307.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1308.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1309.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1310.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1311.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |

| | | | | | | |
|----|---------|-----------|----|---|-------|-----|
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M_SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1312.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1401.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1402.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1403.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1404.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1405.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |

| | | | | | | |
|----|---------|-----------|----|---|-------|-----|
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M_SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1406.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1407.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1408.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1409.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1410.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1411.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |

| | | | | | | |
|----|---------|-----------|----|---|-------|-----|
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M_SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1412.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1501.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1502.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1503.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1504.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1505.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |

| | | | | | | |
|----|---------|-----------|----|---|-------|-----|
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M_SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1506.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1507.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSP_1508.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSP_1509.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1510.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1511.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |

| | | | | | | |
|----|---------|-----------|----|---|-------|-----|
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M_SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1512.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1601.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1602.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1603.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1604.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1605.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |

| | | | | | | |
|----|---------|-----------|----|---|-------|-----|
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M_SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1606.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1607.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1608.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1609.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1610.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1611.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |

| | | | | | | |
|----|---------|-----------|----|---|-------|-----|
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M_SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1612.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1701.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1702.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1703.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1704.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1705.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |

| | | | | | | |
|----|---------|-----------|----|---|-------|-----|
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M_SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1706.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1707.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1708.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1709.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1710.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1711.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |

| | | | | | | |
|----|---------|-----------|----|---|-------|-----|
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M_SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSP_1712.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 3 | 0 | %-3s | 7 |
| 3 | ANAL | character | 72 | 0 | %-72s | 10 |
| 4 | DZIEN | character | 2 | 0 | %-2s | 82 |
| 5 | WERYFLRM | character | 36 | 0 | %-36s | 84 |
| 6 | USUNIETA | character | 6 | 0 | %-6s | 120 |
| 7 | COFAJACA | boolean | 1 | 0 | %1s | 126 |
| 8 | ANALIND | character | 72 | 0 | %-72s | 127 |
| 9 | INFO | character | 72 | 0 | %-72s | 199 |
| 10 | IDZ | character | 24 | 0 | %-24s | 271 |
| 11 | IDN | character | 60 | 0 | %-60s | 295 |
| 12 | PRZ | character | 1 | 0 | %-1s | 355 |
| 13 | PRW | number | 4 | 0 | %4s | 356 |
| 14 | ILOSC | number | 14 | 5 | %14s | 360 |
| 15 | WARTOSC | number | 14 | 5 | %14s | 374 |
| 16 | FF | character | 1 | 0 | %-1s | 388 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 17 | FP | character | 2 | 0 | %-2s | 389 |
| 18 | FX | character | 2 | 0 | %-2s | 391 |
| 19 | FM | number | 2 | 0 | %2s | 393 |
| 20 | FD | number | 2 | 0 | %2s | 395 |
| 21 | FI | character | 12 | 0 | %-12s | 397 |
| 22 | IDOPER | character | 6 | 0 | %-6s | 409 |
| 23 | IFKSG | character | 1 | 0 | %-1s | 415 |
| 24 | M__SOP | character | 10 | 0 | %-10s | 416 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSR.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | ANAL | character | 20 | 0 | %-20s | 1 |
| 2 | NRLISTY | character | 10 | 0 | %-10s | 21 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_0708.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_0709.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |

| | | | | | | |
|---|----------|--------|----|---|-------|----|
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_0710.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_0711.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_0712.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_0801.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_0802.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_0803.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_0804.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|------|------|--------|-----------|--------|--------|
|---|------|------|--------|-----------|--------|--------|

| | | | | | | |
|---|----------|-----------|----|---|-------|----|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_0805.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_0806.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_0807.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_0808.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_0809.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_0810.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_0811.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_0812.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_0901.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_0902.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |

| | | | | | | |
|---|----------|-----------|----|---|-------|----|
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_0903.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_0904.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_0905.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_0906.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_0907.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_0908.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_0909.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_0910.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_0911.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_0912.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |

| | | | | | | |
|---|----------|--------|----|---|------|----|
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |
|---|----------|--------|----|---|------|----|

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1001.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1002.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1003.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1004.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1005.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1006.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1007.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|------|------|--------|-----------|--------|--------|
|---|------|------|--------|-----------|--------|--------|

| | | | | | | |
|---|----------|-----------|----|---|-------|----|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1008.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1009.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1010.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1011.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1012.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1101.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1102.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1103.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1104.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1105.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |

| | | | | | | |
|---|----------|-----------|----|---|-------|----|
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1106.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1107.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1108.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1109.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1110.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1111.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1112.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1201.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1202.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1203.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |

| | | | | | | |
|---|----------|--------|----|---|------|----|
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |
|---|----------|--------|----|---|------|----|

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1204.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1205.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1206.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1207.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1208.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1209.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1210.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|------|------|--------|-----------|--------|--------|
|---|------|------|--------|-----------|--------|--------|

| | | | | | | |
|---|----------|-----------|----|---|-------|----|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1211.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1212.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1301.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1302.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1303.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1304.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1305.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1306.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1307.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1308.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |

| | | | | | | |
|---|----------|-----------|----|---|-------|----|
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1309.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1310.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1311.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1312.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1401.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1402.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1403.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1404.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1405.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1406.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |

| | | | | | | |
|---|----------|--------|----|---|-------|----|
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |
|---|----------|--------|----|---|-------|----|

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1407.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1408.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1409.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1410.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1411.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1412.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1501.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|------|------|--------|-----------|--------|--------|
|---|------|------|--------|-----------|--------|--------|

| | | | | | | |
|---|----------|-----------|----|---|-------|----|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1502.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1503.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1504.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1505.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1506.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1507.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1508.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1509.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1510.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1511.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |

| | | | | | | |
|---|----------|-----------|----|---|-------|----|
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1512.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1601.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1602.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1603.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1604.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1605.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1606.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1607.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1608.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1609.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |

| | | | | | | |
|---|----------|--------|----|---|------|----|
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |
|---|----------|--------|----|---|------|----|

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1610.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1611.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1612.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1701.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1702.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1703.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1704.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|------|------|--------|-----------|--------|--------|
|---|------|------|--------|-----------|--------|--------|

| | | | | | | |
|---|----------|-----------|----|---|-------|----|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1705.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1706.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: MSS_1707.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | % 18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | % 18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1708.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: MSS_1709.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | ANAL | character | 42 | 0 | %-42s | 4 |
| 3 | WARTOSC | number | 18 | 2 | %18s | 46 |
| 4 | WARTOSC1 | number | 18 | 2 | %18s | 64 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: PARAMETR.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | PAR_ZMN | character | 10 | 0 | %-10s | 1 |
| 2 | PAR_TYP | character | 1 | 0 | %-1s | 11 |
| 3 | PAR_LEN | number | 4 | 0 | %4s | 12 |
| 4 | PAR_EXT | boolean | 1 | 0 | %1s | 16 |
| 5 | PAR_VAL | character | 480 | 0 | %-480s | 17 |
| 6 | PAR_STAT | character | 1 | 0 | %-1s | 497 |
| 7 | PAR_GRP | character | 1 | 0 | %-1s | 498 |
| 8 | PAR_GRN | character | 30 | 0 | %-30s | 499 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 9 | PAR_ORD | character | 3 | 0 | %-3s | 529 |
| 10 | PAR_OPIS | character | 50 | 0 | %-50s | 532 |
| 11 | PAR_OBR | character | 60 | 0 | %-60s | 582 |
| 12 | M__SOP | character | 10 | 0 | %-10s | 642 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: PAREXT.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|---------|--------|
| 1 | PAR_ZMN | character | 10 | 0 | %-10s | 1 |
| 2 | PAR_VAL | character | 4000 | 0 | %-4000s | 11 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: PARTXT.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|---------|--------|
| 1 | PAR_ZMN | character | 10 | 0 | %-10s | 1 |
| 2 | KOMENT_R | character | 2000 | 0 | %-2000s | 11 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: PASEK.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | PASEK | character | 2 | 0 | %-2s | 1 |
| 2 | LSYS | character | 1 | 0 | %-1s | 3 |
| 3 | LBAS | character | 1 | 0 | %-1s | 4 |
| 4 | LPAS | character | 1 | 0 | %-1s | 5 |
| 5 | OPIS | character | 120 | 0 | %-120s | 6 |
| 6 | WARIANT | character | 1 | 0 | %-1s | 126 |
| 7 | PLUSP | number | 2 | 0 | %2s | 127 |
| 8 | PRZKR | character | 2 | 0 | %-2s | 129 |

| | | | | | | |
|----|---------|-----------|-----|---|--------|------|
| 9 | POK | number | 1 | 0 | %1s | 131 |
| 10 | PPION | number | 1 | 0 | %1s | 132 |
| 11 | PPOZIOM | number | 1 | 0 | %1s | 133 |
| 12 | KOPIA | number | 1 | 0 | %1s | 134 |
| 13 | PRZELEW | number | 4 | 0 | %4s | 135 |
| 14 | PORDER | number | 2 | 0 | %2s | 139 |
| 15 | PMINZAK | character | 30 | 0 | %-30s | 141 |
| 16 | PMAZXAK | character | 30 | 0 | %-30s | 171 |
| 17 | PFILTER | character | 180 | 0 | %-180s | 201 |
| 18 | PLSX | character | 10 | 0 | %-10s | 381 |
| 19 | PLSXK | character | 5 | 0 | %-5s | 391 |
| 20 | PLSX1P | character | 8 | 0 | %-8s | 396 |
| 21 | PLSX2P | character | 8 | 0 | %-8s | 404 |
| 22 | PLSX1W | character | 73 | 0 | %-73s | 412 |
| 23 | MFILTER | character | 180 | 0 | %-180s | 485 |
| 24 | PFLDOD | boolean | 1 | 0 | %1s | 665 |
| 25 | PDODAT | character | 24 | 0 | %-24s | 666 |
| 26 | PSUM0 | boolean | 1 | 0 | %1s | 690 |
| 27 | PSUM1 | number | 2 | 0 | %2s | 691 |
| 28 | PSUM2 | number | 2 | 0 | %2s | 693 |
| 29 | PSUM3 | boolean | 1 | 0 | %1s | 695 |
| 30 | NSTR1 | boolean | 1 | 0 | %1s | 696 |
| 31 | NSTR2 | boolean | 1 | 0 | %1s | 697 |
| 32 | NALEZN | boolean | 1 | 0 | %1s | 698 |
| 33 | KOLUMNY | character | 23 | 0 | %-23s | 699 |
| 34 | KOLOPIS | character | 135 | 0 | %-135s | 722 |
| 35 | WABS | character | 100 | 0 | %-100s | 857 |
| 36 | KABS | character | 55 | 0 | %-55s | 957 |
| 37 | WYBLIST | boolean | 1 | 0 | %1s | 1012 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: PASEKP.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|--------|--------|
| 1 | PASEK | character | 2 | 0 | %-2s | 1 |

| | | | | | | |
|---|--------|-----------|---|---|------|---|
| 2 | LSYS | character | 1 | 0 | %-1s | 3 |
| 3 | LBAS | character | 1 | 0 | %-1s | 4 |
| 4 | NREL | character | 1 | 0 | %-1s | 5 |
| 5 | SYMBOL | character | 3 | 0 | %-3s | 6 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: PER.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | RMHSP | character | 6 | 0 | %-6s | 7 |
| 3 | RMHSPPD | character | 6 | 0 | %-6s | 13 |
| 4 | BANK_ID2 | character | 2 | 0 | %-2s | 19 |
| 5 | BANK_KN2 | character | 40 | 0 | %-40s | 21 |
| 6 | DATAZATR | date | 8 | 0 | %8s | 61 |
| 7 | DATAUM | date | 8 | 0 | %8s | 69 |
| 8 | RMUM | character | 6 | 0 | %-6s | 77 |
| 9 | DATAZWOL | date | 8 | 0 | %8s | 83 |
| 10 | WO | number | 2 | 0 | %2s | 91 |
| 11 | MWO | number | 2 | 0 | %2s | 93 |
| 12 | DWO | number | 2 | 0 | %2s | 95 |
| 13 | WZ | number | 2 | 0 | %2s | 97 |
| 14 | MWZ | number | 2 | 0 | %2s | 99 |
| 15 | DWZ | number | 2 | 0 | %2s | 101 |
| 16 | WP | number | 2 | 0 | %2s | 103 |
| 17 | MWP | number | 2 | 0 | %2s | 105 |
| 18 | DWP | number | 2 | 0 | %2s | 107 |
| 19 | WB | number | 2 | 0 | %2s | 109 |
| 20 | MWB | number | 2 | 0 | %2s | 111 |
| 21 | DWB | number | 2 | 0 | %2s | 113 |
| 22 | WJ | number | 2 | 0 | %2s | 115 |
| 23 | MWJ | number | 2 | 0 | %2s | 117 |
| 24 | DWJ | number | 2 | 0 | %2s | 119 |
| 25 | WE | number | 2 | 0 | %2s | 121 |
| 26 | MWE | number | 2 | 0 | %2s | 123 |

| | | | | | | |
|----|----------|-----------|----|---|------|-----|
| 27 | DWE | number | 2 | 0 | %2s | 125 |
| 28 | WI | number | 2 | 0 | %2s | 127 |
| 29 | MWI | number | 2 | 0 | %2s | 129 |
| 30 | DWI | number | 2 | 0 | %2s | 131 |
| 31 | LUEK | number | 3 | 0 | %3s | 133 |
| 32 | MUEK | number | 3 | 0 | %3s | 136 |
| 33 | MSPK | character | 2 | 0 | %-2s | 139 |
| 34 | KZSP | character | 3 | 0 | %-3s | 141 |
| 35 | DATAZSPK | date | 8 | 0 | %8s | 144 |
| 36 | SPK | number | 10 | 2 | %10s | 152 |
| 37 | LUE | number | 3 | 0 | %3s | 162 |
| 38 | MUE | number | 3 | 0 | %3s | 165 |
| 39 | MSP | character | 2 | 0 | %-2s | 168 |
| 40 | DATAZSP | date | 8 | 0 | %8s | 170 |
| 41 | SP | number | 10 | 2 | %10s | 178 |
| 42 | SPN | number | 10 | 2 | %10s | 188 |
| 43 | MDFK | character | 2 | 0 | %-2s | 198 |
| 44 | KZDF | character | 3 | 0 | %-3s | 200 |
| 45 | DATAZDFK | date | 8 | 0 | %8s | 203 |
| 46 | DFK | number | 10 | 2 | %10s | 211 |
| 47 | MDF | character | 2 | 0 | %-2s | 221 |
| 48 | DATAZDF | date | 8 | 0 | %8s | 223 |
| 49 | DF | number | 10 | 2 | %10s | 231 |
| 50 | DFN | number | 10 | 2 | %10s | 241 |
| 51 | KZS0 | character | 3 | 0 | %-3s | 251 |
| 52 | DATAZPRK | date | 8 | 0 | %8s | 254 |
| 53 | PRK | number | 10 | 2 | %10s | 262 |
| 54 | DATAZPR | date | 8 | 0 | %8s | 272 |
| 55 | PR | number | 10 | 2 | %10s | 280 |
| 56 | PRN | number | 10 | 2 | %10s | 290 |
| 57 | KZS1 | character | 3 | 0 | %-3s | 300 |
| 58 | DATAPRZ1 | date | 8 | 0 | %8s | 303 |
| 59 | PRZ1K | number | 8 | 2 | %8s | 311 |
| 60 | PRZ1D | date | 8 | 0 | %8s | 319 |
| 61 | PRZ | number | 8 | 2 | %8s | 327 |
| 62 | PRZ1N | number | 8 | 2 | %8s | 335 |
| 63 | KZS2 | character | 3 | 0 | %-3s | 343 |
| 64 | DATAPRZ2 | date | 8 | 0 | %8s | 346 |

| | | | | | | |
|-----|----------|-----------|---|---|------|-----|
| 65 | PRZ2K | number | 8 | 2 | %8s | 354 |
| 66 | PRZ2D | date | 8 | 0 | %8s | 362 |
| 67 | PRZ2 | number | 8 | 2 | %8s | 370 |
| 68 | PRZ2N | number | 8 | 2 | %8s | 378 |
| 69 | KZS3 | character | 3 | 0 | %-3s | 386 |
| 70 | DATAPRZ3 | date | 8 | 0 | %8s | 389 |
| 71 | PRZ3K | number | 8 | 2 | %8s | 397 |
| 72 | PRZ3D | date | 8 | 0 | %8s | 405 |
| 73 | PRZ3 | number | 8 | 2 | %8s | 413 |
| 74 | PRZ3N | number | 8 | 2 | %8s | 421 |
| 75 | KZS4 | character | 3 | 0 | %-3s | 429 |
| 76 | DATAPRZ4 | date | 8 | 0 | %8s | 432 |
| 77 | PRZ4K | number | 8 | 2 | %8s | 440 |
| 78 | PRZ4D | date | 8 | 0 | %8s | 448 |
| 79 | PRZ4 | number | 8 | 2 | %8s | 456 |
| 80 | PRZ4N | number | 8 | 2 | %8s | 464 |
| 81 | KZS5 | character | 3 | 0 | %-3s | 472 |
| 82 | DATAPRZ5 | date | 8 | 0 | %8s | 475 |
| 83 | PRZ5K | number | 8 | 2 | %8s | 483 |
| 84 | PRZ5D | date | 8 | 0 | %8s | 491 |
| 85 | PRZ5 | number | 8 | 2 | %8s | 499 |
| 86 | PRZ5N | number | 8 | 2 | %8s | 507 |
| 87 | KZS6 | character | 3 | 0 | %-3s | 515 |
| 88 | DATAPRZ6 | date | 8 | 0 | %8s | 518 |
| 89 | PRZ6K | number | 8 | 2 | %8s | 526 |
| 90 | PRZ6D | date | 8 | 0 | %8s | 534 |
| 91 | PRZ6 | number | 8 | 2 | %8s | 542 |
| 92 | PRZ6N | number | 8 | 2 | %8s | 550 |
| 93 | KZS7 | character | 3 | 0 | %-3s | 558 |
| 94 | DATAPRZ7 | date | 8 | 0 | %8s | 561 |
| 95 | PRZ7K | number | 8 | 2 | %8s | 569 |
| 96 | PRZ7D | date | 8 | 0 | %8s | 577 |
| 97 | PRZ7 | number | 8 | 2 | %8s | 585 |
| 98 | PRZ7N | number | 8 | 2 | %8s | 593 |
| 99 | KZS8 | character | 3 | 0 | %-3s | 601 |
| 100 | DATAPRZ8 | date | 8 | 0 | %8s | 604 |
| 101 | PRZ8K | number | 8 | 2 | %8s | 612 |
| 102 | PRZ8D | date | 8 | 0 | %8s | 620 |

| | | | | | | |
|-----|---------|-----------|----|---|------|-----|
| 103 | PRZ8 | number | 8 | 2 | %8s | 628 |
| 104 | PRZ8N | number | 8 | 2 | %8s | 636 |
| 105 | KZPI | character | 3 | 0 | %-3s | 644 |
| 106 | DATAPI | date | 8 | 0 | %8s | 647 |
| 107 | PIK | number | 8 | 2 | %8s | 655 |
| 108 | PID | date | 8 | 0 | %8s | 663 |
| 109 | PI | number | 8 | 2 | %8s | 671 |
| 110 | PIN | number | 8 | 2 | %8s | 679 |
| 111 | KZPI2 | character | 3 | 0 | %-3s | 687 |
| 112 | DATAPI2 | date | 8 | 0 | %8s | 690 |
| 113 | PI2K | number | 8 | 2 | %8s | 698 |
| 114 | PI2D | date | 8 | 0 | %8s | 706 |
| 115 | PI2 | number | 8 | 2 | %8s | 714 |
| 116 | PI2N | number | 8 | 2 | %8s | 722 |
| 117 | OU | number | 2 | 0 | %2s | 730 |
| 118 | OU2 | number | 2 | 0 | %2s | 732 |
| 119 | OU3 | number | 2 | 0 | %2s | 734 |
| 120 | OU4 | number | 2 | 0 | %2s | 736 |
| 121 | OU5 | number | 2 | 0 | %2s | 738 |
| 122 | OU6 | number | 2 | 0 | %2s | 740 |
| 123 | OU7 | number | 2 | 0 | %2s | 742 |
| 124 | OU8 | number | 2 | 0 | %2s | 744 |
| 125 | OU9 | number | 2 | 0 | %2s | 746 |
| 126 | ZR | number | 8 | 2 | %8s | 748 |
| 127 | ZR2 | number | 8 | 2 | %8s | 756 |
| 128 | ZR3 | number | 8 | 2 | %8s | 764 |
| 129 | PODA | character | 1 | 0 | %-1s | 772 |
| 130 | PODB | character | 1 | 0 | %-1s | 773 |
| 131 | PODC | character | 1 | 0 | %-1s | 774 |
| 132 | PODD | character | 1 | 0 | %-1s | 775 |
| 133 | PODE | character | 1 | 0 | %-1s | 776 |
| 134 | PODF | character | 1 | 0 | %-1s | 777 |
| 135 | PODG | character | 1 | 0 | %-1s | 778 |
| 136 | PODH | character | 1 | 0 | %-1s | 779 |
| 137 | PODI | character | 1 | 0 | %-1s | 780 |
| 138 | PODJ | character | 1 | 0 | %-1s | 781 |
| 139 | POD1 | number | 12 | 2 | %12s | 782 |
| 140 | POD2 | number | 12 | 2 | %12s | 794 |

| | | | | | | |
|-----|---------|-----------|-----|---|--------|------|
| 141 | POD3 | number | 12 | 2 | %12s | 806 |
| 142 | KZPS | number | 10 | 2 | %10s | 818 |
| 143 | KZPP | number | 10 | 2 | %10s | 828 |
| 144 | KZPR | number | 10 | 2 | %10s | 838 |
| 145 | KZPD | number | 10 | 2 | %10s | 848 |
| 146 | MIEO | number | 10 | 2 | %10s | 858 |
| 147 | MIEP | number | 10 | 2 | %10s | 868 |
| 148 | MIER | number | 10 | 2 | %10s | 878 |
| 149 | POTR1 | number | 10 | 2 | %10s | 888 |
| 150 | POTR2 | number | 10 | 2 | %10s | 898 |
| 151 | POTR3 | number | 10 | 2 | %10s | 908 |
| 152 | POTR4 | number | 10 | 2 | %10s | 918 |
| 153 | POTR5 | number | 10 | 2 | %10s | 928 |
| 154 | POTR6 | number | 10 | 2 | %10s | 938 |
| 155 | POTR7 | number | 10 | 2 | %10s | 948 |
| 156 | POTR8 | number | 10 | 2 | %10s | 958 |
| 157 | SUB | character | 6 | 0 | %-6s | 968 |
| 158 | SO | character | 12 | 0 | %-12s | 974 |
| 159 | PSP | character | 400 | 0 | %-400s | 986 |
| 160 | POZMIE | character | 200 | 0 | %-200s | 1386 |
| 161 | WOSTOS | character | 1 | 0 | %-1s | 1586 |
| 162 | WOKAT | character | 2 | 0 | %-2s | 1587 |
| 163 | WOSTOP | character | 3 | 0 | %-3s | 1589 |
| 164 | WOSPEC | character | 10 | 0 | %-10s | 1592 |
| 165 | WODOK | character | 15 | 0 | %-15s | 1602 |
| 166 | WOTER | character | 36 | 0 | %-36s | 1617 |
| 167 | WOMOB | character | 36 | 0 | %-36s | 1653 |
| 168 | PESEL | character | 11 | 0 | %-11s | 1689 |
| 169 | NRID | character | 13 | 0 | %-13s | 1700 |
| 170 | DATAUR | date | 8 | 0 | %8s | 1713 |
| 171 | MSCWUR | character | 56 | 0 | %-56s | 1721 |
| 172 | IMIE2 | character | 30 | 0 | %-30s | 1777 |
| 173 | NAZWROD | character | 40 | 0 | %-40s | 1807 |
| 174 | IMIEOJ | character | 30 | 0 | %-30s | 1847 |
| 175 | NAZWOJ | character | 40 | 0 | %-40s | 1877 |
| 176 | IMIEMAT | character | 30 | 0 | %-30s | 1917 |
| 177 | NAZWMAT | character | 40 | 0 | %-40s | 1947 |
| 178 | DOWID | character | 1 | 0 | %-1s | 1987 |

| | | | | | | |
|-----|----------|-----------|----|---|-------|------|
| 179 | DOWTOZ | character | 15 | 0 | %-15s | 1988 |
| 180 | DOWMSCW | character | 56 | 0 | %-56s | 2003 |
| 181 | DOWDATA | date | 8 | 0 | %8s | 2059 |
| 182 | DOWDATA2 | date | 8 | 0 | %8s | 2067 |
| 183 | ZAMUL | character | 65 | 0 | %-65s | 2075 |
| 184 | ZAMNRD | character | 8 | 0 | %-8s | 2140 |
| 185 | ZAMNRM | character | 10 | 0 | %-10s | 2148 |
| 186 | ZAMMSKOD | character | 7 | 0 | %-7s | 2158 |
| 187 | ZAMMSCW | character | 56 | 0 | %-56s | 2165 |
| 188 | ZAMKOD | character | 5 | 0 | %-5s | 2221 |
| 189 | ZAMPOCZ | character | 24 | 0 | %-24s | 2226 |
| 190 | ZAMSKR | character | 5 | 0 | %-5s | 2250 |
| 191 | ZAMGWKOD | character | 7 | 0 | %-7s | 2255 |
| 192 | ZAMGW | character | 36 | 0 | %-36s | 2262 |
| 193 | ZAMPOW | character | 24 | 0 | %-24s | 2298 |
| 194 | ZAMWOJ | character | 19 | 0 | %-19s | 2322 |
| 195 | ZAMKKRAJ | character | 6 | 0 | %-6s | 2341 |
| 196 | ZAMKRAJ | character | 24 | 0 | %-24s | 2347 |
| 197 | ZAMUS | character | 4 | 0 | %-4s | 2371 |
| 198 | ZAMTEL | character | 16 | 0 | %-16s | 2375 |
| 199 | ZAMFAX | character | 16 | 0 | %-16s | 2391 |
| 200 | ZAMTLX | character | 16 | 0 | %-16s | 2407 |
| 201 | ZAMPEL | character | 30 | 0 | %-30s | 2423 |
| 202 | TYMUL | character | 65 | 0 | %-65s | 2453 |
| 203 | TYMNRD | character | 8 | 0 | %-8s | 2518 |
| 204 | TYMNRM | character | 10 | 0 | %-10s | 2526 |
| 205 | TYMMSKOD | character | 7 | 0 | %-7s | 2536 |
| 206 | TYMMSCW | character | 56 | 0 | %-56s | 2543 |
| 207 | TYMKOD | character | 5 | 0 | %-5s | 2599 |
| 208 | TYMPOCZ | character | 24 | 0 | %-24s | 2604 |
| 209 | TYMSKR | character | 5 | 0 | %-5s | 2628 |
| 210 | TYMGWKOD | character | 7 | 0 | %-7s | 2633 |
| 211 | TYMGW | character | 36 | 0 | %-36s | 2640 |
| 212 | TYMPOW | character | 24 | 0 | %-24s | 2676 |
| 213 | TYMWOJ | character | 19 | 0 | %-19s | 2700 |
| 214 | TYMKKRAJ | character | 6 | 0 | %-6s | 2719 |
| 215 | TYMKRAJ | character | 25 | 0 | %-25s | 2725 |
| 216 | TYMUS | character | 4 | 0 | %-4s | 2750 |

| | | | | | | |
|-----|----------|-----------|----|---|-------|------|
| 217 | TYMTEL | character | 16 | 0 | %-16s | 2754 |
| 218 | TYMFAX | character | 16 | 0 | %-16s | 2770 |
| 219 | TYMTLX | character | 16 | 0 | %-16s | 2786 |
| 220 | TYMPEL | character | 30 | 0 | %-30s | 2802 |
| 221 | KORUL | character | 56 | 0 | %-56s | 2832 |
| 222 | KORNRD | character | 8 | 0 | %-8s | 2888 |
| 223 | KORNRM | character | 10 | 0 | %-10s | 2896 |
| 224 | KORMSKOD | character | 7 | 0 | %-7s | 2906 |
| 225 | KORMSCW | character | 56 | 0 | %-56s | 2913 |
| 226 | KORKOD | character | 5 | 0 | %-5s | 2969 |
| 227 | KORPOCZ | character | 24 | 0 | %-24s | 2974 |
| 228 | KORSKR | character | 5 | 0 | %-5s | 2998 |
| 229 | KORGWKOD | character | 7 | 0 | %-7s | 3003 |
| 230 | KORGW | character | 36 | 0 | %-36s | 3010 |
| 231 | KORPOW | character | 24 | 0 | %-24s | 3046 |
| 232 | KORWOJ | character | 19 | 0 | %-19s | 3070 |
| 233 | KORKKRAJ | character | 6 | 0 | %-6s | 3089 |
| 234 | KORKRAJ | character | 24 | 0 | %-24s | 3095 |
| 235 | KORUS | character | 4 | 0 | %-4s | 3119 |
| 236 | KORTEL | character | 16 | 0 | %-16s | 3123 |
| 237 | KORFAX | character | 16 | 0 | %-16s | 3139 |
| 238 | KORTLX | character | 16 | 0 | %-16s | 3155 |
| 239 | KORPEL | character | 30 | 0 | %-30s | 3171 |
| 240 | DATASTAN | date | 8 | 0 | %8s | 3201 |
| 241 | WYKSZT | character | 2 | 0 | %-2s | 3209 |
| 242 | WYKTYT | character | 2 | 0 | %-2s | 3211 |
| 243 | WWYKSTAN | character | 5 | 0 | %-5s | 3213 |
| 244 | KODZAWW | character | 7 | 0 | %-7s | 3218 |
| 245 | KODZAW | character | 7 | 0 | %-7s | 3225 |
| 246 | DATAZAW | date | 8 | 0 | %8s | 3232 |
| 247 | KODZU | character | 2 | 0 | %-2s | 3240 |
| 248 | CHARZATR | character | 2 | 0 | %-2s | 3242 |
| 249 | DODPRA | character | 1 | 0 | %-1s | 3244 |
| 250 | FAKTPRA | character | 6 | 0 | %-6s | 3245 |
| 251 | ZAWIESZ | character | 3 | 0 | %-3s | 3251 |
| 252 | ZAWIESZ1 | date | 8 | 0 | %8s | 3254 |
| 253 | ZAWIESZ2 | date | 8 | 0 | %8s | 3262 |
| 254 | KODRU | character | 2 | 0 | %-2s | 3270 |

| | | | | | | |
|-----|----------|-----------|----|---|-------|------|
| 255 | CHARZWOL | character | 2 | 0 | %-2s | 3272 |
| 256 | PLEC | character | 1 | 0 | %-1s | 3274 |
| 257 | OBYW | character | 22 | 0 | %-22s | 3275 |
| 258 | OBYWST | character | 1 | 0 | %-1s | 3297 |
| 259 | OBYWCZ | character | 1 | 0 | %-1s | 3298 |
| 260 | PSO | number | 2 | 0 | %2s | 3299 |
| 261 | PSOD | number | 2 | 0 | %2s | 3301 |
| 262 | SYMURL | character | 3 | 0 | %-3s | 3303 |
| 263 | UPZ | number | 3 | 0 | %3s | 3306 |
| 264 | UPZH | number | 4 | 0 | %4s | 3309 |
| 265 | UP | number | 3 | 0 | %3s | 3313 |
| 266 | UPH | number | 4 | 0 | %4s | 3316 |
| 267 | UPL | number | 3 | 0 | %3s | 3320 |
| 268 | UPLH | number | 4 | 0 | %4s | 3323 |
| 269 | UR | number | 2 | 0 | %2s | 3327 |
| 270 | URH | number | 3 | 0 | %3s | 3329 |
| 271 | URZ | number | 3 | 0 | %3s | 3332 |
| 272 | URZH | number | 4 | 0 | %4s | 3335 |
| 273 | URL | number | 3 | 0 | %3s | 3339 |
| 274 | URLH | number | 4 | 0 | %4s | 3342 |
| 275 | USL | number | 3 | 0 | %3s | 3346 |
| 276 | USLH | number | 4 | 0 | %4s | 3349 |
| 277 | UTL | number | 3 | 0 | %3s | 3353 |
| 278 | UTLH | number | 4 | 0 | %4s | 3356 |
| 279 | NC | character | 1 | 0 | %-1s | 3360 |
| 280 | DN | character | 1 | 0 | %-1s | 3361 |
| 281 | DNDATA | date | 8 | 0 | %8s | 3362 |
| 282 | ROZLPL | character | 1 | 0 | %-1s | 3370 |
| 283 | ROZLAB | character | 1 | 0 | %-1s | 3371 |
| 284 | DKA | number | 2 | 0 | %2s | 3372 |
| 285 | FUN | character | 5 | 0 | %-5s | 3374 |
| 286 | FUN2 | character | 5 | 0 | %-5s | 3379 |
| 287 | FUN3 | character | 5 | 0 | %-5s | 3384 |
| 288 | FUN4 | character | 5 | 0 | %-5s | 3389 |
| 289 | FUN5 | character | 5 | 0 | %-5s | 3394 |
| 290 | FUN6 | character | 5 | 0 | %-5s | 3399 |
| 291 | FUN7 | character | 5 | 0 | %-5s | 3404 |
| 292 | FUN8 | character | 5 | 0 | %-5s | 3409 |

| | | | | | | |
|-----|----------|-----------|----|---|-------|------|
| 293 | FUN9 | character | 5 | 0 | %-5s | 3414 |
| 294 | FUNA | character | 5 | 0 | %-5s | 3419 |
| 295 | DOD1 | character | 36 | 0 | %-36s | 3424 |
| 296 | DOD2 | character | 36 | 0 | %-36s | 3460 |
| 297 | DOD3 | character | 36 | 0 | %-36s | 3496 |
| 298 | DOD4 | character | 36 | 0 | %-36s | 3532 |
| 299 | DOD5 | character | 36 | 0 | %-36s | 3568 |
| 300 | ZWZAW | character | 1 | 0 | %-1s | 3604 |
| 301 | ORGAN | character | 1 | 0 | %-1s | 3605 |
| 302 | ZGDOK | character | 1 | 0 | %-1s | 3606 |
| 303 | ZGUSZ | character | 2 | 0 | %-2s | 3607 |
| 304 | ZGZK | character | 1 | 0 | %-1s | 3609 |
| 305 | ZGNAD | date | 8 | 0 | %8s | 3610 |
| 306 | PODMUB | character | 4 | 0 | %-4s | 3618 |
| 307 | KODEMRE | character | 1 | 0 | %-1s | 3622 |
| 308 | KODNIEP | character | 1 | 0 | %-1s | 3623 |
| 309 | NIEP1 | date | 8 | 0 | %8s | 3624 |
| 310 | NIEP2 | date | 8 | 0 | %8s | 3632 |
| 311 | OBSDATA | date | 8 | 0 | %8s | 3640 |
| 312 | OBSERCW | character | 4 | 0 | %-4s | 3648 |
| 313 | OBZDATA | date | 8 | 0 | %8s | 3652 |
| 314 | DOEDATA | date | 8 | 0 | %8s | 3660 |
| 315 | DORDATA | date | 8 | 0 | %8s | 3668 |
| 316 | DOCDATA | date | 8 | 0 | %8s | 3676 |
| 317 | DOZDATA | date | 8 | 0 | %8s | 3684 |
| 318 | DOZKW | number | 10 | 2 | %10s | 3692 |
| 319 | KODPOKR | character | 2 | 0 | %-2s | 3702 |
| 320 | WSPGOSP | character | 1 | 0 | %-1s | 3704 |
| 321 | NIEZDPR | character | 2 | 0 | %-2s | 3705 |
| 322 | NIEZDPR1 | date | 8 | 0 | %8s | 3707 |
| 323 | NIEZDPR2 | date | 8 | 0 | %8s | 3715 |
| 324 | STGOR | character | 6 | 0 | %-6s | 3723 |
| 325 | STGOR1 | date | 8 | 0 | %8s | 3729 |
| 326 | STGOR2 | date | 8 | 0 | %8s | 3737 |
| 327 | SZCZWAR | character | 9 | 0 | %-9s | 3745 |
| 328 | SZCZWAR1 | date | 8 | 0 | %8s | 3754 |
| 329 | SZCZWAR2 | date | 8 | 0 | %8s | 3762 |
| 330 | KCH | character | 3 | 0 | %-3s | 3770 |

| | | | | | | |
|-----|----------|-----------|----|---|-------|------|
| 331 | KCHDATA | date | 8 | 0 | %8s | 3773 |
| 332 | PRZEKRER | character | 1 | 0 | %-1s | 3781 |
| 333 | PRZEKRSU | number | 12 | 2 | %12s | 3782 |
| 334 | ZGWYP | date | 8 | 0 | %8s | 3794 |
| 335 | XPESEL | character | 11 | 0 | %-11s | 3802 |
| 336 | XNRID | character | 13 | 0 | %-13s | 3813 |
| 337 | XDOWID | character | 1 | 0 | %-1s | 3826 |
| 338 | XDOWTOZ | character | 15 | 0 | %-15s | 3827 |
| 339 | XNAZW | character | 40 | 0 | %-40s | 3842 |
| 340 | XIMIE | character | 30 | 0 | %-30s | 3882 |
| 341 | XDATAUR | date | 8 | 0 | %8s | 3912 |
| 342 | WUKOR | character | 1 | 0 | %-1s | 3920 |
| 343 | WUNAD | date | 8 | 0 | %8s | 3921 |
| 344 | WUED | date | 8 | 0 | %8s | 3929 |
| 345 | WUEK | character | 3 | 0 | %-3s | 3937 |
| 346 | WURD | date | 8 | 0 | %8s | 3940 |
| 347 | WURK | character | 3 | 0 | %-3s | 3948 |
| 348 | WUCD | date | 8 | 0 | %8s | 3951 |
| 349 | WUCK | character | 3 | 0 | %-3s | 3959 |
| 350 | WUWD | date | 8 | 0 | %8s | 3962 |
| 351 | WUWK | character | 3 | 0 | %-3s | 3970 |
| 352 | WUZD | date | 8 | 0 | %8s | 3973 |
| 353 | WUZK | character | 3 | 0 | %-3s | 3981 |
| 354 | PODMUB2 | character | 4 | 0 | %-4s | 3984 |
| 355 | KODEMRE2 | character | 1 | 0 | %-1s | 3988 |
| 356 | KODNIEP2 | character | 1 | 0 | %-1s | 3989 |
| 357 | WUKD | date | 8 | 0 | %8s | 3990 |
| 358 | RWZ | character | 1 | 0 | %-1s | 3998 |
| 359 | ROKZM | character | 4 | 0 | %-4s | 3999 |
| 360 | MCZM | character | 2 | 0 | %-2s | 4003 |
| 361 | NRZMP | character | 1 | 0 | %-1s | 4005 |
| 362 | NRKRP | character | 2 | 0 | %-2s | 4006 |
| 363 | BCP | number | 7 | 2 | %7s | 4008 |
| 364 | BCP2 | number | 7 | 2 | %7s | 4015 |
| 365 | DOBWYSL | character | 56 | 0 | %-56s | 4022 |
| 366 | DATAUM2 | date | 8 | 0 | %8s | 4078 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: PERA.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: PERP.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | SYMBOL | character | 8 | 0 | %-8s | 7 |
| 3 | TYP | character | 1 | 0 | %-1s | 15 |
| 4 | WARTOSC | character | 13 | 0 | %-13s | 16 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: PRZEL_01.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | SYM_B | character | 2 | 0 | %-2s | 1 |
| 2 | NREW | character | 10 | 0 | %-10s | 3 |
| 3 | PLZLECPP | character | 20 | 0 | %-20s | 13 |
| 4 | WYRPRZ | character | 6 | 0 | %-6s | 33 |
| 5 | NAZWA | character | 40 | 0 | %-40s | 39 |
| 6 | NAZ_1 | character | 45 | 0 | %-45s | 79 |
| 7 | NAZ_2 | character | 25 | 0 | %-25s | 124 |
| 8 | NAZ_3 | character | 25 | 0 | %-25s | 149 |
| 9 | ZAMUL | character | 30 | 0 | %-30s | 174 |
| 10 | ZAMNRD | character | 9 | 0 | %-9s | 204 |
| 11 | ZAMNRM | character | 5 | 0 | %-5s | 213 |
| 12 | ZAMKOD | character | 5 | 0 | %-5s | 218 |
| 13 | ZAMMSCW | character | 24 | 0 | %-24s | 223 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|-----|
| 14 | BANK_ID | character | 6 | 0 | %-6s | 247 |
| 15 | BANK_N | character | 40 | 0 | %-40s | 253 |
| 16 | BANK_KNT | character | 60 | 0 | %-60s | 293 |
| 17 | BANK_BIC | character | 11 | 0 | %-11s | 353 |
| 18 | OPIS | character | 190 | 0 | %-190s | 364 |
| 19 | DATA | date | 8 | 0 | %8s | 554 |
| 20 | WARTOSC | number | 14 | 5 | %14s | 562 |
| 21 | PRZEL_OK | character | 1 | 0 | %-1s | 576 |
| 22 | PLATNIK | character | 20 | 0 | %-20s | 577 |
| 23 | PPP_IDX | character | 20 | 0 | %-20s | 597 |
| 24 | FLAG | character | 1 | 0 | %-1s | 617 |
| 25 | NRRECPB | number | 9 | 0 | %9s | 618 |
| 26 | DINFO | character | 60 | 0 | %-60s | 627 |
| 27 | PPP_OPIS | character | 40 | 0 | %-40s | 687 |
| 28 | PKODWYR | character | 30 | 0 | %-30s | 727 |
| 29 | PRZEL_H | character | 1 | 0 | %-1s | 757 |
| 30 | PM__SOP | character | 10 | 0 | %-10s | 758 |
| 31 | M__SOP | character | 10 | 0 | %-10s | 768 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: PRZEL_02.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | SYM_B | character | 2 | 0 | %-2s | 1 |
| 2 | NREW | character | 10 | 0 | %-10s | 3 |
| 3 | PLZLECPP | character | 20 | 0 | %-20s | 13 |
| 4 | WYRPRZ | character | 6 | 0 | %-6s | 33 |
| 5 | NAZWA | character | 40 | 0 | %-40s | 39 |
| 6 | NAZ_1 | character | 45 | 0 | %-45s | 79 |
| 7 | NAZ_2 | character | 25 | 0 | %-25s | 124 |
| 8 | NAZ_3 | character | 25 | 0 | %-25s | 149 |
| 9 | ZAMUL | character | 30 | 0 | %-30s | 174 |
| 10 | ZAMNRD | character | 9 | 0 | %-9s | 204 |
| 11 | ZAMNRM | character | 5 | 0 | %-5s | 213 |
| 12 | ZAMKOD | character | 5 | 0 | %-5s | 218 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|-----|
| 13 | ZAMMSCW | character | 24 | 0 | %-24s | 223 |
| 14 | BANK_ID | character | 6 | 0 | %-6s | 247 |
| 15 | BANK_N | character | 40 | 0 | %-40s | 253 |
| 16 | BANK_KNT | character | 60 | 0 | %-60s | 293 |
| 17 | BANK_BIC | character | 11 | 0 | %-11s | 353 |
| 18 | OPIS | character | 190 | 0 | %-190s | 364 |
| 19 | DATA | date | 8 | 0 | %8s | 554 |
| 20 | WARTOSC | number | 14 | 5 | %14s | 562 |
| 21 | PRZEL_OK | character | 1 | 0 | %-1s | 576 |
| 22 | PLATNIK | character | 20 | 0 | %-20s | 577 |
| 23 | PPP_IDX | character | 20 | 0 | %-20s | 597 |
| 24 | FLAG | character | 1 | 0 | %-1s | 617 |
| 25 | NRRECPB | number | 9 | 0 | %9s | 618 |
| 26 | DINFO | character | 60 | 0 | %-60s | 627 |
| 27 | PPP_OPIS | character | 40 | 0 | %-40s | 687 |
| 28 | PKODWYR | character | 30 | 0 | %-30s | 727 |
| 29 | PRZEL_H | character | 1 | 0 | %-1s | 757 |
| 30 | PM__SOP | character | 10 | 0 | %-10s | 758 |
| 31 | M__SOP | character | 10 | 0 | %-10s | 768 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: PRZEL_03.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | SYM_B | character | 2 | 0 | %-2s | 1 |
| 2 | NREW | character | 10 | 0 | %-10s | 3 |
| 3 | PLZLECPP | character | 20 | 0 | %-20s | 13 |
| 4 | WYRPRZ | character | 6 | 0 | %-6s | 33 |
| 5 | NAZWA | character | 40 | 0 | %-40s | 39 |
| 6 | NAZ_1 | character | 45 | 0 | %-45s | 79 |
| 7 | NAZ_2 | character | 25 | 0 | %-25s | 124 |
| 8 | NAZ_3 | character | 25 | 0 | %-25s | 149 |
| 9 | ZAMUL | character | 30 | 0 | %-30s | 174 |
| 10 | ZAMNRD | character | 9 | 0 | %-9s | 204 |
| 11 | ZAMNRM | character | 5 | 0 | %-5s | 213 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|-----|
| 12 | ZAMKOD | character | 5 | 0 | %-5s | 218 |
| 13 | ZAMMSCW | character | 24 | 0 | %-24s | 223 |
| 14 | BANK_ID | character | 6 | 0 | %-6s | 247 |
| 15 | BANK_N | character | 40 | 0 | %-40s | 253 |
| 16 | BANK_KNT | character | 60 | 0 | %-60s | 293 |
| 17 | BANK_BIC | character | 11 | 0 | %-11s | 353 |
| 18 | OPIS | character | 190 | 0 | %-190s | 364 |
| 19 | DATA | date | 8 | 0 | %8s | 554 |
| 20 | WARTOSC | number | 14 | 5 | %14s | 562 |
| 21 | PRZEL_OK | character | 1 | 0 | %-1s | 576 |
| 22 | PLATNIK | character | 20 | 0 | %-20s | 577 |
| 23 | PPP_IDX | character | 20 | 0 | %-20s | 597 |
| 24 | FLAG | character | 1 | 0 | %-1s | 617 |
| 25 | NRRECPB | number | 9 | 0 | %9s | 618 |
| 26 | DINFO | character | 60 | 0 | %-60s | 627 |
| 27 | PPP_OPIS | character | 40 | 0 | %-40s | 687 |
| 28 | PKODWYR | character | 30 | 0 | %-30s | 727 |
| 29 | PRZEL_H | character | 1 | 0 | %-1s | 757 |
| 30 | PM__SOP | character | 10 | 0 | %-10s | 758 |
| 31 | M__SOP | character | 10 | 0 | %-10s | 768 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: PRZEL_04.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | SYM_B | character | 2 | 0 | %-2s | 1 |
| 2 | NREW | character | 10 | 0 | %-10s | 3 |
| 3 | PLZLECPP | character | 20 | 0 | %-20s | 13 |
| 4 | WYRPRZ | character | 6 | 0 | %-6s | 33 |
| 5 | NAZWA | character | 40 | 0 | %-40s | 39 |
| 6 | NAZ_1 | character | 45 | 0 | %-45s | 79 |
| 7 | NAZ_2 | character | 25 | 0 | %-25s | 124 |
| 8 | NAZ_3 | character | 25 | 0 | %-25s | 149 |
| 9 | ZAMUL | character | 30 | 0 | %-30s | 174 |
| 10 | ZAMNRD | character | 9 | 0 | %-9s | 204 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|-----|
| 11 | ZAMNRM | character | 5 | 0 | %-5s | 213 |
| 12 | ZAMKOD | character | 5 | 0 | %-5s | 218 |
| 13 | ZAMMSCW | character | 24 | 0 | %-24s | 223 |
| 14 | BANK_ID | character | 6 | 0 | %-6s | 247 |
| 15 | BANK_N | character | 40 | 0 | %-40s | 253 |
| 16 | BANK_KNT | character | 60 | 0 | %-60s | 293 |
| 17 | BANK_BIC | character | 11 | 0 | %-11s | 353 |
| 18 | OPIS | character | 190 | 0 | %-190s | 364 |
| 19 | DATA | date | 8 | 0 | %8s | 554 |
| 20 | WARTOSC | number | 14 | 5 | %14s | 562 |
| 21 | PRZEL_OK | character | 1 | 0 | %-1s | 576 |
| 22 | PLATNIK | character | 20 | 0 | %-20s | 577 |
| 23 | PPP_IDX | character | 20 | 0 | %-20s | 597 |
| 24 | FLAG | character | 1 | 0 | %-1s | 617 |
| 25 | NRRECPB | number | 9 | 0 | %9s | 618 |
| 26 | DINFO | character | 60 | 0 | %-60s | 627 |
| 27 | PPP_OPIS | character | 40 | 0 | %-40s | 687 |
| 28 | PKODWYR | character | 30 | 0 | %-30s | 727 |
| 29 | PRZEL_H | character | 1 | 0 | %-1s | 757 |
| 30 | PM__SOP | character | 10 | 0 | %-10s | 758 |
| 31 | M__SOP | character | 10 | 0 | %-10s | 768 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: PRZEL_05.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYM_B | character | 2 | 0 | %-2s | 1 |
| 2 | NREW | character | 10 | 0 | %-10s | 3 |
| 3 | PLZLECPP | character | 20 | 0 | %-20s | 13 |
| 4 | WYRPRZ | character | 6 | 0 | %-6s | 33 |
| 5 | NAZWA | character | 40 | 0 | %-40s | 39 |
| 6 | NAZ_1 | character | 45 | 0 | %-45s | 79 |
| 7 | NAZ_2 | character | 25 | 0 | %-25s | 124 |
| 8 | NAZ_3 | character | 25 | 0 | %-25s | 149 |
| 9 | ZAMUL | character | 30 | 0 | %-30s | 174 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|-----|
| 10 | ZAMNRD | character | 9 | 0 | %-9s | 204 |
| 11 | ZAMNRM | character | 5 | 0 | %-5s | 213 |
| 12 | ZAMKOD | character | 5 | 0 | %-5s | 218 |
| 13 | ZAMMSCW | character | 24 | 0 | %-24s | 223 |
| 14 | BANK_ID | character | 6 | 0 | %-6s | 247 |
| 15 | BANK_N | character | 40 | 0 | %-40s | 253 |
| 16 | BANK_KNT | character | 60 | 0 | %-60s | 293 |
| 17 | BANK_BIC | character | 11 | 0 | %-11s | 353 |
| 18 | OPIS | character | 190 | 0 | %-190s | 364 |
| 19 | DATA | date | 8 | 0 | %8s | 554 |
| 20 | WARTOSC | number | 14 | 5 | %14s | 562 |
| 21 | PRZEL_OK | character | 1 | 0 | %-1s | 576 |
| 22 | PLATNIK | character | 20 | 0 | %-20s | 577 |
| 23 | PPP_IDX | character | 20 | 0 | %-20s | 597 |
| 24 | FLAG | character | 1 | 0 | %-1s | 617 |
| 25 | NRRECPB | number | 9 | 0 | %9s | 618 |
| 26 | DINFO | character | 60 | 0 | %-60s | 627 |
| 27 | PPP_OPIS | character | 40 | 0 | %-40s | 687 |
| 28 | PKODWYR | character | 30 | 0 | %-30s | 727 |
| 29 | PRZEL_H | character | 1 | 0 | %-1s | 757 |
| 30 | PM__SOP | character | 10 | 0 | %-10s | 758 |
| 31 | M__SOP | character | 10 | 0 | %-10s | 768 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: PRZEL_06.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYM_B | character | 2 | 0 | %-2s | 1 |
| 2 | NREW | character | 10 | 0 | %-10s | 3 |
| 3 | PLZLECPP | character | 20 | 0 | %-20s | 13 |
| 4 | WYRPRZ | character | 6 | 0 | %-6s | 33 |
| 5 | NAZWA | character | 40 | 0 | %-40s | 39 |
| 6 | NAZ_1 | character | 45 | 0 | %-45s | 79 |
| 7 | NAZ_2 | character | 25 | 0 | %-25s | 124 |
| 8 | NAZ_3 | character | 25 | 0 | %-25s | 149 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|-----|
| 9 | ZAMUL | character | 30 | 0 | %-30s | 174 |
| 10 | ZAMNRD | character | 9 | 0 | %-9s | 204 |
| 11 | ZAMNRM | character | 5 | 0 | %-5s | 213 |
| 12 | ZAMKOD | character | 5 | 0 | %-5s | 218 |
| 13 | ZAMMSCW | character | 24 | 0 | %-24s | 223 |
| 14 | BANK_ID | character | 6 | 0 | %-6s | 247 |
| 15 | BANK_N | character | 40 | 0 | %-40s | 253 |
| 16 | BANK_KNT | character | 60 | 0 | %-60s | 293 |
| 17 | BANK_BIC | character | 11 | 0 | %-11s | 353 |
| 18 | OPIS | character | 190 | 0 | %-190s | 364 |
| 19 | DATA | date | 8 | 0 | %8s | 554 |
| 20 | WARTOSC | number | 14 | 5 | %14s | 562 |
| 21 | PRZEL_OK | character | 1 | 0 | %-1s | 576 |
| 22 | PLATNIK | character | 20 | 0 | %-20s | 577 |
| 23 | PPP_IDX | character | 20 | 0 | %-20s | 597 |
| 24 | FLAG | character | 1 | 0 | %-1s | 617 |
| 25 | NRRECPB | number | 9 | 0 | %9s | 618 |
| 26 | DINFO | character | 60 | 0 | %-60s | 627 |
| 27 | PPP_OPIS | character | 40 | 0 | %-40s | 687 |
| 28 | PKODWYR | character | 30 | 0 | %-30s | 727 |
| 29 | PRZEL_H | character | 1 | 0 | %-1s | 757 |
| 30 | PM__SOP | character | 10 | 0 | %-10s | 758 |
| 31 | M__SOP | character | 10 | 0 | %-10s | 768 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: PRZEL_07.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYM_B | character | 2 | 0 | %-2s | 1 |
| 2 | NREW | character | 10 | 0 | %-10s | 3 |
| 3 | PLZLECPP | character | 20 | 0 | %-20s | 13 |
| 4 | WYRPRZ | character | 6 | 0 | %-6s | 33 |
| 5 | NAZWA | character | 40 | 0 | %-40s | 39 |
| 6 | NAZ_1 | character | 45 | 0 | %-45s | 79 |
| 7 | NAZ_2 | character | 25 | 0 | %-25s | 124 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|-----|
| 8 | NAZ_3 | character | 25 | 0 | %-25s | 149 |
| 9 | ZAMUL | character | 30 | 0 | %-30s | 174 |
| 10 | ZAMNRD | character | 9 | 0 | %-9s | 204 |
| 11 | ZAMNRM | character | 5 | 0 | %-5s | 213 |
| 12 | ZAMKOD | character | 5 | 0 | %-5s | 218 |
| 13 | ZAMMSCW | character | 24 | 0 | %-24s | 223 |
| 14 | BANK_ID | character | 6 | 0 | %-6s | 247 |
| 15 | BANK_N | character | 40 | 0 | %-40s | 253 |
| 16 | BANK_KNT | character | 60 | 0 | %-60s | 293 |
| 17 | BANK_BIC | character | 11 | 0 | %-11s | 353 |
| 18 | OPIS | character | 190 | 0 | %-190s | 364 |
| 19 | DATA | date | 8 | 0 | %8s | 554 |
| 20 | WARTOSC | number | 14 | 5 | %14s | 562 |
| 21 | PRZEL_OK | character | 1 | 0 | %-1s | 576 |
| 22 | PLATNIK | character | 20 | 0 | %-20s | 577 |
| 23 | PPP_IDX | character | 20 | 0 | %-20s | 597 |
| 24 | FLAG | character | 1 | 0 | %-1s | 617 |
| 25 | NRRECPB | number | 9 | 0 | %9s | 618 |
| 26 | DINFO | character | 60 | 0 | %-60s | 627 |
| 27 | PPP_OPIS | character | 40 | 0 | %-40s | 687 |
| 28 | PKODWYR | character | 30 | 0 | %-30s | 727 |
| 29 | PRZEL_H | character | 1 | 0 | %-1s | 757 |
| 30 | PM__SOP | character | 10 | 0 | %-10s | 758 |
| 31 | M__SOP | character | 10 | 0 | %-10s | 768 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: PRZEL_08.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYM_B | character | 2 | 0 | %-2s | 1 |
| 2 | NREW | character | 10 | 0 | %-10s | 3 |
| 3 | PLZLECPP | character | 20 | 0 | %-20s | 13 |
| 4 | WYRPRZ | character | 6 | 0 | %-6s | 33 |
| 5 | NAZWA | character | 40 | 0 | %-40s | 39 |
| 6 | NAZ_1 | character | 45 | 0 | %-45s | 79 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|-----|
| 7 | NAZ_2 | character | 25 | 0 | %-25s | 124 |
| 8 | NAZ_3 | character | 25 | 0 | %-25s | 149 |
| 9 | ZAMUL | character | 30 | 0 | %-30s | 174 |
| 10 | ZAMNRD | character | 9 | 0 | %-9s | 204 |
| 11 | ZAMNRM | character | 5 | 0 | %-5s | 213 |
| 12 | ZAMKOD | character | 5 | 0 | %-5s | 218 |
| 13 | ZAMMSCW | character | 24 | 0 | %-24s | 223 |
| 14 | BANK_ID | character | 6 | 0 | %-6s | 247 |
| 15 | BANK_N | character | 40 | 0 | %-40s | 253 |
| 16 | BANK_KNT | character | 60 | 0 | %-60s | 293 |
| 17 | BANK_BIC | character | 11 | 0 | %-11s | 353 |
| 18 | OPIS | character | 190 | 0 | %-190s | 364 |
| 19 | DATA | date | 8 | 0 | %8s | 554 |
| 20 | WARTOSC | number | 14 | 5 | %14s | 562 |
| 21 | PRZEL_OK | character | 1 | 0 | %-1s | 576 |
| 22 | PLATNIK | character | 20 | 0 | %-20s | 577 |
| 23 | PPP_IDX | character | 20 | 0 | %-20s | 597 |
| 24 | FLAG | character | 1 | 0 | %-1s | 617 |
| 25 | NRRECPB | number | 9 | 0 | %9s | 618 |
| 26 | DINFO | character | 60 | 0 | %-60s | 627 |
| 27 | PPP_OPIS | character | 40 | 0 | %-40s | 687 |
| 28 | PKODWYR | character | 30 | 0 | %-30s | 727 |
| 29 | PRZEL_H | character | 1 | 0 | %-1s | 757 |
| 30 | PM__SOP | character | 10 | 0 | %-10s | 758 |
| 31 | M__SOP | character | 10 | 0 | %-10s | 768 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: PRZEL_09.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYM_B | character | 2 | 0 | %-2s | 1 |
| 2 | NREW | character | 10 | 0 | %-10s | 3 |
| 3 | PLZLECPP | character | 20 | 0 | %-20s | 13 |
| 4 | WYRPRZ | character | 6 | 0 | %-6s | 33 |
| 5 | NAZWA | character | 40 | 0 | %-40s | 39 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|-----|
| 6 | NAZ_1 | character | 45 | 0 | %-45s | 79 |
| 7 | NAZ_2 | character | 25 | 0 | %-25s | 124 |
| 8 | NAZ_3 | character | 25 | 0 | %-25s | 149 |
| 9 | ZAMUL | character | 30 | 0 | %-30s | 174 |
| 10 | ZAMNRD | character | 9 | 0 | %-9s | 204 |
| 11 | ZAMNRM | character | 5 | 0 | %-5s | 213 |
| 12 | ZAMKOD | character | 5 | 0 | %-5s | 218 |
| 13 | ZAMMSCW | character | 24 | 0 | %-24s | 223 |
| 14 | BANK_ID | character | 6 | 0 | %-6s | 247 |
| 15 | BANK_N | character | 40 | 0 | %-40s | 253 |
| 16 | BANK_KNT | character | 60 | 0 | %-60s | 293 |
| 17 | BANK_BIC | character | 11 | 0 | %-11s | 353 |
| 18 | OPIS | character | 190 | 0 | %-190s | 364 |
| 19 | DATA | date | 8 | 0 | %8s | 554 |
| 20 | WARTOSC | number | 14 | 5 | %14s | 562 |
| 21 | PRZEL_OK | character | 1 | 0 | %-1s | 576 |
| 22 | PLATNIK | character | 20 | 0 | %-20s | 577 |
| 23 | PPP_IDX | character | 20 | 0 | %-20s | 597 |
| 24 | FLAG | character | 1 | 0 | %-1s | 617 |
| 25 | NRRECPB | number | 9 | 0 | %9s | 618 |
| 26 | DINFO | character | 60 | 0 | %-60s | 627 |
| 27 | PPP_OPIS | character | 40 | 0 | %-40s | 687 |
| 28 | PKODWYR | character | 30 | 0 | %-30s | 727 |
| 29 | PRZEL_H | character | 1 | 0 | %-1s | 757 |
| 30 | PM__SOP | character | 10 | 0 | %-10s | 758 |
| 31 | M__SOP | character | 10 | 0 | %-10s | 768 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: PRZEL_10.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYM_B | character | 2 | 0 | %-2s | 1 |
| 2 | NREW | character | 10 | 0 | %-10s | 3 |
| 3 | PLZLECPP | character | 20 | 0 | %-20s | 13 |
| 4 | WYRPRZ | character | 6 | 0 | %-6s | 33 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|-----|
| 5 | NAZWA | character | 40 | 0 | %-40s | 39 |
| 6 | NAZ_1 | character | 45 | 0 | %-45s | 79 |
| 7 | NAZ_2 | character | 25 | 0 | %-25s | 124 |
| 8 | NAZ_3 | character | 25 | 0 | %-25s | 149 |
| 9 | ZAMUL | character | 30 | 0 | %-30s | 174 |
| 10 | ZAMNRD | character | 9 | 0 | %-9s | 204 |
| 11 | ZAMNRM | character | 5 | 0 | %-5s | 213 |
| 12 | ZAMKOD | character | 5 | 0 | %-5s | 218 |
| 13 | ZAMMSCW | character | 24 | 0 | %-24s | 223 |
| 14 | BANK_ID | character | 6 | 0 | %-6s | 247 |
| 15 | BANK_N | character | 40 | 0 | %-40s | 253 |
| 16 | BANK_KNT | character | 60 | 0 | %-60s | 293 |
| 17 | BANK_BIC | character | 11 | 0 | %-11s | 353 |
| 18 | OPIS | character | 190 | 0 | %-190s | 364 |
| 19 | DATA | date | 8 | 0 | %8s | 554 |
| 20 | WARTOSC | number | 14 | 5 | %14s | 562 |
| 21 | PRZEL_OK | character | 1 | 0 | %-1s | 576 |
| 22 | PLATNIK | character | 20 | 0 | %-20s | 577 |
| 23 | PPP_IDX | character | 20 | 0 | %-20s | 597 |
| 24 | FLAG | character | 1 | 0 | %-1s | 617 |
| 25 | NRRECPB | number | 9 | 0 | %9s | 618 |
| 26 | DINFO | character | 60 | 0 | %-60s | 627 |
| 27 | PPP_OPIS | character | 40 | 0 | %-40s | 687 |
| 28 | PKODWYR | character | 30 | 0 | %-30s | 727 |
| 29 | PRZEL_H | character | 1 | 0 | %-1s | 757 |
| 30 | PM__SOP | character | 10 | 0 | %-10s | 758 |
| 31 | M__SOP | character | 10 | 0 | %-10s | 768 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: PRZEL_11.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYM_B | character | 2 | 0 | %-2s | 1 |
| 2 | NREW | character | 10 | 0 | %-10s | 3 |
| 3 | PLZLECPP | character | 20 | 0 | %-20s | 13 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|-----|
| 4 | WYRPRZ | character | 6 | 0 | %-6s | 33 |
| 5 | NAZWA | character | 40 | 0 | %-40s | 39 |
| 6 | NAZ_1 | character | 45 | 0 | %-45s | 79 |
| 7 | NAZ_2 | character | 25 | 0 | %-25s | 124 |
| 8 | NAZ_3 | character | 25 | 0 | %-25s | 149 |
| 9 | ZAMUL | character | 30 | 0 | %-30s | 174 |
| 10 | ZAMNRD | character | 9 | 0 | %-9s | 204 |
| 11 | ZAMNRM | character | 5 | 0 | %-5s | 213 |
| 12 | ZAMKOD | character | 5 | 0 | %-5s | 218 |
| 13 | ZAMMSCW | character | 24 | 0 | %-24s | 223 |
| 14 | BANK_ID | character | 6 | 0 | %-6s | 247 |
| 15 | BANK_N | character | 40 | 0 | %-40s | 253 |
| 16 | BANK_KNT | character | 60 | 0 | %-60s | 293 |
| 17 | BANK_BIC | character | 11 | 0 | %-11s | 353 |
| 18 | OPIS | character | 190 | 0 | %-190s | 364 |
| 19 | DATA | date | 8 | 0 | %8s | 554 |
| 20 | WARTOSC | number | 14 | 5 | %14s | 562 |
| 21 | PRZEL_OK | character | 1 | 0 | %-1s | 576 |
| 22 | PLATNIK | character | 20 | 0 | %-20s | 577 |
| 23 | PPP_IDX | character | 20 | 0 | %-20s | 597 |
| 24 | FLAG | character | 1 | 0 | %-1s | 617 |
| 25 | NRRECPB | number | 9 | 0 | %9s | 618 |
| 26 | DINFO | character | 60 | 0 | %-60s | 627 |
| 27 | PPP_OPIS | character | 40 | 0 | %-40s | 687 |
| 28 | PKODWYR | character | 30 | 0 | %-30s | 727 |
| 29 | PRZEL_H | character | 1 | 0 | %-1s | 757 |
| 30 | PM__SOP | character | 10 | 0 | %-10s | 758 |
| 31 | M__SOP | character | 10 | 0 | %-10s | 768 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: PRZEL_12.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|--------|--------|
| 1 | SYM_B | character | 2 | 0 | %-2s | 1 |
| 2 | NREW | character | 10 | 0 | %-10s | 3 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|-----|
| 3 | PLZLECPP | character | 20 | 0 | %-20s | 13 |
| 4 | WYRPRZ | character | 6 | 0 | %-6s | 33 |
| 5 | NAZWA | character | 40 | 0 | %-40s | 39 |
| 6 | NAZ_1 | character | 45 | 0 | %-45s | 79 |
| 7 | NAZ_2 | character | 25 | 0 | %-25s | 124 |
| 8 | NAZ_3 | character | 25 | 0 | %-25s | 149 |
| 9 | ZAMUL | character | 30 | 0 | %-30s | 174 |
| 10 | ZAMNRD | character | 9 | 0 | %-9s | 204 |
| 11 | ZAMNRM | character | 5 | 0 | %-5s | 213 |
| 12 | ZAMKOD | character | 5 | 0 | %-5s | 218 |
| 13 | ZAMMSCW | character | 24 | 0 | %-24s | 223 |
| 14 | BANK_ID | character | 6 | 0 | %-6s | 247 |
| 15 | BANK_N | character | 40 | 0 | %-40s | 253 |
| 16 | BANK_KNT | character | 60 | 0 | %-60s | 293 |
| 17 | BANK_BIC | character | 11 | 0 | %-11s | 353 |
| 18 | OPIS | character | 190 | 0 | %-190s | 364 |
| 19 | DATA | date | 8 | 0 | %8s | 554 |
| 20 | WARTOSC | number | 14 | 5 | %14s | 562 |
| 21 | PRZEL_OK | character | 1 | 0 | %-1s | 576 |
| 22 | PLATNIK | character | 20 | 0 | %-20s | 577 |
| 23 | PPP_IDX | character | 20 | 0 | %-20s | 597 |
| 24 | FLAG | character | 1 | 0 | %-1s | 617 |
| 25 | NRRECPB | number | 9 | 0 | %9s | 618 |
| 26 | DINFO | character | 60 | 0 | %-60s | 627 |
| 27 | PPP_OPIS | character | 40 | 0 | %-40s | 687 |
| 28 | PKODWYR | character | 30 | 0 | %-30s | 727 |
| 29 | PRZEL_H | character | 1 | 0 | %-1s | 757 |
| 30 | PM__SOP | character | 10 | 0 | %-10s | 758 |
| 31 | M__SOP | character | 10 | 0 | %-10s | 768 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: RAPORTY.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NR_RAP | character | 5 | 0 | %-5s | 1 |

| | | | | | | |
|---|----------|-----------|-----|---|--------|-----|
| 2 | NAZWA | character | 64 | 0 | %-64s | 6 |
| 3 | TYTUL | character | 128 | 0 | %-128s | 70 |
| 4 | LST_OPER | character | 200 | 0 | %-200s | 198 |
| 5 | SYSTEMY | character | 30 | 0 | %-30s | 398 |
| 6 | KLUCZE | character | 256 | 0 | %-256s | 428 |
| 7 | M__SOP | character | 10 | 0 | %-10s | 684 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: RAPPROC.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | DATA | date | 8 | 0 | %8s | 1 |
| 2 | CZAS | character | 8 | 0 | %-8s | 9 |
| 3 | OPER | character | 3 | 0 | %-3s | 17 |
| 4 | NAZWA | character | 64 | 0 | %-64s | 20 |
| 5 | RAPORT | memo | 10 | 0 | %s | 84 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: RP7.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | DATAZATR | date | 8 | 0 | %8s | 7 |
| 3 | DATAZWOL | date | 8 | 0 | %8s | 15 |
| 4 | KODSTAN | character | 6 | 0 | %-6s | 23 |
| 5 | LUE | number | 3 | 0 | %3s | 29 |
| 6 | MUE | number | 3 | 0 | %3s | 32 |
| 7 | WYND0 | date | 8 | 0 | %8s | 35 |
| 8 | ZASOD | date | 8 | 0 | %8s | 43 |
| 9 | ZASDO | date | 8 | 0 | %8s | 51 |
| 10 | OKZDO | date | 8 | 0 | %8s | 59 |
| 11 | LATOST | number | 2 | 0 | %2s | 67 |
| 12 | ILELAT | number | 2 | 0 | %2s | 69 |

| | | | | | | |
|----|----------|-----------|------|---|---------|------|
| 13 | ROKOD | character | 4 | 0 | %-4s | 71 |
| 14 | ROKDO | character | 4 | 0 | %-4s | 75 |
| 15 | SRPROC | number | 8 | 2 | %8s | 79 |
| 16 | INFDOD1 | character | 1000 | 0 | %-1000s | 87 |
| 17 | INFDOD2 | character | 134 | 0 | %-134s | 1087 |
| 18 | INFDOD3 | character | 134 | 0 | %-134s | 1221 |
| 19 | INFDOK1 | character | 1000 | 0 | %-1000s | 1355 |
| 20 | INFDOK2 | character | 134 | 0 | %-134s | 2355 |
| 21 | INFDOK3 | character | 134 | 0 | %-134s | 2489 |
| 22 | DATAWYST | date | 8 | 0 | %8s | 2623 |
| 23 | ZRODLO | character | 1 | 0 | %-1s | 2631 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: RP7W.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | DATAZATR | date | 8 | 0 | %8s | 7 |
| 3 | ROK | character | 4 | 0 | %-4s | 15 |
| 4 | WST | number | 13 | 2 | %13s | 19 |
| 5 | WPR | number | 13 | 2 | %13s | 32 |
| 6 | WIN | number | 13 | 2 | %13s | 45 |
| 7 | WWN | number | 13 | 2 | %13s | 58 |
| 8 | WZA | number | 13 | 2 | %13s | 71 |
| 9 | RPR | character | 25 | 0 | %-25s | 84 |
| 10 | RIN | character | 25 | 0 | %-25s | 109 |
| 11 | RWN | character | 25 | 0 | %-25s | 134 |
| 12 | WQU | number | 13 | 2 | %13s | 159 |
| 13 | ZRODLO | character | 1 | 0 | %-1s | 172 |
| 14 | LIMIT | character | 2 | 0 | %-2s | 173 |
| 15 | KWLIM | number | 13 | 2 | %13s | 175 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: RP7Z.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | DATAZATR | date | 8 | 0 | %8s | 7 |
| 3 | DATA | date | 8 | 0 | %8s | 15 |
| 4 | DATA2 | date | 8 | 0 | %8s | 23 |
| 5 | IDX | character | 3 | 0 | %-3s | 31 |
| 6 | IMIEDZ | character | 30 | 0 | %-30s | 34 |
| 7 | DATAUR | date | 8 | 0 | %8s | 64 |
| 8 | ZRODLO | character | 1 | 0 | %-1s | 72 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: SLOW.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|--------|--------|
| 1 | KOD | character | 3 | 0 | %-3s | 1 |
| 2 | TYP | character | 1 | 0 | %-1s | 4 |
| 3 | OPIS | character | 25 | 0 | %-25s | 5 |
| 4 | POMOC | character | 14 | 0 | %-14s | 30 |
| 5 | ZAMMC | character | 2 | 0 | %-2s | 44 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: SUM1.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|--------|--------|
| 1 | KLUCZ | character | 16 | 0 | %-16s | 1 |
| 2 | OPIS | character | 120 | 0 | %-120s | 17 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: SUM2.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|--------|-----------|--------|-----------|--------|--------|
| 1 | KLUCZ | character | 16 | 0 | %-16s | 1 |
| 2 | SKL | character | 6 | 0 | %-6s | 17 |
| 3 | OPIS | character | 25 | 0 | %-25s | 23 |
| 4 | WART01 | number | 12 | 2 | % 12s | 48 |
| 5 | WART02 | number | 12 | 2 | % 12s | 60 |
| 6 | WART03 | number | 12 | 2 | % 12s | 72 |
| 7 | WART04 | number | 12 | 2 | % 12s | 84 |
| 8 | WART05 | number | 12 | 2 | % 12s | 96 |
| 9 | WART06 | number | 12 | 2 | % 12s | 108 |
| 10 | WART07 | number | 12 | 2 | % 12s | 120 |
| 11 | WART08 | number | 12 | 2 | % 12s | 132 |
| 12 | WART09 | number | 12 | 2 | % 12s | 144 |
| 13 | WART10 | number | 12 | 2 | % 12s | 156 |
| 14 | WART11 | number | 12 | 2 | % 12s | 168 |
| 15 | WART12 | number | 12 | 2 | % 12s | 180 |
| 16 | WART13 | number | 12 | 2 | % 12s | 192 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: TKDZAD.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | SYMOPER | character | 3 | 0 | %-3s | 1 |
| 2 | INFO | character | 30 | 0 | %-30s | 4 |
| 3 | ZADSYM | character | 60 | 0 | %-60s | 34 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: WZ2.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|------|-----------|--------|-----------|---------|--------|
| 1 | KOD | character | 4 | 0 | %-4s | 1 |
| 2 | NRCZ | character | 3 | 0 | %-3s | 5 |
| 3 | WZOR | character | 1000 | 0 | %-1000s | 8 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: WZS.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 3 | 0 | %-3s | 1 |
| 2 | TYP | character | 1 | 0 | %-1s | 4 |
| 3 | PRZ | character | 1 | 0 | %-1s | 5 |
| 4 | PRW | number | 4 | 0 | %4s | 6 |
| 5 | OPIS | character | 40 | 0 | %-40s | 10 |
| 6 | POMOC | character | 15 | 0 | %-15s | 50 |
| 7 | MIANO | character | 2 | 0 | %-2s | 65 |
| 8 | KSW | character | 6 | 0 | %-6s | 67 |
| 9 | INFO | character | 24 | 0 | %-24s | 73 |
| 10 | INFOPERS | character | 40 | 0 | %-40s | 97 |
| 11 | FF | character | 1 | 0 | %-1s | 137 |
| 12 | FP | character | 2 | 0 | %-2s | 138 |
| 13 | FX | character | 2 | 0 | %-2s | 140 |
| 14 | FM | number | 2 | 0 | %2s | 142 |
| 15 | FD | number | 2 | 0 | %2s | 144 |
| 16 | FI | character | 12 | 0 | %-12s | 146 |
| 17 | ZRODLO | character | 1 | 0 | %-1s | 158 |
| 18 | WZORZ | character | 700 | 0 | %-700s | 159 |
| 19 | WZORW | character | 700 | 0 | %-700s | 859 |
| 20 | WZORV | character | 900 | 0 | %-900s | 1559 |
| 21 | PRZEDK | number | 2 | 0 | %2s | 2459 |
| 22 | POK | number | 1 | 0 | %1s | 2461 |
| 23 | OPISSZ | number | 2 | 0 | %2s | 2462 |
| 24 | OPISTXT | character | 14 | 0 | %-14s | 2464 |
| 25 | MXW | number | 12 | 2 | %12s | 2478 |
| 26 | ZAO | number | 10 | 5 | %10s | 2490 |
| 27 | MCPRZ | number | 1 | 0 | %1s | 2500 |
| 28 | SYMOPER | character | 3 | 0 | %-3s | 2501 |
| 29 | ZESOPER1 | character | 2 | 0 | %-2s | 2504 |
| 30 | ZESOPER2 | character | 2 | 0 | %-2s | 2506 |
| 31 | ZESOPER3 | character | 2 | 0 | %-2s | 2508 |

| | | | | | | |
|----|----------|-----------|---|---|------|------|
| 32 | ZESOPER4 | character | 2 | 0 | %-2s | 2510 |
| 33 | ZESOPER5 | character | 2 | 0 | %-2s | 2512 |
| 34 | ZESOPER6 | character | 2 | 0 | %-2s | 2514 |
| 35 | ZESOPER7 | character | 2 | 0 | %-2s | 2516 |
| 36 | ZESOPER8 | character | 2 | 0 | %-2s | 2518 |
| 37 | ZESOPER9 | character | 2 | 0 | %-2s | 2520 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: XPA.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | IDENT | character | 6 | 0 | %-6s | 1 |
| 2 | NRZ | character | 2 | 0 | %-2s | 7 |
| 3 | ALSRC | character | 8 | 0 | %-8s | 9 |
| 4 | PWYS | number | 2 | 0 | %2s | 17 |
| 5 | PSET | character | 10 | 0 | %-10s | 19 |
| 6 | PTYTUL | character | 30 | 0 | %-30s | 29 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: XPB.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|-------|-----------|--------|-----------|--------|--------|
| 1 | IDENT | character | 6 | 0 | %-6s | 1 |
| 2 | ALSRC | character | 8 | 0 | %-8s | 7 |
| 3 | NRK | character | 2 | 0 | %-2s | 15 |
| 4 | NRW | character | 2 | 0 | %-2s | 17 |
| 5 | SZER | number | 2 | 0 | %2s | 19 |
| 6 | NSET | character | 5 | 0 | %-5s | 21 |
| 7 | NAGL | character | 24 | 0 | %-24s | 26 |
| 8 | POLE | character | 10 | 0 | %-10s | 50 |
| 9 | WSET | character | 5 | 0 | %-5s | 60 |
| 10 | WEXP | character | 200 | 0 | %-200s | 65 |
| 11 | WPIC | character | 28 | 0 | %-28s | 265 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: XZA.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | IDENT | character | 6 | 0 | %-6s | 1 |
| 2 | TYTUL | character | 60 | 0 | %-60s | 7 |
| 3 | ALSTART | character | 8 | 0 | %-8s | 67 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: XZB.PL

| # | Name | Type | Length | Precision | Format | Offset |
|----|--------|-----------|--------|-----------|--------|--------|
| 1 | IDENT | character | 6 | 0 | %-6s | 1 |
| 2 | ALNR | character | 2 | 0 | %-2s | 7 |
| 3 | ALNAME | character | 8 | 0 | %-8s | 9 |
| 4 | BNAME | character | 12 | 0 | %-12s | 17 |
| 5 | PARNAZ | character | 8 | 0 | %-8s | 29 |
| 6 | SRCORD | character | 2 | 0 | %-2s | 37 |
| 7 | SRCBEG | character | 8 | 0 | %-8s | 39 |
| 8 | SRCEND | character | 8 | 0 | %-8s | 47 |
| 9 | SRCIF | character | 8 | 0 | %-8s | 55 |
| 10 | ALSAVE | character | 8 | 0 | %-8s | 63 |
| 11 | KVAL | character | 8 | 0 | %-8s | 71 |
| 12 | FSTART | character | 8 | 0 | %-8s | 79 |
| 13 | ALDOWN | character | 8 | 0 | %-8s | 87 |
| 14 | ALNEXT | character | 8 | 0 | %-8s | 95 |

Folder: E:\mikrobot test\PLBAZY

Nazwa pliku: XZD.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|--------|--------|
| 1 | IDENT | character | 6 | 0 | %-6s | 1 |
| 2 | ALDST | character | 8 | 0 | %-8s | 7 |
| 3 | FNR | character | 2 | 0 | %-2s | 15 |
| 4 | FNAZ | character | 8 | 0 | %-8s | 17 |
| 5 | FTYP | character | 1 | 0 | %-1s | 25 |
| 6 | FLEN | number | 5 | 1 | %5s | 26 |
| 7 | FVAL | character | 8 | 0 | %-8s | 31 |
| 8 | FNEXT | character | 8 | 0 | %-8s | 39 |
| 9 | KNEXT | character | 8 | 0 | %-8s | 47 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: XZP.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|--------|--------|
| 1 | IDENT | character | 6 | 0 | %-6s | 1 |
| 2 | PNR | character | 2 | 0 | %-2s | 7 |
| 3 | PNAME | character | 8 | 0 | %-8s | 9 |
| 4 | POPIS | character | 40 | 0 | %-40s | 17 |
| 5 | PVAL | character | 40 | 0 | %-40s | 57 |
| 6 | PPOCZ | character | 8 | 0 | %-8s | 97 |

Folder: E:\mikrobit test\PLBAZY

Nazwa pliku: XZW.PL

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|---------|--------|
| 1 | IDENT | character | 6 | 0 | %-6s | 1 |
| 2 | WNR | character | 3 | 0 | %-3s | 7 |
| 3 | KOD | character | 8 | 0 | %-8s | 10 |
| 4 | WOPIS | character | 24 | 0 | %-24s | 18 |
| 5 | WZOR | character | 1200 | 0 | %-1200s | 42 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: CALEND.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|---------|--------|
| 1 | ROK | character | 4 | 0 | %-4s | 1 |
| 2 | RCAL | character | 1 | 0 | %-1s | 5 |
| 3 | OPISROK | character | 372 | 0 | %-372s | 6 |
| 4 | OPISGODZ | character | 1488 | 0 | %-1488s | 378 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: DRUKPAR.PR

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | DRUK_ID | character | 8 | 0 | %-8s | 1 |
| 2 | DR_TYTUL | character | 50 | 0 | %-50s | 9 |
| 3 | NRSTAN | character | 2 | 0 | %-2s | 59 |
| 4 | OPER | character | 3 | 0 | %-3s | 61 |
| 5 | NUMPRT | character | 3 | 0 | %-3s | 64 |
| 6 | DRVPRT | character | 8 | 0 | %-8s | 67 |
| 7 | NGEST | number | 2 | 0 | %2s | 75 |
| 8 | NWIERSZ | number | 3 | 0 | %3s | 77 |
| 9 | LPLIK | character | 80 | 0 | %-80s | 80 |
| 10 | NMARGIN | number | 2 | 0 | %2s | 160 |
| 11 | NTOPMRG | number | 2 | 0 | %2s | 162 |
| 12 | STOPPAGE | number | 1 | 0 | %1s | 164 |
| 13 | NWYSUW | number | 1 | 0 | %1s | 165 |
| 14 | NNRPAGE | number | 3 | 0 | %3s | 166 |
| 15 | NODSTR | number | 4 | 0 | %4s | 169 |
| 16 | NDOSTR | number | 4 | 0 | %4s | 173 |
| 17 | NKOPIA | number | 3 | 0 | %3s | 177 |
| 18 | NSZPAP | number | 1 | 0 | %1s | 180 |
| 19 | NWYSPAP | number | 1 | 0 | %1s | 181 |
| 20 | NKIERUN | number | 1 | 0 | %1s | 182 |
| 21 | NORIENT | number | 1 | 0 | %1s | 183 |
| 22 | NFORMAT | character | 1 | 0 | %-1s | 184 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 23 | WINPRINT | character | 30 | 0 | %-30s | 185 |
| 24 | NDUPLEX | number | 1 | 0 | %1s | 215 |
| 25 | NXRSIDE | number | 1 | 0 | %1s | 216 |

Folder: E:\mikrobit test\PRBAZY

Nazwa pliku: DRUKWIN.PR

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | IDSYS | character | 2 | 0 | %-2s | 1 |
| 2 | OPER | character | 3 | 0 | %-3s | 3 |
| 3 | KLASA | character | 32 | 0 | %-32s | 6 |
| 4 | PRZEGL | character | 16 | 0 | %-16s | 38 |
| 5 | DRUKID | character | 64 | 0 | %-64s | 54 |
| 6 | ZAKRES | character | 6 | 0 | %-6s | 118 |
| 7 | FORMAT | character | 6 | 0 | %-6s | 124 |
| 8 | WINPRT | character | 220 | 0 | %-220s | 130 |
| 9 | PAPNAME | character | 24 | 0 | %-24s | 350 |
| 10 | ORIENTW | character | 7 | 0 | %-7s | 374 |
| 11 | LMARG | character | 7 | 0 | %-7s | 381 |
| 12 | PMARG | character | 7 | 0 | %-7s | 388 |
| 13 | GMARG | character | 7 | 0 | %-7s | 395 |
| 14 | DMARG | character | 7 | 0 | %-7s | 402 |
| 15 | FONTNAME | character | 48 | 0 | %-48s | 409 |
| 16 | FONTPROP | character | 6 | 0 | %-6s | 457 |
| 17 | FONTSIZE | character | 7 | 0 | %-7s | 463 |
| 18 | FONTDENS | character | 7 | 0 | %-7s | 470 |
| 19 | DOSPRT | character | 64 | 0 | %-64s | 477 |
| 20 | STERDOS | character | 8 | 0 | %-8s | 541 |
| 21 | ORIENTD | character | 7 | 0 | %-7s | 549 |
| 22 | ZNNACAL | character | 6 | 0 | %-6s | 556 |
| 23 | WRNASTR | character | 6 | 0 | %-6s | 562 |
| 24 | SZERPAP | character | 6 | 0 | %-6s | 568 |
| 25 | WYSPAP | character | 6 | 0 | %-6s | 574 |
| 26 | LMARGZN | character | 6 | 0 | %-6s | 580 |
| 27 | GMARGWR | character | 6 | 0 | %-6s | 586 |

| | | | | | | |
|----|-----------|-----------|-----|---|--------|------|
| 28 | FORMFEED | character | 6 | 0 | %-6s | 592 |
| 29 | LKOPII | character | 6 | 0 | %-6s | 598 |
| 30 | POWPKS | character | 6 | 0 | %-6s | 604 |
| 31 | STRROZ | character | 6 | 0 | %-6s | 610 |
| 32 | DRODOST | character | 6 | 0 | %-6s | 616 |
| 33 | NADRFORM | character | 6 | 0 | %-6s | 622 |
| 34 | STOPSTR | character | 6 | 0 | %-6s | 628 |
| 35 | DRBEZP | character | 6 | 0 | %-6s | 634 |
| 36 | TYTUL | character | 120 | 0 | %-120s | 640 |
| 37 | POD TYTUL | character | 120 | 0 | %-120s | 760 |
| 38 | WM_TYPE | character | 7 | 0 | %-7s | 880 |
| 39 | WM_TEXT | character | 250 | 0 | %-250s | 887 |
| 40 | WM_PAR | character | 250 | 0 | %-250s | 1137 |
| 41 | DUPLEXW | character | 1 | 0 | %-1s | 1387 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: EVENTS.PR

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | FLAGA | character | 1 | 0 | %-1s | 1 |
| 2 | FROMSYM | character | 2 | 0 | %-2s | 2 |
| 3 | FROMIDX | character | 10 | 0 | %-10s | 4 |
| 4 | TOSYM | character | 2 | 0 | %-2s | 14 |
| 5 | TOIDX | character | 10 | 0 | %-10s | 16 |
| 6 | WYR | character | 10 | 0 | %-10s | 26 |
| 7 | OPIS | character | 40 | 0 | %-40s | 36 |
| 8 | TYPOKR | character | 1 | 0 | %-1s | 76 |
| 9 | OKRES | character | 8 | 0 | %-8s | 77 |
| 10 | DATA | date | 8 | 0 | %8s | 85 |
| 11 | CZAS | character | 10 | 0 | %-10s | 93 |
| 12 | OPER | character | 3 | 0 | %-3s | 103 |
| 13 | OPERNAME | character | 40 | 0 | %-40s | 106 |
| 14 | WINUSERN | character | 40 | 0 | %-40s | 146 |
| 15 | WINCOMPN | character | 40 | 0 | %-40s | 186 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: PERH.PR

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | KODHIST | character | 3 | 0 | %-3s | 1 |
| 2 | NREW | character | 6 | 0 | %-6s | 4 |
| 3 | DATAOD | date | 8 | 0 | %8s | 10 |
| 4 | DATADO | date | 8 | 0 | %8s | 18 |
| 5 | OKRES | number | 3 | 0 | %3s | 26 |
| 6 | DNI | number | 2 | 0 | %2s | 29 |
| 7 | PSO | number | 3 | 0 | %3s | 31 |
| 8 | PSOD | number | 2 | 0 | %2s | 34 |
| 9 | WYSLUGI | character | 7 | 0 | %-7s | 36 |
| 10 | KODMSC | character | 5 | 0 | %-5s | 43 |
| 11 | KODSTAN | character | 5 | 0 | %-5s | 48 |
| 12 | KODRU | character | 2 | 0 | %-2s | 53 |
| 13 | ETAT | number | 5 | 3 | %5s | 55 |
| 14 | MSCW | character | 24 | 0 | %-24s | 60 |
| 15 | OPIS | character | 40 | 0 | %-40s | 84 |
| 16 | OPIS2 | character | 60 | 0 | %-60s | 124 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: PERN.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | NRKCCP | character | 7 | 0 | %-7s | 7 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: PERR.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|------|------|--------|-----------|--------|--------|
|---|------|------|--------|-----------|--------|--------|

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | LP | character | 2 | 0 | %-2s | 7 |
| 3 | NAZWISKO | character | 40 | 0 | %-40s | 9 |
| 4 | IMIE | character | 30 | 0 | %-30s | 49 |
| 5 | IMIE2 | character | 30 | 0 | %-30s | 79 |
| 6 | IMIONA | character | 25 | 0 | %-25s | 109 |
| 7 | DATAUR | date | 8 | 0 | %8s | 134 |
| 8 | KODPOKR | character | 2 | 0 | %-2s | 142 |
| 9 | KODZAJ | character | 3 | 0 | %-3s | 144 |
| 10 | OPIS | character | 60 | 0 | %-60s | 147 |
| 11 | LZAS | character | 5 | 0 | %-5s | 207 |
| 12 | CDATA1 | character | 6 | 0 | %-6s | 212 |
| 13 | CDATA2 | character | 6 | 0 | %-6s | 218 |
| 14 | CDATA3 | character | 6 | 0 | %-6s | 224 |
| 15 | CDATA4 | character | 6 | 0 | %-6s | 230 |
| 16 | ZGNAD | date | 8 | 0 | %8s | 236 |
| 17 | KODREJ | character | 1 | 0 | %-1s | 244 |
| 18 | DATAREJ | date | 8 | 0 | %8s | 245 |
| 19 | WYLUTRZ | character | 1 | 0 | %-1s | 253 |
| 20 | WSPGOSP | character | 1 | 0 | %-1s | 254 |
| 21 | KODNIEP | character | 1 | 0 | %-1s | 255 |
| 22 | DOWID | character | 1 | 0 | %-1s | 256 |
| 23 | DOWTOZ | character | 15 | 0 | %-15s | 257 |
| 24 | PESEL | character | 11 | 0 | %-11s | 272 |
| 25 | NRID | character | 13 | 0 | %-13s | 283 |
| 26 | KODZAM | character | 1 | 0 | %-1s | 296 |
| 27 | ZAMUL | character | 65 | 0 | %-65s | 297 |
| 28 | ZAMNRD | character | 8 | 0 | %-8s | 362 |
| 29 | ZAMNRM | character | 10 | 0 | %-10s | 370 |
| 30 | ZAMMSCW | character | 56 | 0 | %-56s | 380 |
| 31 | ZAMKOD | character | 5 | 0 | %-5s | 436 |
| 32 | ZAMPOCZ | character | 24 | 0 | %-24s | 441 |
| 33 | ZAMGW | character | 36 | 0 | %-36s | 465 |
| 34 | ZAMPOW | character | 24 | 0 | %-24s | 501 |
| 35 | ZAMWOJ | character | 19 | 0 | %-19s | 525 |
| 36 | ZAMTEL | character | 16 | 0 | %-16s | 544 |
| 37 | ZAMFAX | character | 16 | 0 | %-16s | 560 |
| 38 | ZGWYP | date | 8 | 0 | %8s | 576 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: PERW_0.PR

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 2 | 0 | %-2s | 1 |
| 2 | NREW | character | 6 | 0 | %-6s | 3 |
| 3 | IDX | character | 5 | 0 | %-5s | 9 |
| 4 | DN | character | 1 | 0 | %-1s | 14 |
| 5 | DATA | date | 8 | 0 | %8s | 15 |
| 6 | DATA2 | date | 8 | 0 | %8s | 23 |
| 7 | IDX2 | character | 11 | 0 | %-11s | 31 |
| 8 | LICZBA | number | 4 | 0 | %4s | 42 |
| 9 | ILOSC | number | 8 | 3 | %8s | 46 |
| 10 | ETAT | number | 5 | 3 | %5s | 54 |
| 11 | LUE | number | 3 | 0 | %3s | 59 |
| 12 | MUE | number | 3 | 0 | %3s | 62 |
| 13 | KWZAPL | number | 10 | 2 | %10s | 65 |
| 14 | PODST | number | 10 | 2 | %10s | 75 |
| 15 | OPIS | character | 30 | 0 | %-30s | 85 |
| 16 | INFO | character | 100 | 0 | %-100s | 115 |
| 17 | GRAFIK | character | 31 | 0 | %-31s | 215 |
| 18 | GODZINY | character | 124 | 0 | %-124s | 246 |
| 19 | M__SOP | character | 10 | 0 | %-10s | 370 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: PERW_B.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 2 | 0 | %-2s | 1 |
| 2 | NREW | character | 6 | 0 | %-6s | 3 |
| 3 | IDX | character | 5 | 0 | %-5s | 9 |
| 4 | DN | character | 1 | 0 | %-1s | 14 |

| | | | | | | |
|----|---------|-----------|-----|---|--------|-----|
| 5 | DATA | date | 8 | 0 | %8s | 15 |
| 6 | DATA2 | date | 8 | 0 | %8s | 23 |
| 7 | IDX2 | character | 11 | 0 | %-11s | 31 |
| 8 | LICZBA | number | 4 | 0 | %4s | 42 |
| 9 | ILOSC | number | 8 | 3 | %8s | 46 |
| 10 | ETAT | number | 5 | 3 | %5s | 54 |
| 11 | LUE | number | 3 | 0 | %3s | 59 |
| 12 | MUE | number | 3 | 0 | %3s | 62 |
| 13 | KWZAPL | number | 10 | 2 | %10s | 65 |
| 14 | PODST | number | 10 | 2 | %10s | 75 |
| 15 | OPIS | character | 30 | 0 | %-30s | 85 |
| 16 | INFO | character | 100 | 0 | %-100s | 115 |
| 17 | GRAFIK | character | 31 | 0 | %-31s | 215 |
| 18 | GODZINY | character | 124 | 0 | %-124s | 246 |
| 19 | M_SOP | character | 10 | 0 | %-10s | 370 |

Folder: E:\mikrobit test\PRBAZY

Nazwa pliku: PERW_H.PR

| # | Name | Type | Length | Precision | Format | Offset |
|----|--------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 2 | 0 | %-2s | 1 |
| 2 | NREW | character | 6 | 0 | %-6s | 3 |
| 3 | IDX | character | 5 | 0 | %-5s | 9 |
| 4 | DN | character | 1 | 0 | %-1s | 14 |
| 5 | DATA | date | 8 | 0 | %8s | 15 |
| 6 | DATA2 | date | 8 | 0 | %8s | 23 |
| 7 | IDX2 | character | 11 | 0 | %-11s | 31 |
| 8 | LICZBA | number | 4 | 0 | %4s | 42 |
| 9 | ILOSC | number | 8 | 3 | %8s | 46 |
| 10 | ETAT | number | 5 | 3 | %5s | 54 |
| 11 | LUE | number | 3 | 0 | %3s | 59 |
| 12 | MUE | number | 3 | 0 | %3s | 62 |
| 13 | KWZAPL | number | 10 | 2 | %10s | 65 |
| 14 | PODST | number | 10 | 2 | %10s | 75 |
| 15 | OPIS | character | 30 | 0 | %-30s | 85 |

| | | | | | | |
|----|---------|-----------|-----|---|--------|-----|
| 16 | INFO | character | 100 | 0 | %-100s | 115 |
| 17 | GRAFIK | character | 31 | 0 | %-31s | 215 |
| 18 | GODZINY | character | 124 | 0 | %-124s | 246 |
| 19 | M__SOP | character | 10 | 0 | %-10s | 370 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: PERW_U.PR

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 2 | 0 | %-2s | 1 |
| 2 | NREW | character | 6 | 0 | %-6s | 3 |
| 3 | IDX | character | 5 | 0 | %-5s | 9 |
| 4 | DN | character | 1 | 0 | %-1s | 14 |
| 5 | DATA | date | 8 | 0 | %8s | 15 |
| 6 | DATA2 | date | 8 | 0 | %8s | 23 |
| 7 | IDX2 | character | 11 | 0 | %-11s | 31 |
| 8 | LICZBA | number | 4 | 0 | %4s | 42 |
| 9 | ILOSC | number | 8 | 3 | %8s | 46 |
| 10 | ETAT | number | 5 | 3 | %5s | 54 |
| 11 | LUE | number | 3 | 0 | %3s | 59 |
| 12 | MUE | number | 3 | 0 | %3s | 62 |
| 13 | KWZAPL | number | 10 | 2 | %10s | 65 |
| 14 | PODST | number | 10 | 2 | %10s | 75 |
| 15 | OPIS | character | 30 | 0 | %-30s | 85 |
| 16 | INFO | character | 100 | 0 | %-100s | 115 |
| 17 | GRAFIK | character | 31 | 0 | %-31s | 215 |
| 18 | GODZINY | character | 124 | 0 | %-124s | 246 |
| 19 | M__SOP | character | 10 | 0 | %-10s | 370 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: RAPORTY.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|------|------|--------|-----------|--------|--------|
|---|------|------|--------|-----------|--------|--------|

| | | | | | | |
|---|----------|-----------|-----|---|--------|-----|
| 1 | NR_RAP | character | 5 | 0 | %-5s | 1 |
| 2 | NAZWA | character | 64 | 0 | %-64s | 6 |
| 3 | TYTUL | character | 128 | 0 | %-128s | 70 |
| 4 | LST_OPER | character | 200 | 0 | %-200s | 198 |
| 5 | SYSTEMY | character | 30 | 0 | %-30s | 398 |
| 6 | KLUCZE | character | 256 | 0 | %-256s | 428 |
| 7 | M__SOP | character | 10 | 0 | %-10s | 684 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: Y_081231.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | NRLN | character | 1 | 0 | %-1s | 31 |
| 3 | NRKOL | character | 3 | 0 | %-3s | 32 |
| 4 | PLACE | number | 17 | 2 | %17s | 35 |
| 5 | OSOBY | number | 9 | 3 | %9s | 52 |
| 6 | ETATY | number | 9 | 3 | %9s | 61 |
| 7 | DNI | number | 9 | 0 | %9s | 70 |
| 8 | LICZBA | number | 9 | 0 | %9s | 79 |
| 9 | ILOSC | number | 13 | 3 | %13s | 88 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: Y_091231.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | NRLN | character | 1 | 0 | %-1s | 31 |
| 3 | NRKOL | character | 3 | 0 | %-3s | 32 |
| 4 | PLACE | number | 17 | 2 | %17s | 35 |
| 5 | OSOBY | number | 9 | 3 | %9s | 52 |
| 6 | ETATY | number | 9 | 3 | %9s | 61 |
| 7 | DNI | number | 9 | 0 | %9s | 70 |

| | | | | | | |
|---|--------|--------|----|---|------|----|
| 8 | LICZBA | number | 9 | 0 | %9s | 79 |
| 9 | ILOSC | number | 13 | 3 | %13s | 88 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: Y_09GUS+.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | NRLN | character | 1 | 0 | %-1s | 31 |
| 3 | NRKOL | character | 3 | 0 | %-3s | 32 |
| 4 | PLACE | number | 17 | 2 | %17s | 35 |
| 5 | OSOBY | number | 9 | 3 | %9s | 52 |
| 6 | ETATY | number | 9 | 3 | %9s | 61 |
| 7 | DNI | number | 9 | 0 | %9s | 70 |
| 8 | LICZBA | number | 9 | 0 | %9s | 79 |
| 9 | ILOSC | number | 13 | 3 | %13s | 88 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: Y_ZD0331.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | NRLN | character | 1 | 0 | %-1s | 31 |
| 3 | NRKOL | character | 3 | 0 | %-3s | 32 |
| 4 | PLACE | number | 17 | 2 | %17s | 35 |
| 5 | OSOBY | number | 9 | 3 | %9s | 52 |
| 6 | ETATY | number | 9 | 3 | %9s | 61 |
| 7 | DNI | number | 9 | 0 | %9s | 70 |
| 8 | LICZBA | number | 9 | 0 | %9s | 79 |
| 9 | ILOSC | number | 13 | 3 | %13s | 88 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: Y_ZM0901.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | NRLN | character | 1 | 0 | %-1s | 31 |
| 3 | NRKOL | character | 3 | 0 | %-3s | 32 |
| 4 | PLACE | number | 17 | 2 | %17s | 35 |
| 5 | OSOBY | number | 9 | 3 | %9s | 52 |
| 6 | ETATY | number | 9 | 3 | %9s | 61 |
| 7 | DNI | number | 9 | 0 | %9s | 70 |
| 8 | LICZBA | number | 9 | 0 | %9s | 79 |
| 9 | ILOSC | number | 13 | 3 | %13s | 88 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: Y_ZM0902.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | NRLN | character | 1 | 0 | %-1s | 31 |
| 3 | NRKOL | character | 3 | 0 | %-3s | 32 |
| 4 | PLACE | number | 17 | 2 | %17s | 35 |
| 5 | OSOBY | number | 9 | 3 | %9s | 52 |
| 6 | ETATY | number | 9 | 3 | %9s | 61 |
| 7 | DNI | number | 9 | 0 | %9s | 70 |
| 8 | LICZBA | number | 9 | 0 | %9s | 79 |
| 9 | ILOSC | number | 13 | 3 | %13s | 88 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: Y_ZM0903.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |

| | | | | | | |
|---|--------|-----------|----|---|------|----|
| 2 | NRLN | character | 1 | 0 | %-1s | 31 |
| 3 | NRKOL | character | 3 | 0 | %-3s | 32 |
| 4 | PLACE | number | 17 | 2 | %17s | 35 |
| 5 | OSOBY | number | 9 | 3 | %9s | 52 |
| 6 | ETATY | number | 9 | 3 | %9s | 61 |
| 7 | DNI | number | 9 | 0 | %9s | 70 |
| 8 | LICZBA | number | 9 | 0 | %9s | 79 |
| 9 | ILOSC | number | 13 | 3 | %13s | 88 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: Y_ZM0904.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | NRLN | character | 1 | 0 | %-1s | 31 |
| 3 | NRKOL | character | 3 | 0 | %-3s | 32 |
| 4 | PLACE | number | 17 | 2 | %17s | 35 |
| 5 | OSOBY | number | 9 | 3 | %9s | 52 |
| 6 | ETATY | number | 9 | 3 | %9s | 61 |
| 7 | DNI | number | 9 | 0 | %9s | 70 |
| 8 | LICZBA | number | 9 | 0 | %9s | 79 |
| 9 | ILOSC | number | 13 | 3 | %13s | 88 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: Y_ZM0905.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | NRLN | character | 1 | 0 | %-1s | 31 |
| 3 | NRKOL | character | 3 | 0 | %-3s | 32 |
| 4 | PLACE | number | 17 | 2 | %17s | 35 |
| 5 | OSOBY | number | 9 | 3 | %9s | 52 |
| 6 | ETATY | number | 9 | 3 | %9s | 61 |

| | | | | | | |
|---|--------|--------|----|---|------|----|
| 7 | DNI | number | 9 | 0 | %9s | 70 |
| 8 | LICZBA | number | 9 | 0 | %9s | 79 |
| 9 | ILOSC | number | 13 | 3 | %13s | 88 |

Folder: E:\mikrobit test\PRBAZY

Nazwa pliku: Y_ZM0906.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | NRLN | character | 1 | 0 | %-1s | 31 |
| 3 | NRKOL | character | 3 | 0 | %-3s | 32 |
| 4 | PLACE | number | 17 | 2 | %17s | 35 |
| 5 | OSOBY | number | 9 | 3 | %9s | 52 |
| 6 | ETATY | number | 9 | 3 | %9s | 61 |
| 7 | DNI | number | 9 | 0 | %9s | 70 |
| 8 | LICZBA | number | 9 | 0 | %9s | 79 |
| 9 | ILOSC | number | 13 | 3 | %13s | 88 |

Folder: E:\mikrobit test\PRBAZY

Nazwa pliku: Y_ZM0907.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | NRLN | character | 1 | 0 | %-1s | 31 |
| 3 | NRKOL | character | 3 | 0 | %-3s | 32 |
| 4 | PLACE | number | 17 | 2 | %17s | 35 |
| 5 | OSOBY | number | 9 | 3 | %9s | 52 |
| 6 | ETATY | number | 9 | 3 | %9s | 61 |
| 7 | DNI | number | 9 | 0 | %9s | 70 |
| 8 | LICZBA | number | 9 | 0 | %9s | 79 |
| 9 | ILOSC | number | 13 | 3 | %13s | 88 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: Y_ZM0908.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | NRLN | character | 1 | 0 | %-1s | 31 |
| 3 | NRKOL | character | 3 | 0 | %-3s | 32 |
| 4 | PLACE | number | 17 | 2 | %17s | 35 |
| 5 | OSOBY | number | 9 | 3 | %9s | 52 |
| 6 | ETATY | number | 9 | 3 | %9s | 61 |
| 7 | DNI | number | 9 | 0 | %9s | 70 |
| 8 | LICZBA | number | 9 | 0 | %9s | 79 |
| 9 | ILOSC | number | 13 | 3 | %13s | 88 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: Y_ZM0909.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | NRLN | character | 1 | 0 | %-1s | 31 |
| 3 | NRKOL | character | 3 | 0 | %-3s | 32 |
| 4 | PLACE | number | 17 | 2 | %17s | 35 |
| 5 | OSOBY | number | 9 | 3 | %9s | 52 |
| 6 | ETATY | number | 9 | 3 | %9s | 61 |
| 7 | DNI | number | 9 | 0 | %9s | 70 |
| 8 | LICZBA | number | 9 | 0 | %9s | 79 |
| 9 | ILOSC | number | 13 | 3 | %13s | 88 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: Y_ZM0910.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |

| | | | | | | |
|---|--------|-----------|----|---|------|----|
| 2 | NRLN | character | 1 | 0 | %-1s | 31 |
| 3 | NRKOL | character | 3 | 0 | %-3s | 32 |
| 4 | PLACE | number | 17 | 2 | %17s | 35 |
| 5 | OSOBY | number | 9 | 3 | %9s | 52 |
| 6 | ETATY | number | 9 | 3 | %9s | 61 |
| 7 | DNI | number | 9 | 0 | %9s | 70 |
| 8 | LICZBA | number | 9 | 0 | %9s | 79 |
| 9 | ILOSC | number | 13 | 3 | %13s | 88 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: Y_ZM0911.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | NRLN | character | 1 | 0 | %-1s | 31 |
| 3 | NRKOL | character | 3 | 0 | %-3s | 32 |
| 4 | PLACE | number | 17 | 2 | %17s | 35 |
| 5 | OSOBY | number | 9 | 3 | %9s | 52 |
| 6 | ETATY | number | 9 | 3 | %9s | 61 |
| 7 | DNI | number | 9 | 0 | %9s | 70 |
| 8 | LICZBA | number | 9 | 0 | %9s | 79 |
| 9 | ILOSC | number | 13 | 3 | %13s | 88 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: Y_ZM0912.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | NRLN | character | 1 | 0 | %-1s | 31 |
| 3 | NRKOL | character | 3 | 0 | %-3s | 32 |
| 4 | PLACE | number | 17 | 2 | %17s | 35 |
| 5 | OSOBY | number | 9 | 3 | %9s | 52 |
| 6 | ETATY | number | 9 | 3 | %9s | 61 |

| | | | | | | |
|---|--------|--------|----|---|------|----|
| 7 | DNI | number | 9 | 0 | %9s | 70 |
| 8 | LICZBA | number | 9 | 0 | %9s | 79 |
| 9 | ILOSC | number | 13 | 3 | %13s | 88 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: ZAOPIS.PR

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | ZEST | character | 6 | 0 | %-6s | 1 |
| 2 | LABS | character | 60 | 0 | %-60s | 7 |
| 3 | DATA1 | date | 8 | 0 | %8s | 67 |
| 4 | DATA2 | date | 8 | 0 | %8s | 75 |
| 5 | SANAL | character | 10 | 0 | %-10s | 83 |
| 6 | OANAL | character | 10 | 0 | %-10s | 93 |
| 7 | GNAGL | boolean | 1 | 0 | %1s | 103 |
| 8 | OLICZBA | character | 2 | 0 | %-2s | 104 |
| 9 | OBILOSC | character | 4 | 0 | %-4s | 106 |
| 10 | DKOL | character | 5 | 0 | %-5s | 110 |
| 11 | OPIS | character | 40 | 0 | %-40s | 115 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: ZAOPISP.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | ZEST | character | 6 | 0 | %-6s | 1 |
| 2 | NRLN | character | 1 | 0 | %-1s | 7 |
| 3 | NRKOL | character | 3 | 0 | %-3s | 8 |
| 4 | SPLACE | character | 40 | 0 | %-40s | 11 |
| 5 | LABS | character | 120 | 0 | %-120s | 51 |
| 6 | OLICZBA | character | 2 | 0 | %-2s | 171 |
| 7 | OBILOSC | character | 4 | 0 | %-4s | 173 |
| 8 | DKOL | character | 5 | 0 | %-5s | 177 |
| 9 | OPIS | character | 17 | 0 | %-17s | 182 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: Z_081231.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | OSOBY | number | 9 | 3 | %9s | 31 |
| 3 | ETATY | number | 9 | 3 | %9s | 40 |
| 4 | DNI | number | 9 | 0 | %9s | 49 |
| 5 | LICZBA | number | 9 | 0 | %9s | 58 |
| 6 | ILOSC | number | 13 | 3 | %13s | 67 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: Z_091231.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | OSOBY | number | 9 | 3 | %9s | 31 |
| 3 | ETATY | number | 9 | 3 | %9s | 40 |
| 4 | DNI | number | 9 | 0 | %9s | 49 |
| 5 | LICZBA | number | 9 | 0 | %9s | 58 |
| 6 | ILOSC | number | 13 | 3 | %13s | 67 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: Z_09GUS+.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | OSOBY | number | 9 | 3 | %9s | 31 |
| 3 | ETATY | number | 9 | 3 | %9s | 40 |
| 4 | DNI | number | 9 | 0 | %9s | 49 |

| | | | | | | |
|---|--------|--------|----|---|------|----|
| 5 | LICZBA | number | 9 | 0 | %9s | 58 |
| 6 | ILOSC | number | 13 | 3 | %13s | 67 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: Z_ZD0331.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | OSOBY | number | 9 | 3 | %9s | 31 |
| 3 | ETATY | number | 9 | 3 | %9s | 40 |
| 4 | DNI | number | 9 | 0 | %9s | 49 |
| 5 | LICZBA | number | 9 | 0 | %9s | 58 |
| 6 | ILOSC | number | 13 | 3 | %13s | 67 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: Z_ZM0901.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | OSOBY | number | 9 | 3 | %9s | 31 |
| 3 | ETATY | number | 9 | 3 | %9s | 40 |
| 4 | DNI | number | 9 | 0 | %9s | 49 |
| 5 | LICZBA | number | 9 | 0 | %9s | 58 |
| 6 | ILOSC | number | 13 | 3 | %13s | 67 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: Z_ZM0902.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | OSOBY | number | 9 | 3 | %9s | 31 |

| | | | | | | |
|---|--------|--------|----|---|------|----|
| 3 | ETATY | number | 9 | 3 | %9s | 40 |
| 4 | DNI | number | 9 | 0 | %9s | 49 |
| 5 | LICZBA | number | 9 | 0 | %9s | 58 |
| 6 | ILOSC | number | 13 | 3 | %13s | 67 |

Folder: E:\mikrobit test\PRBAZY

Nazwa pliku: Z_ZM0903.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | OSOBY | number | 9 | 3 | %9s | 31 |
| 3 | ETATY | number | 9 | 3 | %9s | 40 |
| 4 | DNI | number | 9 | 0 | %9s | 49 |
| 5 | LICZBA | number | 9 | 0 | %9s | 58 |
| 6 | ILOSC | number | 13 | 3 | %13s | 67 |

Folder: E:\mikrobit test\PRBAZY

Nazwa pliku: Z_ZM0904.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | OSOBY | number | 9 | 3 | %9s | 31 |
| 3 | ETATY | number | 9 | 3 | %9s | 40 |
| 4 | DNI | number | 9 | 0 | %9s | 49 |
| 5 | LICZBA | number | 9 | 0 | %9s | 58 |
| 6 | ILOSC | number | 13 | 3 | %13s | 67 |

Folder: E:\mikrobit test\PRBAZY

Nazwa pliku: Z_ZM0905.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|------|------|--------|-----------|--------|--------|
|---|------|------|--------|-----------|--------|--------|

| | | | | | | |
|---|--------|-----------|----|---|-------|----|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | OSOBY | number | 9 | 3 | %9s | 31 |
| 3 | ETATY | number | 9 | 3 | %9s | 40 |
| 4 | DNI | number | 9 | 0 | %9s | 49 |
| 5 | LICZBA | number | 9 | 0 | %9s | 58 |
| 6 | ILOSC | number | 13 | 3 | %13s | 67 |

Folder: E:\mikrobit test\PRBAZY

Nazwa pliku: Z_ZM0906.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | OSOBY | number | 9 | 3 | %9s | 31 |
| 3 | ETATY | number | 9 | 3 | %9s | 40 |
| 4 | DNI | number | 9 | 0 | %9s | 49 |
| 5 | LICZBA | number | 9 | 0 | %9s | 58 |
| 6 | ILOSC | number | 13 | 3 | %13s | 67 |

Folder: E:\mikrobit test\PRBAZY

Nazwa pliku: Z_ZM0907.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | OSOBY | number | 9 | 3 | %9s | 31 |
| 3 | ETATY | number | 9 | 3 | %9s | 40 |
| 4 | DNI | number | 9 | 0 | %9s | 49 |
| 5 | LICZBA | number | 9 | 0 | %9s | 58 |
| 6 | ILOSC | number | 13 | 3 | %13s | 67 |

Folder: E:\mikrobit test\PRBAZY

Nazwa pliku: Z_ZM0908.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | OSOBY | number | 9 | 3 | %9s | 31 |
| 3 | ETATY | number | 9 | 3 | %9s | 40 |
| 4 | DNI | number | 9 | 0 | %9s | 49 |
| 5 | LICZBA | number | 9 | 0 | %9s | 58 |
| 6 | ILOSC | number | 13 | 3 | %13s | 67 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: Z_ZM0909.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | OSOBY | number | 9 | 3 | %9s | 31 |
| 3 | ETATY | number | 9 | 3 | %9s | 40 |
| 4 | DNI | number | 9 | 0 | %9s | 49 |
| 5 | LICZBA | number | 9 | 0 | %9s | 58 |
| 6 | ILOSC | number | 13 | 3 | %13s | 67 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: Z_ZM0910.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | OSOBY | number | 9 | 3 | %9s | 31 |
| 3 | ETATY | number | 9 | 3 | %9s | 40 |
| 4 | DNI | number | 9 | 0 | %9s | 49 |
| 5 | LICZBA | number | 9 | 0 | %9s | 58 |
| 6 | ILOSC | number | 13 | 3 | %13s | 67 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: Z_ZM0911.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | OSOBY | number | 9 | 3 | %9s | 31 |
| 3 | ETATY | number | 9 | 3 | %9s | 40 |
| 4 | DNI | number | 9 | 0 | %9s | 49 |
| 5 | LICZBA | number | 9 | 0 | %9s | 58 |
| 6 | ILOSC | number | 13 | 3 | %13s | 67 |

Folder: E:\mikrobot test\PRBAZY

Nazwa pliku: Z_ZM0912.PR

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | INFO | character | 30 | 0 | %-30s | 1 |
| 2 | OSOBY | number | 9 | 3 | %9s | 31 |
| 3 | ETATY | number | 9 | 3 | %9s | 40 |
| 4 | DNI | number | 9 | 0 | %9s | 49 |
| 5 | LICZBA | number | 9 | 0 | %9s | 58 |
| 6 | ILOSC | number | 13 | 3 | %13s | 67 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: BGET.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | PIDENT | character | 10 | 0 | %-10s | 1 |
| 2 | NVAR | character | 10 | 0 | %-10s | 11 |
| 3 | RBLOK | number | 2 | 0 | %2s | 21 |
| 4 | ROPER | character | 100 | 0 | %-100s | 23 |
| 5 | IVAL | character | 200 | 0 | %-200s | 123 |
| 6 | HSYMB | character | 2 | 0 | %-2s | 323 |
| 7 | HIDX | character | 5 | 0 | %-5s | 325 |
| 8 | HFLTR | character | 75 | 0 | %-75s | 330 |
| 9 | HDEF | character | 1 | 0 | %-1s | 405 |

| | | | | | | |
|----|-------|-----------|-----|---|--------|-----|
| 10 | HDEFX | character | 120 | 0 | %-120s | 406 |
| 11 | VPRE | character | 120 | 0 | %-120s | 526 |
| 12 | VPOST | character | 120 | 0 | %-120s | 646 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: BGETWIN.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|--------|-----------|--------|-----------|--------|--------|
| 1 | PIDENT | character | 30 | 0 | %-30s | 1 |
| 2 | NVAR | character | 30 | 0 | %-30s | 31 |
| 3 | RBLOK | number | 2 | 0 | %2s | 61 |
| 4 | ROPER | character | 100 | 0 | %-100s | 63 |
| 5 | IVAL | character | 200 | 0 | %-200s | 163 |
| 6 | HSRC | character | 1 | 0 | %-1s | 363 |
| 7 | HTAB | character | 10 | 0 | %-10s | 364 |
| 8 | HSYMB | character | 2 | 0 | %-2s | 374 |
| 9 | HIDX | character | 5 | 0 | %-5s | 376 |
| 10 | HFLTR | character | 75 | 0 | %-75s | 381 |
| 11 | HDEF | character | 1 | 0 | %-1s | 456 |
| 12 | HDEFX | character | 120 | 0 | %-120s | 457 |
| 13 | VPRE | character | 120 | 0 | %-120s | 577 |
| 14 | VPOST | character | 120 | 0 | %-120s | 697 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: BROWSET.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | WNDNAME | character | 30 | 0 | %-30s | 1 |
| 2 | BROWNAME | character | 20 | 0 | %-20s | 31 |
| 3 | COLNAME | character | 20 | 0 | %-20s | 51 |
| 4 | PROPNAME | character | 4 | 0 | %-4s | 71 |
| 5 | OPIS | character | 30 | 0 | %-30s | 75 |
| 6 | WARUNEK | character | 250 | 0 | %-250s | 105 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 7 | FONTNAME | character | 32 | 0 | %-32s | 355 |
| 8 | FONTPAR | character | 10 | 0 | %-10s | 387 |
| 9 | F_RGB | character | 9 | 0 | %-9s | 397 |
| 10 | B_RGB | character | 9 | 0 | %-9s | 406 |
| 11 | BSTYLE | character | 1 | 0 | %-1s | 415 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: CALEND.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|---------|--------|
| 1 | ROK | character | 4 | 0 | %-4s | 1 |
| 2 | RCAL | character | 1 | 0 | %-1s | 5 |
| 3 | OPISROK | character | 372 | 0 | %-372s | 6 |
| 4 | OPISGODZ | character | 1488 | 0 | %-1488s | 378 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: CHDLPOL.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | SYSTEM | character | 2 | 0 | %-2s | 1 |
| 2 | BAZA | character | 8 | 0 | %-8s | 3 |
| 3 | STATUS | character | 1 | 0 | %-1s | 11 |
| 4 | POLE | character | 8 | 0 | %-8s | 12 |
| 5 | TYP | character | 1 | 0 | %-1s | 20 |
| 6 | LEN | number | 4 | 0 | %4s | 21 |
| 7 | LEND | number | 4 | 0 | %4s | 25 |
| 8 | TYPOBJ | character | 1 | 0 | %-1s | 29 |
| 9 | KEYNR | number | 2 | 0 | %2s | 30 |
| 10 | KEYEXP | character | 60 | 0 | %-60s | 32 |
| 11 | KEYST | character | 1 | 0 | %-1s | 92 |
| 12 | OPISP | character | 60 | 0 | %-60s | 93 |
| 13 | KEYOPIS | character | 60 | 0 | %-60s | 153 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: DANELOG.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|------|-----------|--------|-----------|--------|--------|
| 1 | LGIN | boolean | 1 | 0 | %1s | 1 |
| 2 | DATA | date | 8 | 0 | %8s | 2 |
| 3 | CZAS | character | 8 | 0 | %-8s | 10 |
| 4 | TERM | character | 2 | 0 | %-2s | 18 |
| 5 | OPER | character | 3 | 0 | %-3s | 20 |
| 6 | SYSI | character | 2 | 0 | %-2s | 23 |
| 7 | STAT | character | 40 | 0 | %-40s | 25 |
| 8 | KOMU | character | 77 | 0 | %-77s | 65 |
| 9 | LTRM | character | 80 | 0 | %-80s | 142 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: DANELOG2.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | LOGIN | character | 50 | 0 | %-50s | 1 |
| 2 | SYSTEM | character | 4 | 0 | %-4s | 51 |
| 3 | DATAON | date | 8 | 0 | %8s | 55 |
| 4 | CZASON | character | 8 | 0 | %-8s | 63 |
| 5 | WINUSER | character | 20 | 0 | %-20s | 71 |
| 6 | WINHOST | character | 30 | 0 | %-30s | 91 |
| 7 | TRYBON | character | 3 | 0 | %-3s | 121 |
| 8 | TRYBONN | number | 2 | 0 | %2s | 124 |
| 9 | MBOPER | character | 3 | 0 | %-3s | 126 |
| 10 | DATAOFF | date | 8 | 0 | %8s | 129 |
| 11 | CZASOFF | character | 8 | 0 | %-8s | 137 |
| 12 | TRYBOFF | character | 1 | 0 | %-1s | 145 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: DEFKONTO.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | JORG | character | 5 | 0 | %-5s | 1 |
| 2 | KNT_S | character | 10 | 0 | %-10s | 6 |
| 3 | KNT_AN | character | 41 | 0 | %-41s | 16 |
| 4 | KNT_S2 | character | 10 | 0 | %-10s | 57 |
| 5 | KNT_A | character | 21 | 0 | %-21s | 67 |
| 6 | KNT_A2 | character | 21 | 0 | %-21s | 88 |
| 7 | TRESC | character | 10 | 0 | %-10s | 109 |
| 8 | ID_ROZ | character | 6 | 0 | %-6s | 119 |
| 9 | TRESC_FK | character | 1 | 0 | %-1s | 125 |
| 10 | OPIS | character | 40 | 0 | %-40s | 126 |
| 11 | OPIS2 | character | 40 | 0 | %-40s | 166 |
| 12 | OPIS_SK | character | 20 | 0 | %-20s | 206 |
| 13 | STATUS_K | character | 1 | 0 | %-1s | 226 |
| 14 | KNTGR | boolean | 1 | 0 | %1s | 227 |
| 15 | TYP | character | 1 | 0 | %-1s | 228 |
| 16 | GR_ROZ | character | 1 | 0 | %-1s | 229 |
| 17 | RO_ROZ | character | 1 | 0 | %-1s | 230 |
| 18 | R_WL | character | 1 | 0 | %-1s | 231 |
| 19 | MOD_RB | character | 2 | 0 | %-2s | 232 |
| 20 | IF_RK | boolean | 1 | 0 | %1s | 234 |
| 21 | TZ | character | 2 | 0 | %-2s | 235 |
| 22 | IW | number | 1 | 0 | %1s | 237 |
| 23 | R_SALDA | character | 1 | 0 | %-1s | 238 |
| 24 | S_OTWAR | character | 1 | 0 | %-1s | 239 |
| 25 | S_PKSG | character | 1 | 0 | %-1s | 240 |
| 26 | KS_ZAM | character | 6 | 0 | %-6s | 241 |
| 27 | KA_ZAM | character | 20 | 0 | %-20s | 247 |
| 28 | SYM_NAZ | character | 10 | 0 | %-10s | 267 |
| 29 | S_SUM | character | 15 | 0 | %-15s | 277 |
| 30 | RDZ_INFO | character | 1 | 0 | %-1s | 292 |
| 31 | DKONTROL | character | 28 | 0 | %-28s | 293 |
| 32 | KNT_AST | character | 50 | 0 | %-50s | 321 |
| 33 | JPKOPIS | character | 256 | 0 | %-256s | 371 |
| 34 | JPKTYP | character | 13 | 0 | %-13s | 627 |
| 35 | BIL_T_WN | character | 3 | 0 | %-3s | 640 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 36 | BIL_P_WN | character | 14 | 0 | %-14s | 643 |
| 37 | BIL_Z_WN | character | 1 | 0 | %-1s | 657 |
| 38 | BIL_T_MA | character | 3 | 0 | %-3s | 658 |
| 39 | BIL_P_MA | character | 14 | 0 | %-14s | 661 |
| 40 | BIL_Z_MA | character | 1 | 0 | %-1s | 675 |
| 41 | RWP_T_WN | character | 3 | 0 | %-3s | 676 |
| 42 | RWP_P_WN | character | 14 | 0 | %-14s | 679 |
| 43 | RWP_Z_WN | character | 1 | 0 | %-1s | 693 |
| 44 | RWP_T_MA | character | 3 | 0 | %-3s | 694 |
| 45 | RWP_P_MA | character | 14 | 0 | %-14s | 697 |
| 46 | RWP_Z_MA | character | 1 | 0 | %-1s | 711 |
| 47 | RWK_T_WN | character | 3 | 0 | %-3s | 712 |
| 48 | RWK_P_WN | character | 14 | 0 | %-14s | 715 |
| 49 | RWK_Z_WN | character | 1 | 0 | %-1s | 729 |
| 50 | RWK_T_MA | character | 3 | 0 | %-3s | 730 |
| 51 | RWK_P_MA | character | 14 | 0 | %-14s | 733 |
| 52 | RWK_Z_MA | character | 1 | 0 | %-1s | 747 |
| 53 | SPP_T_WN | character | 3 | 0 | %-3s | 748 |
| 54 | SPP_P_WN | character | 14 | 0 | %-14s | 751 |
| 55 | SPP_Z_WN | character | 1 | 0 | %-1s | 765 |
| 56 | SPP_T_MA | character | 3 | 0 | %-3s | 766 |
| 57 | SPP_P_MA | character | 14 | 0 | %-14s | 769 |
| 58 | SPP_Z_MA | character | 1 | 0 | %-1s | 783 |
| 59 | SPB_T_WN | character | 3 | 0 | %-3s | 784 |
| 60 | SPB_P_WN | character | 14 | 0 | %-14s | 787 |
| 61 | SPB_Z_WN | character | 1 | 0 | %-1s | 801 |
| 62 | SPB_T_MA | character | 3 | 0 | %-3s | 802 |
| 63 | SPB_P_MA | character | 14 | 0 | %-14s | 805 |
| 64 | SPB_Z_MA | character | 1 | 0 | %-1s | 819 |
| 65 | ZZK_T_WN | character | 3 | 0 | %-3s | 820 |
| 66 | ZZK_P_WN | character | 14 | 0 | %-14s | 823 |
| 67 | ZZK_Z_WN | character | 1 | 0 | %-1s | 837 |
| 68 | ZZK_T_MA | character | 3 | 0 | %-3s | 838 |
| 69 | ZZK_P_MA | character | 14 | 0 | %-14s | 841 |
| 70 | ZZK_Z_MA | character | 1 | 0 | %-1s | 855 |
| 71 | KNT_S_S | character | 10 | 0 | %-10s | 856 |
| 72 | PR_IW | character | 1 | 0 | %-1s | 866 |
| 73 | STR_IW | character | 10 | 0 | %-10s | 867 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|------|
| 74 | KOMENT_R | memo | 10 | 0 | %s | 877 |
| 75 | KNT_S_R | character | 10 | 0 | %-10s | 887 |
| 76 | DKRRSTR | character | 1 | 0 | %-1s | 897 |
| 77 | DKRRZNAK | character | 1 | 0 | %-1s | 898 |
| 78 | DKRAUTOZ | boolean | 1 | 0 | %1s | 899 |
| 79 | LST_REJ | character | 160 | 0 | %-160s | 900 |
| 80 | M__SOP | character | 10 | 0 | %-10s | 1060 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: DOST.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | DOST | character | 3 | 0 | %-3s | 1 |
| 2 | OPIS | character | 40 | 0 | %-40s | 4 |
| 3 | RODZAJ | character | 1 | 0 | %-1s | 44 |
| 4 | NAZWA | character | 10 | 0 | %-10s | 45 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: DOSTEL.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | DOST | character | 3 | 0 | %-3s | 1 |
| 2 | ELDOST | character | 2 | 0 | %-2s | 4 |
| 3 | OPIS | character | 40 | 0 | %-40s | 6 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: DOSTGR.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | GRDOST | character | 3 | 0 | %-3s | 1 |
| 2 | OPIS | character | 40 | 0 | %-40s | 4 |

| | | | | | | |
|---|---------|-----------|-----|---|--------|-----|
| 3 | DOSTEPY | character | 90 | 0 | %-90s | 44 |
| 4 | ZAKAZY | character | 240 | 0 | %-240s | 134 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: DOSTWA.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|--------|--------|
| 1 | NAME1 | character | 12 | 0 | %-12s | 1 |
| 2 | NAME2 | character | 50 | 0 | %-50s | 13 |
| 3 | IDENT | character | 4 | 0 | %-4s | 63 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: DOSTWG.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|--------|--------|
| 1 | KLUCZ | character | 8 | 0 | %-8s | 1 |
| 2 | NAME1 | character | 12 | 0 | %-12s | 9 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: DOSTWN.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|--------|--------|
| 1 | NAME1 | character | 12 | 0 | %-12s | 1 |
| 2 | NAME2 | character | 50 | 0 | %-50s | 13 |
| 3 | IDENT | character | 4 | 0 | %-4s | 63 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: DOSTWT.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | KLUCZ | character | 10 | 0 | %-10s | 1 |
| 2 | WSK | number | 1 | 0 | %1s | 11 |
| 3 | DOSTEP | character | 2 | 0 | %-2s | 12 |
| 4 | OBIEKT | character | 30 | 0 | %-30s | 14 |
| 5 | KLASA | character | 30 | 0 | %-30s | 44 |
| 6 | LISTAKL | character | 128 | 0 | %-128s | 74 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: DRUKARKI.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | NUMPRT | character | 3 | 0 | %-3s | 1 |
| 2 | NAZPRT | character | 16 | 0 | %-16s | 4 |
| 3 | TYPRT | character | 1 | 0 | %-1s | 20 |
| 4 | NRSTAN | character | 2 | 0 | %-2s | 21 |
| 5 | DRVPR | character | 100 | 0 | %-100s | 23 |
| 6 | RUNKOLS | character | 100 | 0 | %-100s | 123 |
| 7 | OPISPRT | character | 40 | 0 | %-40s | 223 |
| 8 | SZERPR | number | 3 | 0 | %3s | 263 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: DRUKPAR.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | DRUK_ID | character | 8 | 0 | %-8s | 1 |
| 2 | DR_TYTUL | character | 50 | 0 | %-50s | 9 |
| 3 | NRSTAN | character | 2 | 0 | %-2s | 59 |
| 4 | OPER | character | 3 | 0 | %-3s | 61 |
| 5 | NUMPRT | character | 3 | 0 | %-3s | 64 |
| 6 | DRVPR | character | 8 | 0 | %-8s | 67 |
| 7 | NGEST | number | 2 | 0 | %2s | 75 |
| 8 | NWIERSZ | number | 3 | 0 | %3s | 77 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 9 | LPLIK | character | 80 | 0 | %-80s | 80 |
| 10 | NMARGIN | number | 2 | 0 | %2s | 160 |
| 11 | NTOPMRG | number | 2 | 0 | %2s | 162 |
| 12 | STOPPAGE | number | 1 | 0 | %1s | 164 |
| 13 | NWYSUW | number | 1 | 0 | %1s | 165 |
| 14 | NNRPAGE | number | 3 | 0 | %3s | 166 |
| 15 | NODSTR | number | 4 | 0 | %4s | 169 |
| 16 | NDOSTR | number | 4 | 0 | %4s | 173 |
| 17 | NKOPIA | number | 3 | 0 | %3s | 177 |
| 18 | NSZPAP | number | 1 | 0 | %1s | 180 |
| 19 | NWYSPAP | number | 1 | 0 | %1s | 181 |
| 20 | NKIERUN | number | 1 | 0 | %1s | 182 |
| 21 | NORIENT | number | 1 | 0 | %1s | 183 |
| 22 | NFORMAT | character | 1 | 0 | %-1s | 184 |
| 23 | WINPRINT | character | 30 | 0 | %-30s | 185 |
| 24 | NDUPLEX | number | 1 | 0 | %1s | 215 |
| 25 | NXRSIDE | number | 1 | 0 | %1s | 216 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: DRUKWIN.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | IDSYS | character | 2 | 0 | %-2s | 1 |
| 2 | OPER | character | 3 | 0 | %-3s | 3 |
| 3 | KLASA | character | 32 | 0 | %-32s | 6 |
| 4 | PRZEGL | character | 16 | 0 | %-16s | 38 |
| 5 | DRUKID | character | 64 | 0 | %-64s | 54 |
| 6 | ZAKRES | character | 6 | 0 | %-6s | 118 |
| 7 | FORMAT | character | 6 | 0 | %-6s | 124 |
| 8 | WINPRT | character | 220 | 0 | %-220s | 130 |
| 9 | PAPNAME | character | 24 | 0 | %-24s | 350 |
| 10 | ORIENTW | character | 7 | 0 | %-7s | 374 |
| 11 | LMARG | character | 7 | 0 | %-7s | 381 |
| 12 | PMARG | character | 7 | 0 | %-7s | 388 |
| 13 | GMARG | character | 7 | 0 | %-7s | 395 |

| | | | | | | |
|----|-----------|-----------|-----|---|--------|------|
| 14 | DMARG | character | 7 | 0 | %-7s | 402 |
| 15 | FONTNAME | character | 48 | 0 | %-48s | 409 |
| 16 | FONTPROP | character | 6 | 0 | %-6s | 457 |
| 17 | FONTSIZE | character | 7 | 0 | %-7s | 463 |
| 18 | FONTDENS | character | 7 | 0 | %-7s | 470 |
| 19 | DOSPRT | character | 64 | 0 | %-64s | 477 |
| 20 | STERDOS | character | 8 | 0 | %-8s | 541 |
| 21 | ORIENTD | character | 7 | 0 | %-7s | 549 |
| 22 | ZNNACAL | character | 6 | 0 | %-6s | 556 |
| 23 | WRNASTR | character | 6 | 0 | %-6s | 562 |
| 24 | SZERPAP | character | 6 | 0 | %-6s | 568 |
| 25 | WYSPAP | character | 6 | 0 | %-6s | 574 |
| 26 | LMARGZN | character | 6 | 0 | %-6s | 580 |
| 27 | GMARGWR | character | 6 | 0 | %-6s | 586 |
| 28 | FORMFEED | character | 6 | 0 | %-6s | 592 |
| 29 | LKOPII | character | 6 | 0 | %-6s | 598 |
| 30 | POWPKS | character | 6 | 0 | %-6s | 604 |
| 31 | STRROZ | character | 6 | 0 | %-6s | 610 |
| 32 | DRODOST | character | 6 | 0 | %-6s | 616 |
| 33 | NADRFORM | character | 6 | 0 | %-6s | 622 |
| 34 | STOPSTR | character | 6 | 0 | %-6s | 628 |
| 35 | DRBEZP | character | 6 | 0 | %-6s | 634 |
| 36 | TYTUL | character | 120 | 0 | %-120s | 640 |
| 37 | POD TYTUL | character | 120 | 0 | %-120s | 760 |
| 38 | WM_TYPE | character | 7 | 0 | %-7s | 880 |
| 39 | WM_TEXT | character | 250 | 0 | %-250s | 887 |
| 40 | WM_PAR | character | 250 | 0 | %-250s | 1137 |
| 41 | DUPLEXW | character | 1 | 0 | %-1s | 1387 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: EWW.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | NRKNTRH | character | 10 | 0 | %-10s | 1 |
| 2 | NREW | character | 10 | 0 | %-10s | 11 |

| | | | | | | |
|----|---------|-----------|-----|---|--------|-----|
| 3 | DATA | date | 8 | 0 | %8s | 21 |
| 4 | TYP | character | 2 | 0 | %-2s | 29 |
| 5 | PRZDMT | character | 15 | 0 | %-15s | 31 |
| 6 | STAN | character | 4 | 0 | %-4s | 46 |
| 7 | GODZ | number | 5 | 1 | %5s | 50 |
| 8 | CZAS | character | 5 | 0 | %-5s | 55 |
| 9 | KONTAKT | character | 60 | 0 | %-60s | 60 |
| 10 | UWAGI | character | 136 | 0 | %-136s | 120 |
| 11 | KOMENT | memo | 10 | 0 | %s | 256 |
| 12 | PLIK | character | 30 | 0 | %-30s | 266 |
| 13 | RDZPLIK | character | 3 | 0 | %-3s | 296 |
| 14 | ID | character | 5 | 0 | %-5s | 299 |
| 15 | IL | number | 5 | 0 | %5s | 304 |
| 16 | DATAP | date | 8 | 0 | %8s | 309 |
| 17 | GODZP | character | 5 | 0 | %-5s | 317 |
| 18 | NREWP | character | 10 | 0 | %-10s | 322 |
| 19 | PLATNIK | character | 10 | 0 | %-10s | 332 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 342 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: FLTF_SF.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | WNDCLASS | character | 32 | 0 | %-32s | 1 |
| 2 | OPER | character | 5 | 0 | %-5s | 33 |
| 3 | F_ID | character | 5 | 0 | %-5s | 38 |
| 4 | F_NAME | character | 60 | 0 | %-60s | 43 |
| 5 | TABFLT | character | 1 | 0 | %-1s | 103 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: FLTP_SF.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|------|------|--------|-----------|--------|--------|
|---|------|------|--------|-----------|--------|--------|

| | | | | | | |
|----|----------|-----------|-----|---|--------|-----|
| 1 | F_ID | character | 5 | 0 | %-5s | 1 |
| 2 | P_DESC | character | 30 | 0 | %-30s | 6 |
| 3 | P_NAME | character | 8 | 0 | %-8s | 36 |
| 4 | P_TYPE | character | 1 | 0 | %-1s | 44 |
| 5 | P_LEN | number | 3 | 0 | %3s | 45 |
| 6 | P_DEC | number | 3 | 0 | %3s | 48 |
| 7 | P_VALUE | character | 200 | 0 | %-200s | 51 |
| 8 | P_COMM | character | 600 | 0 | %-600s | 251 |
| 9 | P_NEEDED | boolean | 1 | 0 | %1s | 851 |
| 10 | P_ISNULL | boolean | 1 | 0 | %1s | 852 |
| 11 | P_LVALUE | character | 200 | 0 | %-200s | 853 |

Folder: E:\mikrobit test\SFBAZY

Nazwa pliku: FLTS_SF.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | F_ID | character | 5 | 0 | %-5s | 1 |
| 2 | S_NAME | character | 24 | 0 | %-24s | 6 |
| 3 | S_COND | character | 256 | 0 | %-256s | 30 |

Folder: E:\mikrobit test\SFBAZY

Nazwa pliku: INDEX.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 2 | 0 | %-2s | 1 |
| 2 | IDX | character | 12 | 0 | %-12s | 3 |
| 3 | OPIS | character | 40 | 0 | %-40s | 15 |
| 4 | OPIS2 | character | 120 | 0 | %-120s | 55 |
| 5 | OPISSKR | character | 20 | 0 | %-20s | 175 |
| 6 | DEFIDX | character | 30 | 0 | %-30s | 195 |
| 7 | POMOC | character | 120 | 0 | %-120s | 225 |
| 8 | KNT_S | character | 10 | 0 | %-10s | 345 |
| 9 | STATUS_K | character | 1 | 0 | %-1s | 355 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 10 | M__SOP | character | 10 | 0 | %-10s | 356 |
|----|--------|-----------|----|---|-------|-----|

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: INDKMT.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 2 | 0 | %-2s | 1 |
| 2 | IDX | character | 12 | 0 | %-12s | 3 |
| 3 | KOMENT | memo | 10 | 0 | %s | 15 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: KIM.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|--------|-----------|--------|-----------|--------|--------|
| 1 | IND | character | 15 | 0 | %-15s | 1 |
| 2 | NAZWA | character | 70 | 0 | %-70s | 16 |
| 3 | WYR | character | 5 | 0 | %-5s | 86 |
| 4 | WYRD | character | 4 | 0 | %-4s | 91 |
| 5 | JM | character | 3 | 0 | %-3s | 95 |
| 6 | JME | character | 3 | 0 | %-3s | 98 |
| 7 | JMH | character | 3 | 0 | %-3s | 101 |
| 8 | WSPJM1 | number | 9 | 5 | %9s | 104 |
| 9 | PDTK | number | 3 | 0 | %3s | 113 |
| 10 | KM | character | 3 | 0 | %-3s | 116 |
| 11 | KBR | character | 3 | 0 | %-3s | 119 |
| 12 | KTM | character | 20 | 0 | %-20s | 122 |
| 13 | TYPEW | character | 1 | 0 | %-1s | 142 |
| 14 | DATAD | date | 8 | 0 | %8s | 143 |
| 15 | PVAT | character | 2 | 0 | %-2s | 151 |
| 16 | INFO | character | 50 | 0 | %-50s | 153 |
| 17 | SKLDN | character | 1 | 0 | %-1s | 203 |
| 18 | IL_R | number | 10 | 3 | %10s | 204 |
| 19 | WYCSTR | character | 1 | 0 | %-1s | 214 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 20 | NAZWAS | character | 27 | 0 | %-27s | 215 |
| 21 | KODKR | character | 15 | 0 | %-15s | 242 |
| 22 | MARZA | number | 6 | 2 | %6s | 257 |
| 23 | RABAT | number | 6 | 2 | %6s | 263 |
| 24 | RKOD | character | 3 | 0 | %-3s | 269 |
| 25 | NAZWA2 | character | 50 | 0 | %-50s | 272 |
| 26 | KSYM | character | 30 | 0 | %-30s | 322 |
| 27 | NUNQ | character | 5 | 0 | %-5s | 352 |
| 28 | B8MASA | character | 8 | 0 | %-8s | 357 |
| 29 | B8OBJ | character | 8 | 0 | %-8s | 365 |
| 30 | STATUS_K | character | 1 | 0 | %-1s | 373 |
| 31 | OPIS | memo | 10 | 0 | %s | 374 |
| 32 | PKWIU | character | 20 | 0 | %-20s | 384 |
| 33 | PCN | character | 10 | 0 | %-10s | 404 |
| 34 | STAWKA | character | 5 | 0 | %-5s | 414 |
| 35 | RABAT1 | number | 6 | 2 | %6s | 419 |
| 36 | RABAT2 | number | 6 | 2 | %6s | 425 |
| 37 | AKCYZA | number | 7 | 2 | %7s | 431 |
| 38 | AKWOTA | number | 16 | 2 | %16s | 438 |
| 39 | JMA | character | 3 | 0 | %-3s | 454 |
| 40 | AMIN | number | 16 | 2 | %16s | 457 |
| 41 | RCENC | character | 1 | 0 | %-1s | 473 |
| 42 | JMC | character | 3 | 0 | %-3s | 474 |
| 43 | CKOD | character | 3 | 0 | %-3s | 477 |
| 44 | GRUPA | character | 2 | 0 | %-2s | 480 |
| 45 | IKOD | character | 10 | 0 | %-10s | 482 |
| 46 | KWAG | character | 2 | 0 | %-2s | 492 |
| 47 | TWAZN | character | 1 | 0 | %-1s | 494 |
| 48 | TMINL | character | 4 | 0 | %-4s | 495 |
| 49 | TKRYTL | character | 4 | 0 | %-4s | 499 |
| 50 | CRABATT | character | 1 | 0 | %-1s | 503 |
| 51 | RABATT | number | 6 | 2 | %6s | 504 |
| 52 | FVPOZIND | number | 2 | 0 | %2s | 510 |
| 53 | M__SOP | character | 10 | 0 | %-10s | 512 |

Nazwa pliku: KIMC.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|--------|-----------|--------|-----------|--------|--------|
| 1 | IND | character | 15 | 0 | %-15s | 1 |
| 2 | WYR | character | 10 | 0 | %-10s | 16 |
| 3 | RCENY | character | 1 | 0 | %-1s | 26 |
| 4 | CENA | number | 13 | 2 | %13s | 27 |
| 5 | DATA | date | 8 | 0 | %8s | 40 |
| 6 | PDTK | number | 3 | 0 | %3s | 48 |
| 7 | MARZA | number | 5 | 1 | %5s | 51 |
| 8 | TCENY | character | 1 | 0 | %-1s | 56 |
| 9 | WALUTA | character | 3 | 0 | %-3s | 57 |
| 10 | DATAK | date | 8 | 0 | %8s | 60 |
| 11 | JM | character | 3 | 0 | %-3s | 68 |
| 12 | M__SOP | character | 10 | 0 | %-10s | 71 |

Folder: E:\mikrobit test\SFBAZY

Nazwa pliku: KIMD.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | IND | character | 15 | 0 | %-15s | 1 |
| 2 | SYMDOST | character | 10 | 0 | %-10s | 16 |
| 3 | CYKLZAM | number | 3 | 0 | %3s | 26 |
| 4 | INDDOST | character | 15 | 0 | %-15s | 29 |
| 5 | NAZINDD | character | 50 | 0 | %-50s | 44 |
| 6 | JMDOST | character | 3 | 0 | %-3s | 94 |
| 7 | WSP_OP | number | 10 | 5 | %10s | 97 |
| 8 | CENA | number | 13 | 2 | %13s | 107 |
| 9 | WALUTA | character | 3 | 0 | %-3s | 120 |
| 10 | DATAP | date | 8 | 0 | %8s | 123 |
| 11 | DATAK | date | 8 | 0 | %8s | 131 |
| 12 | DATAS | date | 8 | 0 | %8s | 139 |
| 13 | JMH | character | 3 | 0 | %-3s | 147 |
| 14 | ILH | number | 11 | 3 | %11s | 150 |
| 15 | RCENAR | character | 1 | 0 | %-1s | 161 |
| 16 | CENAR | number | 13 | 2 | %13s | 162 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 17 | RABAT | number | 6 | 2 | %6s | 175 |
| 18 | ILZ | number | 11 | 3 | %11s | 181 |
| 19 | ITYP | character | 1 | 0 | %-1s | 192 |
| 20 | CKOD | character | 3 | 0 | %-3s | 193 |
| 21 | TMINL | character | 4 | 0 | %-4s | 196 |
| 22 | ILS | number | 11 | 3 | %11s | 200 |
| 23 | CENAS | number | 13 | 2 | %13s | 211 |
| 24 | RABATS | number | 6 | 2 | %6s | 224 |
| 25 | MARZAD | number | 6 | 2 | %6s | 230 |
| 26 | WZORD | character | 3 | 0 | %-3s | 236 |
| 27 | M__SOP | character | 10 | 0 | %-10s | 239 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: KIMG.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | IND | character | 15 | 0 | %-15s | 1 |
| 2 | SGUS | character | 4 | 0 | %-4s | 16 |
| 3 | JMGUS | character | 3 | 0 | %-3s | 20 |
| 4 | WSPZMJM | number | 9 | 5 | %9s | 23 |
| 5 | PRODPOL | character | 17 | 0 | %-17s | 32 |
| 6 | PRODPOL2 | character | 17 | 0 | %-17s | 49 |
| 7 | PROD_JM1 | character | 3 | 0 | %-3s | 66 |
| 8 | PROD_JM2 | character | 3 | 0 | %-3s | 69 |
| 9 | PROD_JM3 | character | 3 | 0 | %-3s | 72 |
| 10 | KIM_JM1 | character | 3 | 0 | %-3s | 75 |
| 11 | KIM_JM2 | character | 3 | 0 | %-3s | 78 |
| 12 | KIM_JM3 | character | 3 | 0 | %-3s | 81 |
| 13 | WSP_PJM1 | number | 13 | 5 | %13s | 84 |
| 14 | WSP_PJM2 | number | 13 | 5 | %13s | 97 |
| 15 | WSP_PJM3 | number | 13 | 5 | %13s | 110 |
| 16 | CZYSPPRO | character | 1 | 0 | %-1s | 123 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: KIMK.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | IND | character | 15 | 0 | %-15s | 1 |
| 2 | SETO | character | 8 | 0 | %-8s | 16 |
| 3 | WSPK | number | 6 | 4 | %6s | 24 |
| 4 | JMK | character | 3 | 0 | %-3s | 30 |
| 5 | WSPJMK | number | 10 | 5 | %10s | 33 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: KIMN.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | IND | character | 15 | 0 | %-15s | 1 |
| 2 | ZAPMIN | number | 11 | 3 | %11s | 16 |
| 3 | ZAPMAX | number | 11 | 3 | %11s | 27 |
| 4 | MZUZ | number | 11 | 3 | %11s | 38 |
| 5 | CYKL | number | 3 | 0 | %3s | 49 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: KIMO.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | IND | character | 15 | 0 | %-15s | 1 |
| 2 | WYR | character | 10 | 0 | %-10s | 16 |
| 3 | WYR_OP | character | 10 | 0 | %-10s | 26 |
| 4 | IND_OP | character | 15 | 0 | %-15s | 36 |
| 5 | JM_OP | character | 3 | 0 | %-3s | 51 |
| 6 | WSP_OP | number | 10 | 5 | %10s | 54 |
| 7 | ZW_OP | character | 1 | 0 | %-1s | 64 |
| 8 | STAWKA | number | 10 | 2 | %10s | 65 |
| 9 | JM_DEF | character | 3 | 0 | %-3s | 75 |
| 10 | JM_DEF_T | character | 2 | 0 | %-2s | 78 |
| 11 | TYP_OP | character | 2 | 0 | %-2s | 80 |

| | | | | | | |
|----|---------|-----------|----|---|-------|----|
| 12 | ZAO_OP | character | 1 | 0 | %-1s | 82 |
| 13 | TYP_WSP | character | 1 | 0 | %-1s | 83 |
| 14 | KODKR | character | 15 | 0 | %-15s | 84 |
| 15 | M__SOP | character | 10 | 0 | %-10s | 99 |

Folder: E:\mikrobit test\SFBAZY

Nazwa pliku: KIMR.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|--------|--------|
| 1 | IND | character | 15 | 0 | %-15s | 1 |
| 2 | WYR | character | 10 | 0 | %-10s | 16 |
| 3 | IND_S | character | 15 | 0 | %-15s | 26 |
| 4 | WYR_S | character | 10 | 0 | %-10s | 41 |
| 5 | IL_S | number | 10 | 5 | %10s | 51 |

Folder: E:\mikrobit test\SFBAZY

Nazwa pliku: KIMT.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | IND | character | 15 | 0 | %-15s | 1 |
| 2 | OPIS_T | character | 40 | 0 | %-40s | 16 |
| 3 | OPIS_D | character | 40 | 0 | %-40s | 56 |
| 4 | JMT | character | 3 | 0 | %-3s | 96 |
| 5 | WSPJMT | number | 9 | 5 | %9s | 99 |

Folder: E:\mikrobit test\SFBAZY

Nazwa pliku: KOMOPER.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | DATA_KOM | date | 8 | 0 | %8s | 1 |
| 2 | CZAS_KOM | character | 8 | 0 | %-8s | 9 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|-----|
| 3 | NRSTAN_S | character | 2 | 0 | %-2s | 17 |
| 4 | NROPER_S | character | 3 | 0 | %-3s | 19 |
| 5 | NAZW_S | character | 41 | 0 | %-41s | 22 |
| 6 | NRSTAN | character | 2 | 0 | %-2s | 63 |
| 7 | NROPER | character | 3 | 0 | %-3s | 65 |
| 8 | ID_SYS | character | 2 | 0 | %-2s | 68 |
| 9 | TRESC1 | character | 76 | 0 | %-76s | 70 |
| 10 | TRESC2 | character | 76 | 0 | %-76s | 146 |
| 11 | TRESC3 | character | 76 | 0 | %-76s | 222 |
| 12 | TRESC4 | character | 76 | 0 | %-76s | 298 |
| 13 | READ_OP | character | 252 | 0 | %-252s | 374 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: KONTA.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 2 | 0 | %-2s | 1 |
| 2 | IDX | character | 10 | 0 | %-10s | 3 |
| 3 | WYR_SL | character | 2 | 0 | %-2s | 13 |
| 4 | WYR | character | 6 | 0 | %-6s | 15 |
| 5 | BANK_SL | character | 2 | 0 | %-2s | 21 |
| 6 | BANK_ID | character | 6 | 0 | %-6s | 23 |
| 7 | LKNRB | character | 2 | 0 | %-2s | 29 |
| 8 | BANK_KNT | character | 60 | 0 | %-60s | 31 |
| 9 | BANK_N | character | 40 | 0 | %-40s | 91 |
| 10 | BANK_BIC | character | 11 | 0 | %-11s | 131 |
| 11 | KONTRAH | character | 10 | 0 | %-10s | 142 |
| 12 | OPIS_KNT | character | 40 | 0 | %-40s | 152 |
| 13 | DATAP | date | 8 | 0 | %8s | 192 |
| 14 | M__SOP | character | 10 | 0 | %-10s | 200 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: KONTRAH.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NRKNTRH | character | 10 | 0 | %-10s | 1 |
| 2 | NAZWA | character | 30 | 0 | %-30s | 11 |
| 3 | ULICA | character | 40 | 0 | %-40s | 41 |
| 4 | KOD | character | 6 | 0 | %-6s | 81 |
| 5 | MIASTO | character | 32 | 0 | %-32s | 87 |
| 6 | KRAJ | character | 2 | 0 | %-2s | 119 |
| 7 | TKRAJ | character | 2 | 0 | %-2s | 121 |
| 8 | BANK_N | character | 40 | 0 | %-40s | 123 |
| 9 | BANK_BIC | character | 11 | 0 | %-11s | 163 |
| 10 | BANK_KNT | character | 40 | 0 | %-40s | 174 |
| 11 | TELEX | character | 30 | 0 | %-30s | 214 |
| 12 | REGON | character | 11 | 0 | %-11s | 244 |
| 13 | VKRAJ | character | 2 | 0 | %-2s | 255 |
| 14 | VAT | character | 13 | 0 | %-13s | 257 |
| 15 | NAZ1 | character | 40 | 0 | %-40s | 270 |
| 16 | NAZ2 | character | 40 | 0 | %-40s | 310 |
| 17 | NAZ3 | character | 40 | 0 | %-40s | 350 |
| 18 | DATA_ADR | date | 8 | 0 | %8s | 390 |
| 19 | DATA_BNK | date | 8 | 0 | %8s | 398 |
| 20 | PLATNIK | character | 10 | 0 | %-10s | 406 |
| 21 | WHANDEL | character | 1 | 0 | %-1s | 416 |
| 22 | GR_ODS | character | 1 | 0 | %-1s | 417 |
| 23 | ZEZW | character | 65 | 0 | %-65s | 418 |
| 24 | INFO | character | 80 | 0 | %-80s | 483 |
| 25 | KREDYT | number | 18 | 2 | %18s | 563 |
| 26 | TKREDYT | character | 1 | 0 | %-1s | 581 |
| 27 | STATUS_F | character | 1 | 0 | %-1s | 582 |
| 28 | GK_RABAT | character | 1 | 0 | %-1s | 583 |
| 29 | SALDO | number | 18 | 2 | %18s | 584 |
| 30 | STRONA | character | 1 | 0 | %-1s | 602 |
| 31 | OBROT | number | 18 | 2 | %18s | 603 |
| 32 | UPUST | character | 10 | 0 | %-10s | 621 |
| 33 | STATUS | character | 1 | 0 | %-1s | 631 |
| 34 | STSOPS | character | 30 | 0 | %-30s | 632 |
| 35 | MSGO | character | 30 | 0 | %-30s | 662 |
| 36 | SPLAT | character | 1 | 0 | %-1s | 692 |
| 37 | DNIZP | number | 3 | 0 | %3s | 693 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|------|
| 38 | RCENY | character | 1 | 0 | %-1s | 696 |
| 39 | RCENS | character | 1 | 0 | %-1s | 697 |
| 40 | TPLAT | character | 1 | 0 | %-1s | 698 |
| 41 | TRANSP | character | 2 | 0 | %-2s | 699 |
| 42 | WOJ | character | 2 | 0 | %-2s | 701 |
| 43 | POWIAT | character | 3 | 0 | %-3s | 703 |
| 44 | REJON | character | 3 | 0 | %-3s | 706 |
| 45 | GMINA | character | 3 | 0 | %-3s | 709 |
| 46 | ODLEG | number | 7 | 2 | %7s | 712 |
| 47 | STATUS_K | character | 1 | 0 | %-1s | 719 |
| 48 | TOSW | character | 1 | 0 | %-1s | 720 |
| 49 | DATA_OSW | date | 8 | 0 | %8s | 721 |
| 50 | STOPKA1 | character | 1 | 0 | %-1s | 729 |
| 51 | STOPKA2 | character | 1 | 0 | %-1s | 730 |
| 52 | TFAKT | character | 1 | 0 | %-1s | 731 |
| 53 | TFORM | character | 1 | 0 | %-1s | 732 |
| 54 | TKEY | character | 60 | 0 | %-60s | 733 |
| 55 | TYP | character | 1 | 0 | %-1s | 793 |
| 56 | PINDD | character | 1 | 0 | %-1s | 794 |
| 57 | SIEC | character | 10 | 0 | %-10s | 795 |
| 58 | RCENP | character | 1 | 0 | %-1s | 805 |
| 59 | OCENP | character | 1 | 0 | %-1s | 806 |
| 60 | RODZAJ | character | 1 | 0 | %-1s | 807 |
| 61 | KARTA | character | 20 | 0 | %-20s | 808 |
| 62 | LICNO | character | 30 | 0 | %-30s | 828 |
| 63 | NDOD | character | 30 | 0 | %-30s | 858 |
| 64 | WZNIPI | character | 1 | 0 | %-1s | 888 |
| 65 | IHND | character | 5 | 0 | %-5s | 889 |
| 66 | IFKT | character | 5 | 0 | %-5s | 894 |
| 67 | WKNTR | character | 1 | 0 | %-1s | 899 |
| 68 | EMAIL | character | 150 | 0 | %-150s | 900 |
| 69 | WWW | character | 30 | 0 | %-30s | 1050 |
| 70 | TELNO | character | 20 | 0 | %-20s | 1080 |
| 71 | FAXNO | character | 20 | 0 | %-20s | 1100 |
| 72 | TKOM | character | 20 | 0 | %-20s | 1120 |
| 73 | DNIPTR | number | 3 | 0 | %3s | 1140 |
| 74 | UWAGI | character | 70 | 0 | %-70s | 1143 |
| 75 | KOMENT | character | 70 | 0 | %-70s | 1213 |

| | | | | | | |
|----|----------|-----------|----|---|-------|------|
| 76 | ILN | character | 13 | 0 | %-13s | 1283 |
| 77 | NUMOWA | character | 15 | 0 | %-15s | 1296 |
| 78 | NUDATA | date | 8 | 0 | %8s | 1311 |
| 79 | NUID | character | 2 | 0 | %-2s | 1319 |
| 80 | NUTXT | character | 30 | 0 | %-30s | 1321 |
| 81 | NUIL | character | 5 | 0 | %-5s | 1351 |
| 82 | IDTXT | character | 20 | 0 | %-20s | 1356 |
| 83 | IDDT | date | 8 | 0 | %8s | 1376 |
| 84 | IDNO | character | 12 | 0 | %-12s | 1384 |
| 85 | RGINFO | character | 12 | 0 | %-12s | 1396 |
| 86 | NRSTALY | number | 6 | 0 | %6s | 1408 |
| 87 | AWLIMTYP | character | 1 | 0 | %-1s | 1414 |
| 88 | AWLIMTYG | number | 6 | 0 | %6s | 1415 |
| 89 | EFW | character | 1 | 0 | %-1s | 1421 |
| 90 | DATA_EFW | date | 8 | 0 | %8s | 1422 |
| 91 | EFW_AKC | character | 1 | 0 | %-1s | 1430 |
| 92 | DATA_EFA | date | 8 | 0 | %8s | 1431 |
| 93 | DATA_EFO | date | 8 | 0 | %8s | 1439 |
| 94 | EFW_ATCH | character | 1 | 0 | %-1s | 1447 |
| 95 | FLAG | character | 1 | 0 | %-1s | 1448 |
| 96 | M__SOP | character | 10 | 0 | %-10s | 1449 |

Folder: E:\mikrobit test\SFBAZY

Nazwa pliku: KONTRAHA.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | NRKNTRH | character | 10 | 0 | %-10s | 1 |
| 2 | TADR | character | 2 | 0 | %-2s | 11 |
| 3 | NAZWA | character | 50 | 0 | %-50s | 13 |
| 4 | NAZ1 | character | 40 | 0 | %-40s | 63 |
| 5 | NAZ2 | character | 40 | 0 | %-40s | 103 |
| 6 | NAZ3 | character | 40 | 0 | %-40s | 143 |
| 7 | KRAJ | character | 2 | 0 | %-2s | 183 |
| 8 | KOD | character | 6 | 0 | %-6s | 185 |
| 9 | MIASTO | character | 32 | 0 | %-32s | 191 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 10 | ULICA | character | 40 | 0 | %-40s | 223 |
| 11 | TELNO | character | 20 | 0 | %-20s | 263 |
| 12 | FAXNO | character | 20 | 0 | %-20s | 283 |
| 13 | UWAGI | character | 70 | 0 | %-70s | 303 |
| 14 | DATAP | date | 8 | 0 | %8s | 373 |
| 15 | M__SOP | character | 10 | 0 | %-10s | 381 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: KONTRAHP.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NRKNTRH | character | 10 | 0 | %-10s | 1 |
| 2 | TYP | character | 5 | 0 | %-5s | 11 |
| 3 | IDPERS | character | 10 | 0 | %-10s | 16 |
| 4 | NAZWISKO | character | 30 | 0 | %-30s | 26 |
| 5 | IMIE | character | 15 | 0 | %-15s | 56 |
| 6 | TELEFON | character | 20 | 0 | %-20s | 71 |
| 7 | TKOM | character | 20 | 0 | %-20s | 91 |
| 8 | TYTUL | character | 2 | 0 | %-2s | 111 |
| 9 | STAN | character | 2 | 0 | %-2s | 113 |
| 10 | DATA | date | 8 | 0 | %8s | 115 |
| 11 | DATA2 | date | 8 | 0 | %8s | 123 |
| 12 | KARTA | character | 20 | 0 | %-20s | 131 |
| 13 | NDOD | character | 30 | 0 | %-30s | 151 |
| 14 | EMAIL | character | 30 | 0 | %-30s | 181 |
| 15 | UWAGI | character | 70 | 0 | %-70s | 211 |
| 16 | M__SOP | character | 10 | 0 | %-10s | 281 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: KONTRAHR.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | NRKNTRH | character | 10 | 0 | %-10s | 1 |

| | | | | | | |
|----|--------|-----------|----|---|-------|----|
| 2 | RTYP | character | 1 | 0 | %-1s | 11 |
| 3 | GR_AS | character | 5 | 0 | %-5s | 12 |
| 4 | GK_RAB | character | 1 | 0 | %-1s | 17 |
| 5 | RABAT | number | 6 | 2 | %6s | 18 |
| 6 | RABAT2 | number | 6 | 2 | %6s | 24 |
| 7 | DNIZP | number | 3 | 0 | %3s | 30 |
| 8 | RCENY | character | 1 | 0 | %-1s | 33 |
| 9 | MARZAD | number | 6 | 2 | %6s | 34 |
| 10 | WZORD | character | 3 | 0 | %-3s | 40 |
| 11 | M__SOP | character | 10 | 0 | %-10s | 43 |

Folder: E:\mikrobit test\SFBAZY

Nazwa pliku: KONTRAHW.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | NRKNTRH | character | 10 | 0 | %-10s | 1 |
| 2 | DATA | date | 8 | 0 | %8s | 11 |
| 3 | GR | character | 3 | 0 | %-3s | 19 |
| 4 | ILDNI | number | 5 | 0 | %5s | 22 |
| 5 | KWT | number | 16 | 2 | %16s | 27 |
| 6 | KWT_DOD | number | 16 | 2 | %16s | 43 |
| 7 | ID_WIND | character | 2 | 0 | %-2s | 59 |
| 8 | ILKONT | number | 2 | 0 | %2s | 61 |
| 9 | UWAGI | character | 100 | 0 | %-100s | 63 |
| 10 | ID_DRUK | character | 1 | 0 | %-1s | 163 |
| 11 | ID_WEZW | character | 1 | 0 | %-1s | 164 |
| 12 | NAZWA | character | 30 | 0 | %-30s | 165 |
| 13 | MIASTO | character | 32 | 0 | %-32s | 195 |
| 14 | VAT | character | 13 | 0 | %-13s | 227 |
| 15 | M__SOP | character | 10 | 0 | %-10s | 240 |

Folder: E:\mikrobit test\SFBAZY

Nazwa pliku: KURS.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | DATA | date | 8 | 0 | %8s | 1 |
| 2 | TABELA | character | 15 | 0 | %-15s | 9 |
| 3 | WALUTA | character | 3 | 0 | %-3s | 24 |
| 4 | B4_IL | character | 4 | 0 | %-4s | 27 |
| 5 | B8_KUPNO | character | 8 | 0 | %-8s | 31 |
| 6 | B8_SPRZD | character | 8 | 0 | %-8s | 39 |
| 7 | B8_SRD | character | 8 | 0 | %-8s | 47 |
| 8 | M__SOP | character | 10 | 0 | %-10s | 55 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: LSTZ.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBZ | character | 4 | 0 | %-4s | 1 |
| 2 | NRKOL | character | 2 | 0 | %-2s | 5 |
| 3 | NWYDR | character | 21 | 0 | %-21s | 7 |
| 4 | FORMAT | character | 20 | 0 | %-20s | 28 |
| 5 | SZKOL | number | 2 | 0 | %2s | 48 |
| 6 | WZOR | character | 55 | 0 | %-55s | 50 |
| 7 | SYSI | character | 2 | 0 | %-2s | 105 |
| 8 | EDITLIST | character | 6 | 0 | %-6s | 107 |
| 9 | PLIK | character | 12 | 0 | %-12s | 113 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: LSTZWIN.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | BROWSER | character | 20 | 0 | %-20s | 1 |
| 2 | GRUPA | character | 10 | 0 | %-10s | 21 |
| 3 | NUMER | character | 4 | 0 | %-4s | 31 |
| 4 | NAZWAG | character | 40 | 0 | %-40s | 35 |
| 5 | TYTUL | character | 60 | 0 | %-60s | 75 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|-----|
| 6 | MENU | character | 10 | 0 | %-10s | 135 |
| 7 | TYPDRUKU | character | 15 | 0 | %-15s | 145 |
| 8 | PLIK | character | 256 | 0 | %-256s | 160 |
| 9 | NAZWAW | character | 60 | 0 | %-60s | 416 |
| 10 | WARUNEK | character | 250 | 0 | %-250s | 476 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: MAKRO.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | SYS_ID | character | 2 | 0 | %-2s | 1 |
| 2 | TYP_M | character | 1 | 0 | %-1s | 3 |
| 3 | START_ID | character | 8 | 0 | %-8s | 4 |
| 4 | NAZWA_M | character | 50 | 0 | %-50s | 12 |
| 5 | KOD_M1 | character | 76 | 0 | %-76s | 62 |
| 6 | KOD_M2 | character | 76 | 0 | %-76s | 138 |
| 7 | KOD_M3 | character | 76 | 0 | %-76s | 214 |
| 8 | KOD_M4 | character | 76 | 0 | %-76s | 290 |
| 9 | KOD_M5 | character | 76 | 0 | %-76s | 366 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: MBHZ.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | PIDENT | character | 30 | 0 | %-30s | 1 |
| 2 | VKLUCZ | character | 50 | 0 | %-50s | 31 |
| 3 | DATAZMN | date | 8 | 0 | %8s | 81 |
| 4 | CZASZMN | character | 8 | 0 | %-8s | 89 |
| 5 | MBLOGIN | character | 3 | 0 | %-3s | 97 |
| 6 | MBUSER | character | 30 | 0 | %-30s | 100 |
| 7 | WINLOGIN | character | 30 | 0 | %-30s | 130 |
| 8 | COMPNAME | character | 30 | 0 | %-30s | 160 |
| 9 | TYPZMN | character | 1 | 0 | %-1s | 190 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|-----|
| 10 | KOMENT | character | 300 | 0 | %-300s | 191 |
| 11 | MBHZKEY | character | 106 | 0 | %-106s | 491 |
| 12 | SUBSYSID | character | 10 | 0 | %-10s | 597 |
| 13 | RFLAG | character | 1 | 0 | %-1s | 607 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: MBHZCFG.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | WNDVIEW | character | 30 | 0 | %-30s | 1 |
| 2 | WNDEDIT | character | 30 | 0 | %-30s | 31 |
| 3 | OWNERWIN | character | 30 | 0 | %-30s | 61 |
| 4 | PIDENT | character | 30 | 0 | %-30s | 91 |
| 5 | KEYEDIT | character | 250 | 0 | %-250s | 121 |
| 6 | KEYVIEW | character | 250 | 0 | %-250s | 371 |
| 7 | SRVLIST | character | 50 | 0 | %-50s | 621 |
| 8 | FLDLIST | character | 300 | 0 | %-300s | 671 |
| 9 | SAVEMODE | character | 3 | 0 | %-3s | 971 |
| 10 | VIEWMODE | character | 3 | 0 | %-3s | 974 |
| 11 | WARUNEK | character | 250 | 0 | %-250s | 977 |
| 12 | SYSTEM | character | 2 | 0 | %-2s | 1227 |
| 13 | HISTORIA | character | 1 | 0 | %-1s | 1229 |
| 14 | DANAOSOB | character | 1 | 0 | %-1s | 1230 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: MBHZP.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | MBHZKEY | character | 106 | 0 | %-106s | 1 |
| 2 | FLDNAME | character | 10 | 0 | %-10s | 107 |
| 3 | FLDPOS | number | 4 | 0 | %4s | 117 |
| 4 | FLDTYPE | character | 1 | 0 | %-1s | 121 |
| 5 | PREVAL | character | 60 | 0 | %-60s | 122 |

| | | | | | | |
|---|---------|-----------|----|---|-------|-----|
| 6 | POSTVAL | character | 60 | 0 | %-60s | 182 |
| 7 | ISZMN | character | 1 | 0 | %-1s | 242 |

Folder: E:\mikrobit test\SFBAZY

Nazwa pliku: NDOST.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | DOST | character | 5 | 0 | %-5s | 1 |
| 2 | OPIS | character | 50 | 0 | %-50s | 6 |
| 3 | RODZAJ | character | 1 | 0 | %-1s | 56 |
| 4 | TYPPOZ | character | 1 | 0 | %-1s | 57 |
| 5 | NAZWA | character | 10 | 0 | %-10s | 58 |

Folder: E:\mikrobit test\SFBAZY

Nazwa pliku: NDOSTEL.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | DOST | character | 5 | 0 | %-5s | 1 |
| 2 | ELDOST | character | 2 | 0 | %-2s | 6 |
| 3 | OPIS | character | 40 | 0 | %-40s | 8 |

Folder: E:\mikrobit test\SFBAZY

Nazwa pliku: NDOSTGR.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|---------|--------|
| 1 | GRDOST | character | 3 | 0 | %-3s | 1 |
| 2 | OPIS | character | 40 | 0 | %-40s | 4 |
| 3 | DOSTEPY | character | 1000 | 0 | %-1000s | 44 |
| 4 | ZAKAZY | character | 2000 | 0 | %-2000s | 1044 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: NEXTNUM.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|-------|-----------|--------|-----------|--------|--------|
| 1 | KLUCZ | character | 30 | 0 | %-30s | 1 |
| 2 | NUMER | number | 9 | 0 | %9s | 31 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: NTSO.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | OPER | character | 3 | 0 | %-3s | 1 |
| 2 | LOGIN | character | 50 | 0 | %-50s | 4 |
| 3 | NREW | character | 6 | 0 | %-6s | 54 |
| 4 | NAZWISKO | character | 28 | 0 | %-28s | 60 |
| 5 | IMIE | character | 12 | 0 | %-12s | 88 |
| 6 | STATUS | character | 1 | 0 | %-1s | 100 |
| 7 | PASSWH | character | 16 | 0 | %-16s | 101 |
| 8 | PASSWD | date | 8 | 0 | %8s | 117 |
| 9 | PASSERR | number | 1 | 0 | %1s | 125 |
| 10 | PASSWHP | character | 34 | 0 | %-34s | 126 |
| 11 | P_LPT1 | character | 3 | 0 | %-3s | 160 |
| 12 | P_LPT2 | character | 3 | 0 | %-3s | 163 |
| 13 | P_LPT3 | character | 3 | 0 | %-3s | 166 |
| 14 | P_COM1 | character | 3 | 0 | %-3s | 169 |
| 15 | P_COM2 | character | 3 | 0 | %-3s | 172 |
| 16 | HASLOK | character | 5 | 0 | %-5s | 175 |
| 17 | DATAHK | date | 8 | 0 | %8s | 180 |
| 18 | DOSTEPY | character | 250 | 0 | %-250s | 188 |
| 19 | ZAKAZY | character | 500 | 0 | %-500s | 438 |
| 20 | GRUPY | character | 300 | 0 | %-300s | 938 |
| 21 | HASLOFK | character | 5 | 0 | %-5s | 1238 |
| 22 | DODAT | character | 120 | 0 | %-120s | 1243 |
| 23 | SYSDMODE | character | 150 | 0 | %-150s | 1363 |
| 24 | USERPATH | character | 40 | 0 | %-40s | 1513 |

| | | | | | | |
|----|----------|-----------|----|---|-------|------|
| 25 | WDOSTGR | character | 12 | 0 | %-12s | 1553 |
| 26 | WDOSTSYS | character | 2 | 0 | %-2s | 1565 |
| 27 | OPERMENU | character | 8 | 0 | %-8s | 1567 |
| 28 | M__SOP | character | 10 | 0 | %-10s | 1575 |

Folder: E:\mikrobit test\SFBAZY

Nazwa pliku: OKRKSG.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | NR_RKKSG | character | 4 | 0 | %-4s | 1 |
| 2 | OP_RKKSG | character | 9 | 0 | %-9s | 5 |
| 3 | ST_MCKSG | character | 1 | 0 | %-1s | 14 |
| 4 | NR_MCKSG | character | 2 | 0 | %-2s | 15 |
| 5 | OP_MCKSG | character | 30 | 0 | %-30s | 17 |
| 6 | DP_MCKSG | date | 8 | 0 | %8s | 47 |
| 7 | DK_MCKSG | date | 8 | 0 | %8s | 55 |

Folder: E:\mikrobit test\SFBAZY

Nazwa pliku: OTWDB_B.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NBAZY | character | 60 | 0 | %-60s | 1 |
| 2 | NRSTAN | character | 2 | 0 | %-2s | 61 |
| 3 | ACT_SYS | character | 8 | 0 | %-8s | 63 |
| 4 | ID_SYS | character | 2 | 0 | %-2s | 71 |
| 5 | STATUSDB | character | 1 | 0 | %-1s | 73 |
| 6 | OPER_O | character | 3 | 0 | %-3s | 74 |
| 7 | DATA_O | date | 8 | 0 | %8s | 77 |
| 8 | CZAS_O | character | 8 | 0 | %-8s | 85 |
| 9 | OPER_Z | character | 3 | 0 | %-3s | 93 |
| 10 | DATA_Z | date | 8 | 0 | %8s | 96 |
| 11 | CZAS_Z | character | 8 | 0 | %-8s | 104 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: OTWDB_O.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NBAZY | character | 60 | 0 | %-60s | 1 |
| 2 | NRSTAN | character | 2 | 0 | %-2s | 61 |
| 3 | ACT_SYS | character | 8 | 0 | %-8s | 63 |
| 4 | ID_SYS | character | 2 | 0 | %-2s | 71 |
| 5 | STATUSDB | character | 1 | 0 | %-1s | 73 |
| 6 | OPER_O | character | 3 | 0 | %-3s | 74 |
| 7 | DATA_O | date | 8 | 0 | %8s | 77 |
| 8 | CZAS_O | character | 8 | 0 | %-8s | 85 |
| 9 | OPER_Z | character | 3 | 0 | %-3s | 93 |
| 10 | DATA_Z | date | 8 | 0 | %8s | 96 |
| 11 | CZAS_Z | character | 8 | 0 | %-8s | 104 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: PARAMETR.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | PAR_ZMN | character | 10 | 0 | %-10s | 1 |
| 2 | PAR_TYP | character | 1 | 0 | %-1s | 11 |
| 3 | PAR_LEN | number | 4 | 0 | %4s | 12 |
| 4 | PAR_EXT | boolean | 1 | 0 | %1s | 16 |
| 5 | PAR_VAL | character | 480 | 0 | %-480s | 17 |
| 6 | PAR_STAT | character | 1 | 0 | %-1s | 497 |
| 7 | PAR_GRP | character | 1 | 0 | %-1s | 498 |
| 8 | PAR_GRN | character | 30 | 0 | %-30s | 499 |
| 9 | PAR_ORD | character | 3 | 0 | %-3s | 529 |
| 10 | PAR_OPIS | character | 50 | 0 | %-50s | 532 |
| 11 | PAR_OBR | character | 60 | 0 | %-60s | 582 |
| 12 | M__SOP | character | 10 | 0 | %-10s | 642 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: PAREXT.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|---------|--------|
| 1 | PAR_ZMN | character | 10 | 0 | %-10s | 1 |
| 2 | PAR_VAL | character | 4000 | 0 | %-4000s | 11 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: PARTXT.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|---------|--------|
| 1 | PAR_ZMN | character | 10 | 0 | %-10s | 1 |
| 2 | KOMENT_R | character | 2000 | 0 | %-2000s | 11 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: PERS.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NREW | character | 6 | 0 | %-6s | 1 |
| 2 | NAZWISKO | character | 40 | 0 | %-40s | 7 |
| 3 | IMIE | character | 30 | 0 | %-30s | 47 |
| 4 | KODMW | character | 3 | 0 | %-3s | 77 |
| 5 | KODDZIAL | character | 6 | 0 | %-6s | 80 |
| 6 | KODSTAN | character | 6 | 0 | %-6s | 86 |
| 7 | KODWYR | character | 3 | 0 | %-3s | 92 |
| 8 | KODGR | character | 6 | 0 | %-6s | 95 |
| 9 | INFO | character | 50 | 0 | %-50s | 101 |
| 10 | BANK_ID | character | 2 | 0 | %-2s | 151 |
| 11 | BANK_N | character | 40 | 0 | %-40s | 153 |
| 12 | BANK_KNT | character | 40 | 0 | %-40s | 193 |
| 13 | KLASA | character | 2 | 0 | %-2s | 233 |
| 14 | KART | character | 1 | 0 | %-1s | 235 |
| 15 | PRAC | character | 1 | 0 | %-1s | 236 |

| | | | | | | |
|----|--------|-----------|----|---|-------|-----|
| 16 | M__SOP | character | 10 | 0 | %-10s | 237 |
|----|--------|-----------|----|---|-------|-----|

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: PERSH.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 2 | 0 | %-2s | 1 |
| 2 | IDX | character | 10 | 0 | %-10s | 3 |
| 3 | NAZW_IM | character | 41 | 0 | %-41s | 13 |
| 4 | OPER_PR | character | 3 | 0 | %-3s | 54 |
| 5 | OPER_SI | character | 15 | 0 | %-15s | 57 |
| 6 | DATA_OP | date | 8 | 0 | %8s | 72 |
| 7 | CZAS_OP | character | 8 | 0 | %-8s | 80 |
| 8 | KOD_ZD | character | 2 | 0 | %-2s | 88 |
| 9 | NAZWA_ZD | character | 40 | 0 | %-40s | 90 |
| 10 | OPIS_ZD | character | 165 | 0 | %-165s | 130 |
| 11 | M__SOP | character | 10 | 0 | %-10s | 295 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: PZLEC.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|------|-----------|--------|-----------|--------|--------|
| 1 | TZ | character | 2 | 0 | %-2s | 1 |
| 2 | ZLEC | character | 25 | 0 | %-25s | 3 |
| 3 | OPIS | character | 30 | 0 | %-30s | 28 |
| 4 | DATA | date | 8 | 0 | %8s | 58 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: RABATY.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|------|------|--------|-----------|--------|--------|
|---|------|------|--------|-----------|--------|--------|

| | | | | | | |
|----|--------|-----------|----|---|-------|----|
| 1 | GR_AS | character | 5 | 0 | %-5s | 1 |
| 2 | RCENY | character | 1 | 0 | %-1s | 6 |
| 3 | GK_A | number | 6 | 2 | %6s | 7 |
| 4 | GK_B | number | 6 | 2 | %6s | 13 |
| 5 | GK_C | number | 6 | 2 | %6s | 19 |
| 6 | GK_D | number | 6 | 2 | %6s | 25 |
| 7 | GK_E | number | 6 | 2 | %6s | 31 |
| 8 | GK_F | number | 6 | 2 | %6s | 37 |
| 9 | GK_G | number | 6 | 2 | %6s | 43 |
| 10 | GK_H | number | 6 | 2 | %6s | 49 |
| 11 | GK_I | number | 6 | 2 | %6s | 55 |
| 12 | GK_J | number | 6 | 2 | %6s | 61 |
| 13 | GK_K | number | 6 | 2 | %6s | 67 |
| 14 | GK_L | number | 6 | 2 | %6s | 73 |
| 15 | DNIZP | number | 3 | 0 | %3s | 79 |
| 16 | TPLAT | character | 1 | 0 | %-1s | 82 |
| 17 | M__SOP | character | 10 | 0 | %-10s | 83 |

Folder: E:\mikrobit test\SFBAZY

Nazwa pliku: REJESTR.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | REJESTR | character | 3 | 0 | %-3s | 1 |
| 2 | TYP | character | 1 | 0 | %-1s | 4 |
| 3 | NAZWA | character | 60 | 0 | %-60s | 5 |
| 4 | OPER | character | 3 | 0 | %-3s | 65 |
| 5 | LST_UPR | character | 150 | 0 | %-150s | 68 |
| 6 | NR_DOK | character | 64 | 0 | %-64s | 218 |
| 7 | NR_DOKN | character | 75 | 0 | %-75s | 282 |
| 8 | SPOSNUM | character | 1 | 0 | %-1s | 357 |
| 9 | INFO | character | 30 | 0 | %-30s | 358 |
| 10 | KOMENT | character | 234 | 0 | %-234s | 388 |
| 11 | GRP_REJ | character | 3 | 0 | %-3s | 622 |
| 12 | JORG | character | 5 | 0 | %-5s | 625 |
| 13 | M__SOP | character | 10 | 0 | %-10s | 630 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: RWK.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | NR_KNTP | character | 12 | 0 | %-12s | 1 |
| 2 | NAZWA | character | 41 | 0 | %-41s | 13 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: RWP_BAZA.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | NR_KNTP | character | 12 | 0 | %-12s | 1 |
| 2 | DTWEZW | date | 8 | 0 | %8s | 13 |
| 3 | NR_FAKT | character | 24 | 0 | %-24s | 21 |
| 4 | KWTFAKT | number | 16 | 2 | %16s | 45 |
| 5 | KWTDOZAP | number | 16 | 2 | %16s | 61 |
| 6 | KWTODS | number | 16 | 2 | %16s | 77 |
| 7 | DTZDNIA | date | 8 | 0 | %8s | 93 |
| 8 | DTPLATDO | date | 8 | 0 | %8s | 101 |
| 9 | IDDOK | character | 24 | 0 | %-24s | 109 |
| 10 | M__SOP | character | 10 | 0 | %-10s | 133 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: RW_BAZA.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | NR_KNTP | character | 12 | 0 | %-12s | 1 |
| 2 | DTWEZW | date | 8 | 0 | %8s | 13 |
| 3 | TYPWEZW | character | 1 | 0 | %-1s | 21 |
| 4 | NRWEZW | character | 12 | 0 | %-12s | 22 |
| 5 | M__SOP | character | 10 | 0 | %-10s | 34 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: RZR.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | TYP | character | 1 | 0 | %-1s | 1 |
| 2 | IDX | character | 12 | 0 | %-12s | 2 |
| 3 | RIDENT | character | 20 | 0 | %-20s | 14 |
| 4 | DATAW | date | 8 | 0 | %8s | 34 |
| 5 | DATAROZL | date | 8 | 0 | %8s | 42 |
| 6 | KWT | number | 16 | 2 | %16s | 50 |
| 7 | IDROZL | character | 20 | 0 | %-20s | 66 |
| 8 | WSK_ROZL | character | 1 | 0 | %-1s | 86 |
| 9 | WSK_ODS | character | 1 | 0 | %-1s | 87 |
| 10 | DOK | character | 3 | 0 | %-3s | 88 |
| 11 | NRDOK | character | 16 | 0 | %-16s | 91 |
| 12 | STRONA | character | 1 | 0 | %-1s | 107 |
| 13 | SPLAT | character | 1 | 0 | %-1s | 108 |
| 14 | TRESC | character | 32 | 0 | %-32s | 109 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: STAN.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | NRSTAN | character | 2 | 0 | %-2s | 1 |
| 2 | OPSTAN | character | 40 | 0 | %-40s | 3 |
| 3 | ISACT | character | 1 | 0 | %-1s | 43 |
| 4 | ACT_OPER | character | 3 | 0 | %-3s | 44 |
| 5 | ACT_SYS | character | 2 | 0 | %-2s | 47 |
| 6 | ACT_FUN | character | 40 | 0 | %-40s | 49 |
| 7 | MNSTAN | character | 1 | 0 | %-1s | 89 |
| 8 | DOMSTDR | character | 8 | 0 | %-8s | 90 |
| 9 | P_LPT1 | character | 3 | 0 | %-3s | 98 |

| | | | | | | |
|----|----------|-----------|-----|---|--------|-----|
| 10 | P_LPT2 | character | 3 | 0 | %-3s | 101 |
| 11 | P_LPT3 | character | 3 | 0 | %-3s | 104 |
| 12 | P_COM1 | character | 3 | 0 | %-3s | 107 |
| 13 | P_COM2 | character | 3 | 0 | %-3s | 110 |
| 14 | ARKUSZ | character | 100 | 0 | %-100s | 113 |
| 15 | IEXPLORE | character | 100 | 0 | %-100s | 213 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: STANPROC.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | NRSTAN | character | 2 | 0 | %-2s | 1 |
| 2 | ACT | character | 1 | 0 | %-1s | 3 |
| 3 | ACT_OPER | character | 3 | 0 | %-3s | 4 |
| 4 | ACT_SYS | character | 8 | 0 | %-8s | 7 |
| 5 | ACT_FUN | character | 80 | 0 | %-80s | 15 |
| 6 | START_D | date | 8 | 0 | %8s | 95 |
| 7 | START_T | character | 8 | 0 | %-8s | 103 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: SYMBOL.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | SYMBOL | character | 2 | 0 | %-2s | 1 |
| 2 | TYP | character | 1 | 0 | %-1s | 3 |
| 3 | OBRAZ | character | 64 | 0 | %-64s | 4 |
| 4 | OPIS | character | 20 | 0 | %-20s | 68 |
| 5 | SKROT | character | 5 | 0 | %-5s | 88 |
| 6 | KSYM | character | 2 | 0 | %-2s | 93 |
| 7 | DL | number | 2 | 0 | %2s | 95 |
| 8 | IF_IDX | character | 1 | 0 | %-1s | 97 |
| 9 | NOTEDIT | boolean | 1 | 0 | %1s | 98 |
| 10 | IF_KONTO | boolean | 1 | 0 | %1s | 99 |

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 11 | FN_ID | character | 8 | 0 | %-8s | 100 |
| 12 | TABELA | character | 8 | 0 | %-8s | 108 |
| 13 | DEF | character | 20 | 0 | %-20s | 116 |
| 14 | OOPISSKR | character | 21 | 0 | %-21s | 136 |
| 15 | OOPI2 | character | 21 | 0 | %-21s | 157 |
| 16 | OPOMOC | character | 21 | 0 | %-21s | 178 |
| 17 | M__SOP | character | 10 | 0 | %-10s | 199 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: TKD.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | DOK | character | 3 | 0 | %-3s | 1 |
| 2 | SYMOPER | character | 3 | 0 | %-3s | 4 |
| 3 | OPIS | character | 40 | 0 | %-40s | 7 |
| 4 | TRESCFK | character | 32 | 0 | %-32s | 47 |
| 5 | REJESTR | character | 3 | 0 | %-3s | 79 |
| 6 | INFO | character | 32 | 0 | %-32s | 82 |
| 7 | TRESC | character | 12 | 0 | %-12s | 114 |
| 8 | TRESCED | character | 12 | 0 | %-12s | 126 |
| 9 | TROZR | character | 3 | 0 | %-3s | 138 |
| 10 | RODZDOW | character | 32 | 0 | %-32s | 141 |
| 11 | SLWNRDOW | character | 12 | 0 | %-12s | 173 |
| 12 | RDOP | character | 3 | 0 | %-3s | 185 |
| 13 | TROZ_WN | character | 2 | 0 | %-2s | 188 |
| 14 | TROZ_MA | character | 2 | 0 | %-2s | 190 |
| 15 | PTRESC | character | 8 | 0 | %-8s | 192 |
| 16 | STATUS_K | character | 1 | 0 | %-1s | 200 |
| 17 | SPNUMPOZ | number | 1 | 0 | % 1s | 201 |
| 18 | OPWAL | boolean | 1 | 0 | % 1s | 202 |
| 19 | KOMENT_R | memo | 10 | 0 | %s | 203 |
| 20 | M__SOP | character | 10 | 0 | %-10s | 213 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: TKDDEK.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | DOK | character | 3 | 0 | %-3s | 1 |
| 2 | SYMOPER | character | 3 | 0 | %-3s | 4 |
| 3 | LP | character | 3 | 0 | %-3s | 7 |
| 4 | KNT_S_WN | character | 10 | 0 | %-10s | 10 |
| 5 | KNT_S_MA | character | 10 | 0 | %-10s | 20 |
| 6 | KNT_P | character | 10 | 0 | %-10s | 30 |
| 7 | TRESC_WN | character | 12 | 0 | %-12s | 40 |
| 8 | TRESC_MA | character | 12 | 0 | %-12s | 52 |
| 9 | TRESCFKP | character | 3 | 0 | %-3s | 64 |
| 10 | INT_KU | number | 1 | 0 | %1s | 67 |
| 11 | DOLDKR | boolean | 1 | 0 | %1s | 68 |
| 12 | PROC | number | 6 | 2 | %6s | 69 |
| 13 | PRO_CENT | number | 6 | 2 | %6s | 75 |
| 14 | ZNAK | character | 1 | 0 | %-1s | 81 |
| 15 | NRKWT | number | 2 | 0 | %2s | 82 |
| 16 | ANAL | character | 50 | 0 | %-50s | 84 |
| 17 | ANAL_WN | character | 50 | 0 | %-50s | 134 |
| 18 | ANAL_MA | character | 50 | 0 | %-50s | 184 |
| 19 | M__SOP | character | 10 | 0 | %-10s | 234 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: TKDEXP.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|--------|-----------|--------|-----------|--------|--------|
| 1 | NWYR | character | 2 | 0 | %-2s | 1 |
| 2 | OPIS | character | 20 | 0 | %-20s | 3 |
| 3 | DEFEXP | character | 200 | 0 | %-200s | 23 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: TKDKWT.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | DOK | character | 3 | 0 | %-3s | 1 |
| 2 | SYMOPER | character | 3 | 0 | %-3s | 4 |
| 3 | NRKWT | character | 2 | 0 | %-2s | 7 |
| 4 | TYPKWT | character | 1 | 0 | %-1s | 9 |
| 5 | OPISKWT | character | 40 | 0 | %-40s | 10 |
| 6 | WZORKWT | character | 80 | 0 | %-80s | 50 |
| 7 | W_WN | number | 2 | 0 | %2s | 130 |
| 8 | K_WN | number | 2 | 0 | %2s | 132 |
| 9 | W_WK | number | 2 | 0 | %2s | 134 |
| 10 | K_WK | number | 2 | 0 | %2s | 136 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: TSO.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|----------|-----------|--------|-----------|--------|--------|
| 1 | OPER | character | 3 | 0 | %-3s | 1 |
| 2 | NREW | character | 6 | 0 | %-6s | 4 |
| 3 | NAZWISKO | character | 28 | 0 | %-28s | 10 |
| 4 | IMIE | character | 12 | 0 | %-12s | 38 |
| 5 | P_LPT1 | character | 3 | 0 | %-3s | 50 |
| 6 | P_LPT2 | character | 3 | 0 | %-3s | 53 |
| 7 | P_LPT3 | character | 3 | 0 | %-3s | 56 |
| 8 | P_COM1 | character | 3 | 0 | %-3s | 59 |
| 9 | P_COM2 | character | 3 | 0 | %-3s | 62 |
| 10 | HASLOK | character | 5 | 0 | %-5s | 65 |
| 11 | DOSTEPY | character | 90 | 0 | %-90s | 70 |
| 12 | ZAKAZY | character | 240 | 0 | %-240s | 160 |
| 13 | GRUPY | character | 90 | 0 | %-90s | 400 |
| 14 | HASLO | character | 5 | 0 | %-5s | 490 |
| 15 | POZIOM | character | 960 | 0 | %-960s | 495 |
| 16 | HASLOFK | character | 5 | 0 | %-5s | 1455 |
| 17 | M__SOP | character | 10 | 0 | %-10s | 1460 |

Folder: E:\mikrobit test\SFBAZY

Nazwa pliku: UN_FK.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | QKEY | character | 150 | 0 | %-150s | 1 |
| 2 | PROCES | character | 2 | 0 | %-2s | 151 |
| 3 | WARIANT | character | 1 | 0 | %-1s | 153 |

Folder: E:\mikrobit test\SFBAZY

Nazwa pliku: UN_KS.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | QKEY | character | 150 | 0 | %-150s | 1 |
| 2 | PROCES | character | 2 | 0 | %-2s | 151 |
| 3 | WARIANT | character | 1 | 0 | %-1s | 153 |

Folder: E:\mikrobit test\SFBAZY

Nazwa pliku: UN_SF.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | QKEY | character | 150 | 0 | %-150s | 1 |
| 2 | PROCES | character | 2 | 0 | %-2s | 151 |
| 3 | WARIANT | character | 1 | 0 | %-1s | 153 |

Folder: E:\mikrobit test\SFBAZY

Nazwa pliku: UN_SP.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|---------|-----------|--------|-----------|--------|--------|
| 1 | QKEY | character | 150 | 0 | %-150s | 1 |
| 2 | PROCES | character | 2 | 0 | %-2s | 151 |
| 3 | WARIANT | character | 1 | 0 | %-1s | 153 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: VERSYS.SF

| # | Name | Type | Length | Precision | Format | Offset |
|----|---------|-----------|--------|-----------|--------|--------|
| 1 | SYSID | character | 2 | 0 | %-2s | 1 |
| 2 | SYSNAME | character | 20 | 0 | %-20s | 3 |
| 3 | DATA | date | 8 | 0 | %8s | 23 |
| 4 | SYSPRG | character | 10 | 0 | %-10s | 31 |
| 5 | SYSVER | character | 10 | 0 | %-10s | 41 |
| 6 | SYSVERH | character | 5 | 0 | %-5s | 51 |
| 7 | SYSVERL | character | 5 | 0 | %-5s | 56 |
| 8 | SYSVERO | character | 5 | 0 | %-5s | 61 |
| 9 | SYSLIB | character | 5 | 0 | %-5s | 66 |
| 10 | LIBVER | character | 2 | 0 | %-2s | 71 |
| 11 | LITVER | character | 2 | 0 | %-2s | 73 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: VIBAN.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|--------|--------|
| 1 | NRWL | character | 10 | 0 | %-10s | 1 |
| 2 | NRKNTRH | character | 10 | 0 | %-10s | 11 |
| 3 | WYRKNT | character | 3 | 0 | %-3s | 21 |
| 4 | BANK_KNT | character | 26 | 0 | %-26s | 24 |
| 5 | BANK_N | character | 30 | 0 | %-30s | 50 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: VIBANFW.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|------|------|--------|-----------|--------|--------|
|---|------|------|--------|-----------|--------|--------|

| | | | | | | |
|----|----------|-----------|----|---|-------|-----|
| 1 | NRKNTRH | character | 10 | 0 | %-10s | 1 |
| 2 | FLAGA | character | 1 | 0 | %-1s | 11 |
| 3 | SFAKT | character | 20 | 0 | %-20s | 12 |
| 4 | DOK | character | 3 | 0 | %-3s | 32 |
| 5 | SYMOPER | character | 3 | 0 | %-3s | 35 |
| 6 | INFO | character | 80 | 0 | %-80s | 38 |
| 7 | KWOTA | number | 10 | 2 | %10s | 118 |
| 8 | SYSTEM | character | 2 | 0 | %-2s | 128 |
| 9 | CURREJ | character | 8 | 0 | %-8s | 130 |
| 10 | ROKREJ | character | 4 | 0 | %-4s | 138 |
| 11 | FLAGAF | character | 1 | 0 | %-1s | 142 |
| 12 | BANK_KNT | character | 26 | 0 | %-26s | 143 |

Folder: E:\mikrobot test\SFBAZY

Nazwa pliku: ZMNTXT.SF

| # | Name | Type | Length | Precision | Format | Offset |
|---|----------|-----------|--------|-----------|---------|--------|
| 1 | DATA_ZMN | date | 8 | 0 | %8s | 1 |
| 2 | NR_VER | character | 10 | 0 | %-10s | 9 |
| 3 | TEMAT_ZM | character | 50 | 0 | %-50s | 19 |
| 4 | KOMENT_R | character | 2000 | 0 | %-2000s | 69 |
